

SAFETY DATA SHEET

4-Cyanopyridine

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	4-Cyanopyridine
Product number	90027175
CAS number	100-48-1
EC number	202-856-2
1.2. Relevant identified uses	of the substance or mixture and uses advised against
Identified uses	For research purposes only.
Uses advised against	No specific uses advised against are identified.
1.3. Details of the supplier o	f the safety data sheet
Supplier	Molekula Ltd. Lingfield Way, Darlington, DL1 4XX, United Kingdom +44 (0) 3302000333 info@molekula.com
1.4. Emergency telephone n +44 (0) 1380 725952	
+44 (0) 1380 725952 SECTION 2: Hazards identif	ication
+44 (0) 1380 725952 SECTION 2: Hazards identif 2.1. Classification of the sub	ication stance or mixture
+44 (0) 1380 725952 SECTION 2: Hazards identif	ication stance or mixture
+44 (0) 1380 725952 SECTION 2: Hazards identif 2.1. Classification of the sub Classification (EC 1272/2000	ication stance or mixture 8)
+44 (0) 1380 725952 SECTION 2: Hazards identif 2.1. Classification of the sub Classification (EC 1272/2000 Physical hazards	ication <u>stance or mixture</u> <u>8)</u> Not Classified Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 -
+44 (0) 1380 725952 SECTION 2: Hazards identif 2.1. Classification of the sub Classification (EC 1272/2008 Physical hazards Health hazards	ication <u>stance or mixture</u> <u>8)</u> Not Classified Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319
+44 (0) 1380 725952 SECTION 2: Hazards identif 2.1. Classification of the sub Classification (EC 1272/2003 Physical hazards Health hazards Environmental hazards	ication <u>stance or mixture</u> <u>8)</u> Not Classified Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319
+44 (0) 1380 725952 SECTION 2: Hazards identif 2.1. Classification of the sub Classification (EC 1272/2003 Physical hazards Health hazards Environmental hazards 2.2. Label elements	ication stance or mixture <u>8)</u> Not Classified Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Not Classified

Hazard statements	H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation.
Precautionary statements	 P261 Avoid breathing dust. P264 Wash contaminated skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell. P302+P352 IF ON SKIN: Wash with plenty of water. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P330 Rinse mouth. P332+P313 If skin irritation occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse. P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

SECTION 3: Composition/information on ingredients	
3.1. Substances	
Product name	4-Cyanopyridine
CAS number	100-48-1
EC number	202-856-2
Chemical formula	C6H4N2

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention. Place unconscious person on their side in the recovery position and ensure breathing can take place.
Ingestion	Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Never give anything by mouth to an unconscious person. Place unconscious person on their side in the recovery position and ensure breathing can take place. Keep affected person under observation. Get medical attention if symptoms are severe or persist.
Skin contact	It is important to remove the substance from the skin immediately. Remove contamination with soap and water or recognised skin cleansing agent. Get medical attention.
Eye contact	Rinse with water. Do not rub eye. Remove any contact lenses and open eyelids wide apart. Get medical attention if any discomfort continues.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.
4.2. Most important symptoms	and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Inhalation Assingle exposure may cause the following adverse effects: Headache. Exhaustion and weakness. Ingestion May cause discomfort if evallowed. Stomach pain. Nausea, vomiting. Skin contact Redness. Inflating to skin. Eye contact Initiating to eyes. 4.3. Indication of any immediated attention and special treatment needed Totat symptomatically. String of the symptome discipation of exposure may cause the following adverse effects: Headache. Exhaustion and weakness. String of the symptome discipation of the symptome discipation of the symptome discipation of any immedia subclead attention and special treatment needed String of the symptome discipation of any immedia subclead attention and special treatment needed String of the symptome discipation of the symptome di		
weakness. Ingestion May cause discontroit if swallowed. Stomach pain. Nausea, vomiting. Skin contact Redness. Initiating to skin. Eye contact Initiating to eyes. 4.3. Indication of any immediate medical attention and special treatment needed Notes for the doctor Treat symptomatically. SECTION 5. Firefighting measures Extinguishing media suitable for the surrounding fire. Suitable extinguishing media Extinguishing media suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire. solution combustion products arising from the substance or mixture Specific hazards This product is toxic. Hazardous combustion products (CO2). Carbon dixide (CO2). Carbon dixide (CO2). Carbon dixide (CO2). Carbon dixide (CO2). Carbon dixide (CO2). Containers exposed to heat with water spray and remove them from. Cool containers exposed to heat with water spray and remove them from. Cool containers exposed to heat with water spray and remove them from. Cool containers exposed to heat with water spray and remove them from. Cool containers exposed to heat with water spray and remove them from . Cool containers exposed to heat with water spray and remove them from . Cool containers exposed to heat with water spray and remove them from . Cool containers exposed to heat with water spray and remove them from . Cool	General information	
Skin contact Redness. Irritating to skin. Eye contact Irritating to eyes. 4.3. Indication of any immediate medical attention and spacial treatment needed Notes for the doctor Treat symptomatically. SECTION 5. Firefighting measures 5.1. Extinguishing media Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media 5.2. Special hazards arising from the substance or mixture Specific hazards Specific hazards This product is toxic. Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours. Carbon dioxide (CO). Oxides of nitrogen. 5.3. Advice for finefighters Protective actions during fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, functs and stroke. Ventilate closed spaces before entering them. Coal containers exposed to fhart with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water courses. If risk of water pollution occurs, notify appropriate authorities. Special protective equipment for demited protective suit. Wear positive-pressure self-contained preating apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmels, protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmels, protective bots and gloves) will provide a basic level of protective clothing and segning it out of swares and sincke. No action shall be taken without ap	Inhalation	
Eye contact Initiating to eyes. 4.3. Indication of any immediate medical attention and special treatment needed Notes for the doctor Treat symptomatically. SECTION 5. Flefighting media Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire. Specific hazards This product is toxic. Hazardous combustion products and inoxide (CO2). Carbon monoxide (CO2). Carbon dioxide (CO2). Carbon dioxide (CO2). Carbon dioxide (CO2). Carbon monoxide (CO2). Carbon monoxide (CO2). Carbon dioxide (CO2). Carbon	Ingestion	May cause discomfort if swallowed. Stomach pain. Nausea, vomiting.
4.3. Indication of any immediate medical attention and special treatment needed Notes for the doctor Treat symptomatically. SECTION 5: Firefighting media Suitable extinguishing media Suitable extinguishing media Extinguishing media suitable for the surrounding fre. Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire. science This product is toxic. Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours. Carbon dioxide (CO2). Carbon monoxide (CO). Oxides of nitrogen. 5.3. Advice for firefighters Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Col containers exposed to heat with water spray and remove them from the fire is and it. Con them water until well after the fire is and it. Con the containers exposed to farme swith water until well after the fire is out. Control run-off water by containing and keeping it out of severs and watercourses. If risk of water pollution cours, notify appropriate authorities. Special protective equipment Vear chemical protective solution go adpropriate protective closed spaces before order with in the fire is out. Control run-off water by containing and keeping it out of severs and watercourses. If risk of water pollution cours, notify appropriate authorities. Special protective equipment Vear chemical protective closed in Section 8 of this safety data sheet. No action shal	Skin contact	Redness. Irritating to skin.
Notes for the doctor Treat symptomatically. SECTION 5: Firefighting media Suitable extinguishing media Suitable extinguishing media Extinguishing media Suitable extinguishing media Extinguishing media Suitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire. media Special hazards arising from the substance or mixture Specific hazards This product is toxic. Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours. Carbon dioxide (CO2). Oxides of nitrogen. 5.3. Advice for finefighters Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire are if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Control run-off water by containing and keeping it out of severs and watercourses. If risk of water pollution occurs, notify appropriate authorities. Special protective equipment for thermical protective suit. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clotive positing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents. SECTION 6: Acccidental release measures 6.1. Person	Eye contact	Irritating to eyes.
SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media Suitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire. media 5.2. Special hazards arising from the substance or mixture Specific hazards This product is toxic. Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours. Carbon dioxide (CO2). Carbon monoxide (CO). Oxides of nitrogen. 5.3. Advice for firefighters Protective actions during firefighting Protective actions during firefighting Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to hareny and remove them from the fire area if it can be done without risk. Cool containers exposed to fames with water until well after the fire is out. Control run-off water by containing and keeping it out of severs and watercourses. If risk of water pollution occurs, notify appropriate authorities. SectION 6: Accidental release measures 6.1. Personal precautions, protective cothing a section 4 of used reporting to cothing a paperatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents. SECTION 6: Accidental release measures 6.1. Personal precaution	4.3. Indication of any immedia	te medical attention and special treatment needed
5.1. Extinguishing media Suitable extinguishing media Extinguishing media suitable for the surrounding fire. Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire. media 5.2. Special hazards ansing from the substance or mixture Specific hazards This product is toxic. Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours. Carbon monoxide (CO). Oxides of nitrogen. 5.3. Advice for firefighters Protective actions during fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to hear with water spray and remove them from the fire is out. Control run-off water politive aprox and move them from the fire is eare if it can be done without risk. Cool containers exposed to fames with water until well after the fire is out. Control run-off water politive pressure self-contained breathing to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection or chemical incidents. SECTION 6: Accidental release measures 6.1. Personal precautions, protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Avoid inhalation of dust. Use suitable respiratory protection fiventilation is inadequate. Avoid contact with skin and eyes. Section 10: Constructing the dincluding helemets, protective boots and gloves) will pro	Notes for the doctor	Treat symptomatically.
Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire. 5.2. Special hazards arising from the substance or mixture Specific hazards Specific hazards This product is toxic. Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours. Carbon dioxide (CO2). Carbon monoxide (CO2). Carbon monoxide (CO). Oxides of nitrogen. 5.3. Advice for firefighters Protective actions during gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire are if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Control run-off water by containing and keeping it out of severs and watercourses. If risk of water pollution occurs, notify appropriate authorities. Special protective equipment Wear chemical protective suit. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures Personal precautions Wear protective clothing as described in Sec	SECTION 5: Firefighting meas	ures
extinguishing media suitable for the surrounding fire. Unsuitable extinguishing media suitable for the surrounding fire. 5.2. Special hazards arising from the substance or mixture Specific hazards This product is toxic. Hazardous combustion products may include the following substances: Toxic gases or vapours. Carbon dioxide (CO2). Carbon monoxide (CO). Oxides of nitrogen. 5.3. Advice for firefighters Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Control run-off water by containing and keeping it out of severs and watercourses. If risk of water pollution occurs, notify appropriate authorities. Special protective equipment for firefighters Wear chemical protective suit. Wear positive- pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents. SECTION 6: Accidental release measuree 6.1. Personal precautions, protective equipment and emergency procedures Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Avoid inhelalation of dus. Use suitable respiratory protection if	5.1. Extinguishing media	
media 5.2. Special hazards arising from the substance or mixture Specific hazards This product is toxic. Hazardous combustion products combustion products may include the following substances: Toxic gases or vapours. Carbon dioxide (CO2). Carbon monoxide (CO). Oxides of nitrogen. 5.3. Advice for firefighters Protective actions during fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities. Special protective equipment for firefighters Wear chemical protective suit. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Avoid inhalation of dust. Use suitable respiratory protection if ventilation is inadequate. Avoid contact with skin and eyes. 6.1. Personal precautions Avoid discharge into drains or watercourses or not on the ground. Avoid discharge to the aquatic environment.	Suitable extinguishing media	
Specific hazards This product is toxic. Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours. Carbon dioxide (CO2). Carbon monoxide (CO). Oxides of nitrogen. 5.3. Advice for firefighters Protective actions during fire fighters agases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities. Special protective equipment for firefighters Wear chemical protective sold including helmets, protective solds and gloves) will provide a basic level of protection for chemical incidents. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Avoid inhalation of dust. Use suitable respiratory protection if ventilation is inadequate. Avoid contact with skin and eyes. 6.2. Environmental precautions Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.	• •	Do not use water jet as an extinguisher, as this will spread the fire.
Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours. Carbon dioxide (CO2). Carbon monoxide (CO). Oxides of nitrogen. 5.3. Advice for firefighters Protective actions during firefighters Protective actions during firefighters Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities. Special protective equipment for firefighters Wear chemical protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Avoid inhalation of dust. Use suitable respiratory protection if ventilation is inadequate. Avoid contact with skin and eyes. 6.2. Environmental precautions Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment. <td>5.2. Special hazards arising fro</td> <td>om the substance or mixture</td>	5.2. Special hazards arising fro	om the substance or mixture
products gases or vapours. Carbon dioxide (CO2). Carbon monoxide (CO). Oxides of nitrogen. 5.3. Advice for firefighters Protective actions during firefighting Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities. Special protective equipment for firefighters Wear chemical protective suit. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Avoid inhalation of dust. Use suitable respiratory protection if ventilation is inadequate. Avoid contact with skin and eyes. 6.2. Environmental precautions Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.	Specific hazards	This product is toxic.
Protective actions during fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities. Special protective equipment for firefighters Wear chemical protective suit. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Avoid inhalation of dust. Use suitable respiratory protection if ventilation is inadequate. Avoid contact with skin and eyes. 6.2. Environmental precautions Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.		gases or vapours. Carbon dioxide (CO2). Carbon monoxide (CO).
firefighting gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities. Special protective equipment for firefighters Wear chemical protective suit. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Avoid inhalation of dust. Use suitable respiratory protection if ventilation is inadequate. Avoid contact with skin and eyes. 6.2. Environmental precautions Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.	5.3. Advice for firefighters	
for firefighters(SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.SECTION 6: Accidental release measures6.1. Personal precautions, protective equipment and emergency proceduresPersonal precautionsWear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Avoid inhalation of dust. Use suitable respiratory protection if ventilation is inadequate. Avoid contact with skin and eyes.6.2. Environmental precautionsAvoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.	•	gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of
6.1. Personal precautions, protective equipment and emergency procedures Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Avoid inhalation of dust. Use suitable respiratory protection if ventilation is inadequate. Avoid contact with skin and eyes. 6.2. Environmental precautions Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.		(SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of
Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Avoid inhalation of dust. Use suitable respiratory protection if ventilation is inadequate. Avoid contact with skin and eyes. 6.2. Environmental precautions Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.	SECTION 6: Accidental releas	e measures
taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Avoid inhalation of dust. Use suitable respiratory protection if ventilation is inadequate. Avoid contact with skin and eyes.6.2. Environmental precautionsAvoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.	6.1. Personal precautions, pro	tective equipment and emergency procedures
Environmental precautions Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.	Personal precautions	taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Avoid inhalation of dust. Use suitable respiratory protection if ventilation is
aquatic environment.	6.2. Environmental precaution	<u>s</u>
6.3. Methods and material for containment and cleaning up	Environmental precautions	
	6.3. Methods and material for	containment and cleaning up

Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Provide adequate ventilation. Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.
6.4. Reference to other section	
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.
SECTION 7: Handling and stor	rage
7.1. Precautions for safe hand	ling
Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Keep container tightly sealed when not in use. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage	e, including any incompatibilities
Storage precautions	Store away from incompatible materials (see Section 10). Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Hygroscopic. Moisture sensitive. Store under inert gas.
Storage class	Chemical storage.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure controls	s/Personal protection
8.1. Control parameters	

STEL

TWA

8.2. Exposure controls





Appropriate engineering controls

Eye/face protection



Provide adequate general and local exhaust ventilation. Ensure the ventilation system is regularly maintained and tested. Good general ventilation should be adequate to control worker exposure to airborne contaminants. Observe any occupational exposure limits for the product or ingredients.

Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

Hand protection	Wear protective gloves. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Hygiene measures	Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.
Respiratory protection	Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with European Standard EN14387. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140.
Environmental exposure controls	Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

	our and onormour proportioo
Appearance	Powder.
Colour	Pink. Yellow. Beige.
Odour	Characteristic.
Odour threshold	No information available.
рН	No information available.
Melting point	76-79°C/168.8-174.2°F
Initial boiling point and range	198°C/388.4°F
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapour pressure	No information available.
Vapour density	No information available.
Relative density	No information available.
Solubility(ies)	Soluble in the following materials: Chloroform. Water. Methanol. Ethanol.
Partition coefficient	log Pow: 0.46

Auto-ignition temperature	No information available.
Decomposition Temperature	No information available.
9.2. Other information	
Molecular weight	104.11
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	See the other subsections of this section for further details.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	No potentially hazardous reactions known.
10.4. Conditions to avoid	
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
10.5. Incompatible materials	
Materials to avoid	Strong alkalis.
	Strong acids.
10.6. Hazardous decomposition	on products
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours. Carbon dioxide (CO2). Carbon monoxide (CO). Oxides of nitrogen.
SECTION 11: Toxicological in	formation
11.1. Information on toxicolog	ical effects
Acute toxicity - oral	
0	Lie werfeil if eine Henne d

Acute toxicity - oral	
Summary	Harmful if swallowed.
Acute toxicity oral (LD₅₀ mg/kg)	500.1
Species	Rat
ATE oral (mg/kg)	500.1
Acute toxicity - dermal	
Summary	Harmful in contact with skin.
ATE dermal (mg/kg)	1,100.0
Acute toxicity - inhalation	
Summary	Harmful if inhaled.
Acute toxicity inhalation (LC ₅₀ dust/mist mg/l)	1.6
Species	Rat

ATE inhalation (dusts/mists mg/l)	1.6
Skin corrosion/irritation	
Summary	Causes skin irritation.
Serious eye damage/irritation	
Summary	Causes serious eye irritation.
Respiratory sensitisation	
Summary	Based on available data the classification criteria are not met.
-	
<u>Skin sensitisation</u> Summary	Based on available data the classification criteria are not met.
-	
Germ cell mutagenicity	Based on available data the classification criteria are not met.
Summary	based on available data the classification chiena are not met.
Carcinogenicity	
Summary	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity	
Summary	Based on available data the classification criteria are not met.
Specific target organ toxicity -	single exposure
Summary	Based on available data the classification criteria are not met.
Specific target organ toxicity -	repeated exposure
Summary	Based on available data the classification criteria are not met.
Aspiration hazard	
Summary	Not relevant. Solid.
General information	The severity of the symptoms described will vary dependent on the concentration and the
	length of exposure.
Inhalation	A single exposure may cause the following adverse effects: Headache. Exhaustion and
	weakness.
Ingestion	May cause discomfort if swallowed. Stomach pain. Nausea, vomiting.
Skin contact	Redness. Irritating to skin.
Eye contact	Irritating to eyes.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target organs	No specific target organs known.
SECTION 12: Ecological infor	mation
Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.
40.4. Test "	
<u>12.1. Toxicity</u>	
Acute aquatic toxicity	

Summary

Based on available data the classification criteria are not met.

Chronic aquatic toxicity	
Summary	Based on available data the classification criteria are not met.
12.2. Persistence and degrada	ability
Persistence and degradability	The degradability of the product is not known.
12.3. Bioaccumulative potentia	
Bioaccumulative potential	No data available on bioaccumulation.
Partition coefficient	log Pow: 0.46
12.4. Mobility in soil	
Mobility	No data available.
12.5. Results of PBT and vPvI	B assessment
12.6. Other adverse effects	
Other adverse effects	None known.
SECTION 13: Disposal consid	erations
13.1. Waste treatment method	
General information	The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.
Disposal methods	Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Incineration or landfill should only be considered when recycling is not feasible.

SECTION 14: Transport information

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Health and Safety at Work etc. Act 1974 (as amended). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits.
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Regulation (EU) No 2015/830 of 28 May 2015. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

Inventories

EU - EINECS/ELINCS

None of the ingredients are listed or exempt.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways. RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail. IATA: International Air Transport Association. ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air. IMDG: International Maritime Dangerous Goods. CAS: Chemical Abstracts Service. ATE: Acute Toxicity Estimate. LC ₅₀ : Lethal Concentration to 50 % of a test population. LD ₅₀ : Lethal Dose to 50% of a test population. EC ₅₀ : 50% of maximal Effective Concentration. PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative.
Classification abbreviations and acronyms	Acute Tox. = Acute toxicity Eye Irrit. = Eye irritation Skin Irrit. = Skin irritation
Classification procedures according to Regulation (EC) 1272/2008	Acute Tox. 4 - H312: Acute Tox. 4 - H332: Acute Tox. 4 - H302: Skin Irrit. 2 - H315: Eye Irrit. 2 - H319: : Expert judgement.

Training advice	Only trained personnel should use this material.
Revision date	10/11/2021
Revision	1
SDS number	462
Hazard statements in full	H302 Harmful if swallowed. H312 Harmful in contact with skin. H315 Causes skin irritation. H319 Causes serious eye irritation. H332 Harmful if inhaled.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.