

According to Regulation (EC) No 1907/2006

N-Methylaniline

Version number: 1
Issued: 2023-09-18



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

N-Methylaniline

CAS number

100-61-8

EC number

202-870-9

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Research and development.

Not suitable for use in

Not suitable for human consumption or veterinary purposes.

1.3. Details of the supplier of the safety data sheet

Supplier

Molekula Group

Street address

Molekula Ltd, Lingfield Way, Darlington,

DL1 4XX Darlington

United Kingdom

Telephone

+44 (0) 3302 000 333

Email

info@molekula.com

Web site

www.molekula.com

Contact person

Kevin Banks

Email address

+44 (0) 7769276927

1.4. Emergency telephone number

Poison center/Additional emergency number

0344 892 0111 - National Poisons Information Service (Newcastle Centre)

According to Regulation (EC) No 1907/2006

N-Methylaniline

Version number: 1
Issued: 2023-09-18



SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Classification

Hazardous to the aquatic environment — Acute hazard category 1
Hazardous to the aquatic environment — Chronic hazard category 1
Specific Target Organ Toxicity — Repeated exposure, hazard category 2
Eye irritation, hazard category 2
Acute toxicity, oral, hazard category 3
Acute toxicity, dermal, hazard category 3
Acute toxicity, inhalation, hazard category 2

Hazard statements

H301, H311, H319, H331, H373, H400, H410

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Danger

Hazard statements

H301 Toxic if swallowed.
H311 Toxic in contact with skin.
H319 Causes serious eye irritation.
H331 Toxic if inhaled.
H373 May cause damage to organs through prolonged or repeated exposure
H410 Very toxic to aquatic life with long lasting effects.

According to Regulation (EC) No 1907/2006

N-Methylaniline

Version number: 1
Issued: 2023-09-18



Precautionary statements

P202 Do not handle until all safety precautions have been read and understood.
P233 Keep container tightly closed.
P260 Do not breathe dust/fumes/gas/mist/vapours/spray.
P262 Do not get in eyes, on skin, or on clothing.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P302 + P352 IF ON SKIN: Wash with plenty of water/.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P314 Get medical advice/attention if you feel unwell.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P403 Store in a well-ventilated place.
P405 Store locked up.
P501 Dispose of contents/container to local regulations.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS No. EC No. REACH No. Index No.	Concentration	Classification	H-phrases M factor acute M factor chronic	Note
N-methylaniline	100-61-8 202-870-9 01-2119822538-34 612-015-00-5	100%	Acute Tox. 3 - oral, Acute Tox. 3 - dermal, Acute Tox. 3 - inhalation, Eye Irrit. 2, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1	H301 + H311 + H331, H319, H373, H400, H410 - -	-

Molecular weight

107.15

Substance additional information

For the complete text of H- / EUH-statements mentioned in this section, see section 16.

According to Regulation (EC) No 1907/2006

N-Methylaniline

Version number: 1
Issued: 2023-09-18



SECTION 4: First aid measures

4.1. Description of first aid measures

IF exposed or concerned: Get medical advice/attention. First aiders/ medical personnel need to protect themselves. Show this Safety Data Sheet (SDS) to medical personnel.

Inhalation

Toxic if inhaled. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. If breathing stops, provide artificial respiration. For breathing difficulties oxygen may be necessary. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation. Give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Skin contact

In case of skin contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Immediately call a POISON CENTER/doctor. The casualty should be transferred to hospital for further treatment.

Eye contact

Remove contact lenses if present. Rinse eyes with water. Continue to rinse for at least 15 minutes and seek medical attention.

Ingestion

IF SWALLOWED: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only if the persons are fully conscious and awake). Administer activated charcoal (20 - 40g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

Information for doctors

No data available.

4.2. Most important symptoms and effects, both acute and delayed

The severity of the symptoms described will vary dependant of the concentration and the length of exposure. See section 11 for more detailed information on health effects and symptoms.

Inhalation

Single exposure may cause the following adverse effects: Difficulty in breathing. Unconsciousness, possibly death.

Skin contact

Single exposure may cause the following adverse effects: Unconsciousness, possibly death.

Eye contact

Single exposure may cause the following adverse effects: Severe irritation. Unconsciousness, possibly death.

Ingestion

Single exposure may cause the following adverse effects: Severe abdominal pain. May cause severe internal injury. Unconsciousness, possibly death.

According to Regulation (EC) No 1907/2006

N-Methylaniline

Version number: 1
Issued: 2023-09-18



4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. No special treatment requirement.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use alcohol resistant foam, carbon dioxide or dry powder to extinguish.

Unsuitable extinguishing media

No specific fire fighting procedure given.

5.2. Special hazards arising from the substance or mixture

Specific hazards: Toxic.

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

Carbon dioxide (CO₂). Carbon monoxide (CO).

Nitrous gases (NO_x).

Combustible.

Vapours are heavier than air and may spread near ground to sources of ignition.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Evacuate area. Avoid breathing gas, fume, vapours or spray. Cool containers exposed to heat with water spray and remove container, if no risk is involved.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid breathing dust/fume/gas/mist/vapours/spray. Provide adequate ventilation. Avoid contact with skin and eyes. Avoid dust formation. Wear protective clothing, gloves, eye and face protection.

For personal protection, see section 8. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Collect spillage with shovel, broom or the like and reuse, if possible. Dispose of large amounts of spillage/waste according to agreement with local authorities.

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

According to Regulation (EC) No 1907/2006

N-Methylaniline

Version number: 1
Issued: 2023-09-18



SECTION 7: Handling and storage

7.1. Precautions for safe handling

Preventive handling precautions

For precautions see section 2.2. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. This product is toxic. Keep containers tightly closed. Immediate first aid is necessary. Wear protective clothing, gloves, eye and face protection. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid ingestion and inhalation. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Do not reuse empty containers.

General hygiene

Observe good chemical hygiene practices. Remove contaminated clothing immediately and wash skin with soap and water. Remove contaminated clothing and launder thoroughly before re-use. Wash skin thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Store at room temperature. Store in a dry place. Store in a closed container.

Storage class : Toxic storage.

7.3. Specific end use(s)

No specific usage precautions noted.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits

TWA 0.5ppm 2.2mg/m³ UK. EH40 WEL = Workplace Exposure Limit.

8.2. Exposure controls

Personal Protective Equipment Symbols



Eye / face protection

Wear eye protection.

Hand protection

Wear protective gloves. Recommended gloves: Butyl rubber.

Glove Thickness: 0.7mm

Breakthrough time: 8 hours

Always inspect gloves before use. If signs of wear and tear are noticed then the gloves should be replaced.

No specific hygiene procedures noted, but good personal hygiene practices are always advisable, especially when working with chemicals. Wash contaminated skin thoroughly after handling.

According to Regulation (EC) No 1907/2006

N-Methylaniline

Version number: 1
Issued: 2023-09-18



Other skin protection

Wash skin thoroughly after handling.

Respiratory protection

Provide adequate ventilation. If ventilation is insufficient, suitable respiratory protection must be provided.

Environmental exposure controls

Avoid discharge into drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Light yellow

Odour

No data available

Melting point / freezing point

-57 °C

Boiling point or initial boiling point and boiling range

196 °C

Flammability

No data available

Lower and upper explosion limit

No data available

Flash point

85 °C

Method

CC (Closed cup).

Auto-ignition temperature

No data available

Decomposition temperature

No data available

pH

7.6

Kinematic viscosity

No data available

According to Regulation (EC) No 1907/2006

N-Methylaniline

Version number: 1
 Issued: 2023-09-18



Solubility

30 g/l

Partition coefficient n-octanol/water

No data available

Vapour pressure

No data available

Density and/or relative density

0.989 g/cm³

Relative vapour density

No data available

Particle characteristics

No data available

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Forms explosive mixtures with air on intense heating.

15 (approx) Kelvin below the flash point is to be rated as critical.

10.2. Chemical stability

Stable under normal temperature conditions. Stable under the prescribed storage conditions.

10.3. Possibility of hazardous reactions

Violent reactions possible with:

oxidising agents

Strong acids.

Acid chlorides

Acid anhydrides.

10.4. Conditions to avoid

strong heating

10.5. Incompatible materials

various plastics Copper. copper compounds

10.6. Hazardous decomposition products

See section 5.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

According to Regulation (EC) No 1907/2006

N-Methylaniline

Version number: 1
 Issued: 2023-09-18



Product / Substance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Duration of exposure
N-methylaniline 100-61-8 / 202-870-9	ATE = Acute Toxicity Estimate.	100.1 mg/kg	Oral	-
N-methylaniline 100-61-8 / 202-870-9	ATE = Acute Toxicity Estimate.	3.1 mg/l	Inhalation.	4 hours

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

No data available

SECTION 12: Ecological information**12.1. Toxicity****Acute fish toxicity**

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species
N-methylaniline 100-61-8 / 202-870-9	LC50	100 mg/l	96 hours	Pimephales promelas (Fat-head Minnow)

Acute crustacean toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species
N-methylaniline 100-61-8 / 202-870-9	LC50	0.15 mg/l	48 hours	Daphnia magna

Micro-/macro organism toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species
N-methylaniline 100-61-8 / 202-870-9	EC50	1.5 mg/l	30 minutes	Activated sludge.

12.2. Persistence and degradability**Persistence and degradability**

According to Regulation (EC) No 1907/2006

N-Methylaniline

Version number: 1
Issued: 2023-09-18



Product / Substance name CAS / EC no.	Type of test	Duration	Result	Degradation
N-methylaniline 100-61-8 / 202-870-9	aerobic	28 days	92%	Inherently biodegradable.

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal considerations

Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14: Transport information

14.1. UN number

2294

14.2. UN proper shipping name

ADR / RID / ADN proper shipping name

N-METHYLANILINE

IMDG proper shipping name

N-METHYLANILINE

IATA proper shipping name

N-Methylaniline

According to Regulation (EC) No 1907/2006

N-Methylaniline

Version number: 1
Issued: 2023-09-18



14.3. Transport hazard class(es)

Label

ADR/RID/ADN



6.1

IMDG



6.1

IATA



6.1

ADR / RID Class

6.1

ADR / RID Classification code

T1

ADR / RID hazard identification number

60

IMDG Class

6.1

IATA Class

6.1

ADN Class

6. 1

ADN Class Code

T1

14.4. Packing group

ADR / RID / ADN: III

IMDG: III

IATA: III

According to Regulation (EC) No 1907/2006

N-Methylaniline

Version number: 1
Issued: 2023-09-18



14.5. Environmental hazards

IMDG EmS

F-A, S-A

IMDG Marine Pollutant

Yes

14.6. Special precautions for user

Tunnel restriction code: E

Transport category: 2

14.7. Maritime transport in bulk according to IMO instruments

IBC Instruction: IBC03

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

National regulations

Directive: 2012/18/EU: ACUTE TOXIC

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Phrase meaning

Aquatic Acute 1 - Hazardous to the aquatic environment — Acute hazard category 1

Aquatic Chronic 1 - Hazardous to the aquatic environment — Chronic hazard category 1

STOT RE 2 - Specific Target Organ Toxicity — Repeated exposure, hazard category 2

Eye Irrit. 2 - Eye irritation, hazard category 2

Acute Tox. 3 - oral - Acute toxicity, oral, hazard category 3

Acute Tox. 3 - dermal - Acute toxicity, dermal, hazard category 3

Acute Tox. 2 - inhalation - Acute toxicity, inhalation, hazard category 2

Acute Tox. 3 - inhalation - Acute toxicity, inhalation, hazard category 3

H301 Toxic if swallowed.

H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled

H311 Toxic in contact with skin.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.