Solketal

 Version number:
 2

 Issued:
 2024-04-18

 Replaces SDS:
 2019-04-12



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

<u>Trade name</u> Solketal

<u>CAS number</u> 100-79-8

<u>EC number</u> 202-888-7

<u>Synonyms</u>

Isopropylideneglycerol

1.2. Relevant identified uses of the substance or mixture and uses advised against <u>Relevant identified uses</u>

Research and development. Laboratory Chemicals. Manufacture of substances.

Not suitable for use in

Not suitable for human consumption or veterinary purposes.

1.3. Details of the supplier of the safety data sheet

<u>Supplier</u>

Molekula Group

Address

Molekula Ltd, Lingfield Way, Darlington, DL1 4XX Darlington United Kingdom

Telephone +44 (0) 3302 000 333

Email info@molekula.com

Web site www.molekula.com

Contact person Kevin Banks

<u>Email</u> +44 (0) 7769276927

1.4. Emergency telephone number

Poison center/Additional emergency number 0344 892 0111 - National Poisons Information Service (Newcastle Centre)

Solketal

 Version number:
 2

 Issued:
 2024-04-18

 Replaces SDS:
 2019-04-12



SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Classification

Reproductive toxicity, hazard category 2 Eye irritation, hazard category 2

Hazard statements

H319, H361d

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms



Signal word Warning

Hazard statements

H319 Causes serious eye irritation. H361d Suspected of damaging the unborn child.

Precautionary statements

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical advice/attention.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P405 Store locked up.
P501 Dispose of contents/container to local regulations.

2.3. Other hazards

No data available

Solketal

 Version number:
 2

 Issued:
 2024-04-18

 Replaces SDS:
 2019-04-12



3.2. Mixtures

Chemical name	CAS No. EC No. REACH No. Index No.	Concentration	Classification	H-phrase M factor acute M factor chronic	Note
Solketal	100-79-8 202-888-7 - -	100%	Eye Irrit. 2, Repr. 2	H319, H361d - -	-

Molecular weight

132.16

Substance additional information

For the complete text of H- / EUH-statements mentioned in this section, see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Get medical attention if any discomfort continues. Show this Safety Data Sheet (SDS) to medical personnel.

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing. In case of persistent throat irritation or coughing: Seek medical attention and bring these instructions.

Skin contact

IF ON SKIN: Wash with plenty of water. Continue to rinse for at least 15 minutes and seek medical attention. Get medical advice/attention if you feel unwell.

Eye contact

Remove contact lenses if present. Rinse eyes with water. Continue to rinse for at least 15 minutes and seek medical attention.

Ingestion

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get medical advice/attention if you feel unwell.

Information for doctors

First aiders/ medical personnel need to protect themselves.

4.2. Most important symptoms and effects, both acute and delayed

The severity of the symptoms described will vary dependant of the concentration and the length of exposure.



Solketal

 Version number:
 2

 Issued:
 2024-04-18

 Replaces SDS:
 2019-04-12

Inhalation

Single exposure may cause the following adverse effects: Upper respiratory irritation. Difficulty in breathing.

Skin contact

Single exposure may cause the following adverse effects: Severe skin irritation.

Eye contact

Single exposure may cause the following adverse effects: Severe irritation.

Ingestion

Single exposure may cause the following adverse effects: Severe abdominal pain. Nausea, vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. No special treatment requirement.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

Unsuitable extinguishing media

No specific fire fighting procedure given.

5.2. Special hazards arising from the substance or mixture

Specific hazards: Combustible.

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

Carbon monoxide (CO). Carbon dioxide (CO2).

Vapours are heavier than air and may spread near ground to sources of ignition.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Evacuate area. Avoid breathing gas, fume, vapours or spray. Cool containers exposed to heat with water spray and remove container, if no risk is involved.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid breathing dust/fume/gas/mist/vapours/spray. Provide adequate ventilation. Avoid contact with skin and eyes. For personal protection, see section 8.



Solketal

 Version number:
 2

 Issued:
 2024-04-18

 Replaces SDS:
 2019-04-12

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Absorb spillage with suitable absorbent material. Collect spillage with shovel, broom or the like and reuse, if possible. Dispose of large amounts of spillage/waste according to agreement with local authorities.

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Preventive handling precautions

For precautions see section 2.2. Wear protective clothing, gloves, eye and face protection. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid ingestion and inhalation.

General hygiene

Observe good chemical hygiene practices. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove contaminated clothing and launder thoroughly before re-use. Wash skin thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Store in a dry place. Store in a closed container. Recommended storage temperature: 2 to 8°C (35.6 to $46.4^{\circ}F$)

7.3. Specific end use(s)

No specific usage precautions noted.



Solketal

 Version number:
 2

 Issued:
 2024-04-18

 Replaces SDS:
 2019-04-12



SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Product/Substance name (CAS No./EC No.)	Туре	Environmental compartment	Value
Solketal (100-79-8/202-888-7)	PNEC	Freshwater	200 µg/l
Solketal (100-79-8/202-888-7)	PNEC	Sediment (freshwater)	1183.16 µg/kg sedi- ment dw
Solketal (100-79-8/202-888-7)	PNEC	Intermittent releases	90 µg/l
Solketal (100-79-8/202-888-7)	PNEC	Sewage Treatment Plant	10 mg/l
Solketal (100-79-8/202-888-7)	PNEC	Soil	2.5 mg/kg soil dry weight
Solketal (100-79-8/202-888-7)	PNEC	Marine water	200 µg/l
Solketal (100-79-8/202-888-7)	PNEC	Sediment (marine water)	118.3 µg/kg sediment dw

8.2. Exposure controls

Personal Protective Equipment Symbols



Eye / face protection Wear eye protection.

Hand protection

Wear protective gloves. Recommended gloves: Nitrile. Glove Thickness: 0.4mm Breakthrough time: 8 hours

Always inspect gloves before use. If signs of wear and tear are noticed then the gloves should be replaced.

No specific hygiene procedures noted, but good personal hygiene practices are always advisable, especially when working with chemicals. Wash contaminated skin thoroughly after handling.

Solketal

 Version number:
 2

 Issued:
 2024-04-18

 Replaces SDS:
 2019-04-12

Other skin protection

Wash skin thoroughly after handling.

Respiratory protection

Provide adequate ventilation. If ventilation is insufficient, suitable respiratory protection must be provided.

Environmental exposure controls

Avoid discharge into drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid

<u>Colour</u> Colourless.

<u>Odour</u> Slight odour.

Melting point / freezing point

< -50 °C

Boiling point or initial boiling point and boiling range 188 - 189 °C

Flammability No data available

Lower and upper explosion limit No data available

<u>Flash point</u> 90 °C Method CC (Closed cup).

<u>Auto-ignition temperature</u> 390 °C

<u>Decomposition temperature</u> No data available

<u>рН</u> No data available



Solketal

 Version number:
 2

 Issued:
 2024-04-18

 Replaces SDS:
 2019-04-12



Kinematic viscosity

No data available

<u>Solubility</u> No data available

Water solubility

172 g/l

<u>Partition coefficient n-octanol/water</u> log Pow: -0.6 at 20 °C - Bioaccumulation is not expected.

Vapour pressure

0.32 - < 0.36 hPa

Density and/or relative density

1.063 g/cm³

<u>Relative vapour density</u> No data available

Explosive properties

Not classified as explosive.

Particle characteristics

No data available

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Forms explosive mixtures with air on intense heating. 15 (approx) Kelvin below the flash point is to be rated as critical.

10.2. Chemical stability

Stable under the prescribed storage conditions.

10.3. Possibility of hazardous reactions

Violent reactions possible with: Strong oxidising agents. Strong acids.

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Strong oxidising agents.

Solketal

 Version number:
 2

 Issued:
 2024-04-18

 Replaces SDS:
 2019-04-12

10.6. Hazardous decomposition products

See section 5.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 <u>Acute toxicity</u>

Product / Substance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Test animals
Solketal 100-79-8 / 202-888-7	LD50	7000 mg/kg	Oral	Rat
Solketal 100-79-8 / 202-888-7	LC50	>2000 mg/kg	Dermal	Rat

Skin corrosion/irritation

Product / Substance name CAS / EC no.	Result	Duration of exposure	Species
Solketal 100-79-8 / 202-888-7	No skin irritation.	4 hours	Rabbit

Serious eye damage/irritation

Product / Substance name CAS / EC no.	Result	Duration of exposure	Species
Solketal 100-79-8 / 202-888-7	Irritating to eyes	24 hours	Rabbit

Respiratory or skin sensitisation

Product / Substance name CAS / EC no.	Result	Species	Method / Guideline
Solketal 100-79-8 / 202-888-7	Negative.	Guinea Pig	In animal experiments:

Germ cell mutagenicity



Solketal

 Version number:
 2

 Issued:
 2024-04-18

 Replaces SDS:
 2019-04-12



Product / Sub- stance name CAS / EC no.	Result	Exposure route	Metabolic activa- tion / Exposure	Species	Method / Guideline
Solketal 100-79-8 / 202-888- 7	Negative.	-	with and without metabolic activation	S. typhimurium	Ames test
Solketal 100-79-8 / 202-888- 7	Negative.	Intraperitoneal.	-	Mouse	in vivo Micronucleus test

Reproductive toxicity

Product / Substance name CAS / EC no.	Result
Solketal 100-79-8 / 202-888-7	Suspected of damaging the unborn child.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

No data available

SECTION 12: Ecological information

12.1. Toxicity

Acute fish toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species
Solketal 100-79-8 / 202-888-7	LC50	16.7 g/l	96 hours	Pimephales promelas (Fat-head Minnow)

Acute algae toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species
Solketal 100-79-8 / 202-888-7	EC50	>92 mg/l	72 hours	Pseudokirchneriella sub- capitata

Solketal

 Version number:
 2

 Issued:
 2024-04-18

 Replaces SDS:
 2019-04-12

Acute crustacean toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species
Solketal 100-79-8 / 202-888-7	EC50	>96 mg/l	48 hours	Daphnia magna

Micro-/macro organism toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species
Solketal 100-79-8 / 202-888-7	EC50	>1000 mg/l	3 hours	Activated sludge.

12.2. Persistence and degradability <u>Persistence and degradability</u>

Product / Substance name CAS / EC no.	Type of test	Duration	Result	Degradation
Solketal 100-79-8 / 202-888-7	aerobic	28 days	25%	Inherently biodegrad- able.

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors.

12.7. Other adverse effects

No data available

Solketal

 Version number:
 2

 Issued:
 2024-04-18

 Replaces SDS:
 2019-04-12



SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal considerations

Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14: Transport information

14.1. UN number

Not applicable

- **14.2. UN proper shipping name** Not applicable
- 14.3. Transport hazard class(es) Not applicable
- **14.4. Packing group** Not applicable
- 14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU regulations</u>

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. This material safety data sheet complies with the requirements of Regulation (EU) 2020/878.

National regulations

No data available

15.2. Chemical safety assessment No data available

Solketal

 Version number:
 2

 Issued:
 2024-04-18

 Replaces SDS:
 2019-04-12

SECTION 16: Other information

Phrase meaning

Repr. 2 - Reproductive toxicity, hazard category 2Eye Irrit. 2 - Eye irritation, hazard category 2H319 Causes serious eye irritation.H361d Suspected of damaging the unborn child.

