

# Boron Trichloride, 1M in Hexane

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Date of issue: 8/14/2003 Revision date: 11/27/2018 Supersedes: 6/14/2017 Version: 2.1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : Boron Trichloride, 1M in Hexane  
EC-No. : 233-658-4  
CAS-No. : 10294-34-5  
Product code : SP00324  
Synonyms : 90024843

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial  
For professional use only

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Scafell Organics  
Lingfield Way  
Yarm Road Business Park  
DL1 4XX Darlington - UK  
T +44 (0) 1949 823777  
[info@scafellorganics.com](mailto:info@scafellorganics.com) - [www.scafellorganics.com](http://www.scafellorganics.com)

#### 1.4. Emergency telephone number

Emergency number : +44 7590 545705

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2 H225  
Aspiration hazard, Category 1 H304  
Acute toxicity (dermal), Category 3 H311  
Skin corrosion/irritation, Category 1A H314  
Specific target organ toxicity — Single exposure, Category 3, Narcosis H336  
Full text of H statements : see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS05

GHS06

GHS08

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H225 - Highly flammable liquid and vapour.  
H304 - May be fatal if swallowed and enters airways.  
H311 - Toxic in contact with skin.  
H314 - Causes severe skin burns and eye damage.  
H336 - May cause drowsiness or dizziness.

Precautionary statements (CLP) :

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P260 - Do not breathe dust/fume/gas/mist/vapours/spray.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308+P311 - IF exposed or concerned: Call a POISON CENTER or doctor.  
P223 - Do not allow contact with water.

EUH-statements :

EUH014 - Reacts violently with water.

#### 2.3. Other hazards

No additional information available

# Boron Trichloride, 1M in Hexane

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hexane	(CAS-No.) 92112-69-1 (EC-No.) 295-570-2	88 - 92	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Boron Trichloride	(CAS-No.) 10294-34-5 (EC-No.) 233-658-4 (EC Index-No.) 005-002-00-5	8 - 12	Press. Gas Acute Tox. 2 (Oral), H300 Acute Tox. 2 (Inhalation), H330 Skin Corr. 1B, H314

Full text of H-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	: If possible show this sheet, if not available show packaging or label. Do not leave affected person unattended. Never give anything by mouth to an unconscious person.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. Get immediate medical advice/attention.
First-aid measures after skin contact	: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Do not remove clothing if it sticks to the skin. Seek medical attention if burns develop.
First-aid measures after eye contact	: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: Rinse mouth out with water. Get immediate medical advice/attention. Do not induce vomiting. Do not give an unconscious person anything to drink.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Causes severe skin burns and eye damage.
Symptoms/effects after inhalation	: May cause drowsiness or dizziness.
Symptoms/effects after skin contact	: Repeated exposure to this material can result in absorption through skin causing significant health hazard. Toxic in contact with skin.
Symptoms/effects after eye contact	: Causes eye irritation. redness, itching, tears. Direct contact may result in corneal injury.
Symptoms/effects after ingestion	: Symptoms of ingestion include drowsiness, weakness, headache, dizziness, nausea, vomiting. Burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Get immediate medical advice/attention.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Sand.
Unsuitable extinguishing media	: Do not use extinguishing media containing water.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: Highly flammable liquid and vapour. Vapours may travel long distances along ground before igniting/flashing back to vapour source.
Explosion hazard	: May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
Reactivity in case of fire	: Reacts violently with water.
Hazardous decomposition products in case of fire	: When heated to decomposition, emits toxic fumes.

#### 5.3. Advice for firefighters

Precautionary measures fire	: Exposure to fire/heat: seal off low-lying areas. Keep container tightly closed and away from heat, sparks and flame. Keep away from combustible materials.
Firefighting instructions	: Eliminate all ignition sources if safe to do so. Evacuate area. Keep upwind.
Protection during firefighting	: Use self-contained breathing apparatus and chemically protective clothing.
Other information	: Warn all persons of toxic hazard.

# Boron Trichloride, 1M in Hexane

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Do not handle until all safety precautions have been read and understood. Ventilate the area thoroughly, especially low lying areas (basements, workpits etc). Proper grounding procedures to avoid static electricity should be followed.

##### 6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Do not touch or walk on the spilled product. Evacuate area. Mark out the contaminated area with signs and prevent access to unauthorized personnel. Do not breathe vapours. Do not get in eyes, on skin, or on clothing. Turn leaking containers leak-side up to prevent the escape of liquid.

Measures in case of dust release : Shelter from vapours by keeping upwind. Special attention should be given to low areas/pits where flammable vapours can accumulate.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Use self-contained breathing apparatus and chemically protective clothing.

Emergency procedures : All equipment used when handling the product must be grounded. Cover spill with non combustible material, e.g.: sand/earth. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Stop leak if safe to do so.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Do not allow water (or moist air) contact with this material.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Do not flush with water.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable. Do not allow contact with water.

Precautions for safe handling : Avoid contact with skin, eyes and clothing. Avoid formation of vapours. Do not handle until all safety precautions have been read and understood. Ensure that there is a suitable ventilation system. Do not handle in a confined space. Fumes extraction at source.

Hygiene measures : Take off immediately all contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof electrical/ventilating/lighting equipment.

Storage conditions : Keep in fireproof place. Store in a well-ventilated place. Keep container tightly closed.

Incompatible products : Strong bases. Strong acids. Strong oxidisers.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources. Do not allow contact with water.

Storage temperature : 2 - 8 °C

Heat and ignition sources : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Storage area : Store in dry protected location to prevent any moisture contact.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

##### Appropriate engineering controls:

Both local exhaust and good general room ventilation must be provided not only to control exposure but also to prevent formation of flammable mixtures. Floors should be impervious, resistant to liquids and easy to clean. Use spark-/explosionproof appliances and lighting system.

##### Personal protective equipment:

Avoid contact with skin and eyes. Avoid inhalation of vapours. Wear recommended personal protective equipment.

# Boron Trichloride, 1M in Hexane

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>Materials for protective clothing:</b>					
Wear fire/flamm resistant/retardant clothing. Use chemically protective clothing					
<b>Hand protection:</b>					
Always wash hands after handling the product. The protective gloves to be used must comply with the specifications of the regulation 2016/425 and the resultant standard EN 374. Acid-resistant protective gloves					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
	Fluoroelastomer (FKM)	6 (> 480 minutes)	0.7mm		EN 374
<b>Eye protection:</b>					
Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure. Use eye protection according to EN 166, designed to protect against liquid splashes.					
Type	Use	Characteristics	Standard		
Face shield, Safety goggles	vapours, Droplet	With side shields	EN 166		
<b>Skin and body protection:</b>					
Keep suitable chemically resistant protective clothing readily available for emergency use. Emergency safety showers should be available in the immediate vicinity of any potential exposure					
Type				Standard	
Total impervious protective suits, gloves, and boots must be worn to prevent any contact with the product				EN 14605	
<b>Respiratory protection:</b>					
Keep self contained breathing apparatus readily available for emergency use. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended					
Device	Filter type	Condition	Standard		
Respiratory protective device with a particle filter	ABEK	Vapour protection, Protection for Liquid particles	EN 14387		

### Environmental exposure controls:

Avoid formation of vapours. Prevent entry to sewers and public waters.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Molecular mass	: 117.16 g/mol
Colour	: Colourless.
Odour	: Irritating odour.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: -17 °C Closed cup
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0.738 g/cm <sup>3</sup>
Solubility	: Reacts with water.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available

# Boron Trichloride, 1M in Hexane

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Oxidising properties : No data available

Explosive limits : No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

### 10.3. Possibility of hazardous reactions

Reacts violently with water.

### 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not allow contact with water.

### 10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition generates : Toxic fumes.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Dermal: Toxic in contact with skin.

Acute toxicity (inhalation) : Not classified

ATE CLP (dermal)	300 mg/kg bodyweight
------------------	----------------------

### Hexane (92112-69-1)

LD50 oral rat	> 2000 mg/kg
---------------	--------------

LD50 dermal rabbit	> 2000 mg/kg
--------------------	--------------

Skin corrosion/irritation : Causes severe skin burns and eye damage.

Serious eye damage/irritation : Serious eye damage, category 1, implicit

Respiratory or skin sensitisation : Not classified

Additional information : Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : May cause drowsiness or dizziness.

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : May be fatal if swallowed and enters airways.

Potential adverse human health effects and symptoms : Toxic in contact with skin.

## SECTION 12: Ecological information

### 12.1. Toxicity

Acute aquatic toxicity : Not classified

Chronic aquatic toxicity : Not classified

### Boron Trichloride (10294-34-5)

LC50 fish 1	22 mg/l
-------------	---------

EC50 Daphnia 1	0.49 mg/l
----------------	-----------

EC50 72h algae (1)	0.73 mg/l
--------------------	-----------

# Boron Trichloride, 1M in Hexane

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 12.2. Persistence and degradability

#### Boron Trichloride, 1M in Hexane (10294-34-5)

Persistence and degradability	No data available.
-------------------------------	--------------------

#### Hexane (92112-69-1)

Biodegradation	6 % 8 days - lit
----------------	------------------

#### Boron Trichloride (10294-34-5)

Persistence and degradability	Not applicable for inorganic gases.
-------------------------------	-------------------------------------

### 12.3. Bioaccumulative potential

#### Boron Trichloride, 1M in Hexane (10294-34-5)

Bioaccumulative potential	No data available.
---------------------------	--------------------

#### Hexane (92112-69-1)

Log Pow	3.6 - 4
---------	---------

Bioaccumulative potential	Not potentially bioaccumulable.
---------------------------	---------------------------------

#### Boron Trichloride (10294-34-5)

Bioaccumulative potential	No bioaccumulation data available.
---------------------------	------------------------------------

### 12.4. Mobility in soil

#### Boron Trichloride (10294-34-5)

Ecology - soil	No data available.
----------------	--------------------

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

Additional information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Additional information : Handle empty containers with care because residual vapours are flammable. Do not allow water (or moist air) contact with this material.

Ecology - waste materials : Hazardous waste due to toxicity. Avoid release to the environment.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
3286	3286	3286	3286	3286
<b>14.2. UN proper shipping name</b>				
FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.	FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.	Flammable liquid, toxic, corrosive, n.o.s.	FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.	FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.
<b>Transport document description</b>				
UN 3286 FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (Boron trichloride 1m in hexane), 3 (6.1+8), II, (D/E)	UN 3286 FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (Boron trichloride 1m in hexane), 3 (6.1+8), II	UN 3286 Flammable liquid, toxic, corrosive, n.o.s. (Boron trichloride 1m in hexane), 3 (6.1+8), II	UN 3286 FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (Boron trichloride 1m in hexane), 3 (6.1+8), II	UN 3286 FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (Boron trichloride 1m in hexane), 3 (6.1+8), II
<b>14.3. Transport hazard class(es)</b>				
3 (6.1, 8)	3 (6.1, 8)	3 (6.1, 8)	3 (6.1, 8)	3 (6.1, 8)

# Boron Trichloride, 1M in Hexane

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



### 14.4. Packing group

II

II

II

II

II

### 14.5. Environmental hazards

Dangerous for the environment : No

Dangerous for the environment : No  
Marine pollutant : No

Dangerous for the environment : No

Dangerous for the environment : No

Dangerous for the environment : No

No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR) : FTC  
Special provisions (ADR) : 274  
Limited quantities (ADR) : 1I  
Excepted quantities (ADR) : E2  
Packing instructions (ADR) : P001, IBC02  
Mixed packing provisions (ADR) : MP19  
Portable tank and bulk container instructions (ADR) : T11  
Portable tank and bulk container special provisions (ADR) : TP2, TP27  
Tank code (ADR) : L4BH  
Tank special provisions (ADR) : TU15  
Vehicle for tank carriage : FL  
Transport category (ADR) : 2  
Special provisions for carriage - Loading, unloading and handling (ADR) : CV13, CV28  
Special provisions for carriage - Operation (ADR) : S2, S22  
Hazard identification number (Kemler No.) : 368  
Orange plates :



Tunnel restriction code (ADR) : D/E  
EAC code : •3WE  
APP code : A(fl)

#### Transport by sea

Special provisions (IMDG) : 274  
Packing instructions (IMDG) : P001  
IBC packing instructions (IMDG) : IBC99  
Tank instructions (IMDG) : T11  
Tank special provisions (IMDG) : TP2, TP13, TP27  
EmS-No. (Fire) : F-E  
EmS-No. (Spillage) : S-C  
Stowage category (IMDG) : B  
Stowage and handling (IMDG) : SW2  
Segregation (IMDG) : SG5, SG8  
Properties and observations (IMDG) : Flammable, toxic, corrosive liquid. Toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.

#### Air transport

PCA Excepted quantities (IATA) : E2

# Boron Trichloride, 1M in Hexane

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

PCA Limited quantities (IATA) : Y340  
PCA limited quantity max net quantity (IATA) : 0.5L  
PCA packing instructions (IATA) : 352  
PCA max net quantity (IATA) : 1L  
CAO packing instructions (IATA) : 363  
CAO max net quantity (IATA) : 5L  
ERG code (IATA) : 3CP

### Inland waterway transport

Classification code (ADN) : FTC  
Special provisions (ADN) : 274, 802  
Limited quantities (ADN) : 1 L  
Excepted quantities (ADN) : E2  
Carriage permitted (ADN) : T  
Equipment required (ADN) : PP, EP, EX, TOX, A  
Ventilation (ADN) : VE01, VE02  
Number of blue cones/lights (ADN) : 2

### Rail transport

Classification code (RID) : FTC  
Special provisions (RID) : 274  
Limited quantities (RID) : 1L  
Excepted quantities (RID) : E2  
Packing instructions (RID) : P001, IBC02  
Mixed packing provisions (RID) : MP19  
Portable tank and bulk container instructions (RID) : T11  
Portable tank and bulk container special provisions (RID) : TP2, TP27  
Tank codes for RID tanks (RID) : L4BH  
Special provisions for RID tanks (RID) : TU15  
Transport category (RID) : 2  
Special provisions for carriage - Loading, unloading and handling (RID) : CW13, CW28  
Colis express (express parcels) (RID) : CE7  
Hazard identification number (RID) : 368

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions  
Contains no substance on the REACH candidate list  
Contains no REACH Annex XIV substances  
Directive 2012/18/EU (SEVESO III)

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

## SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

### Full text of H- and EUH-statements:

Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 2 (Oral)	Acute toxicity (oral), Category 2



# Boron Trichloride, 1M in Hexane

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Press. Gas	Gases under pressure
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H300	Fatal if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H330	Fatal if inhaled.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
EUH014	Reacts violently with water.

SDS EU (REACH Annex II)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*