



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 2/26/2019 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
Substance name : Magnesium Nitrate
IUPAC name : magnesium nitrate
EC-No. : 233-826-7

 EC-No.
 : 233-826-7

 CAS-No.
 : 10377-60-3

 Product code
 : 89966442

 Formula
 : MgN2O6.xH2O

 Product group
 : Raw material

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Laboratory use, Industrial use, Professional use

Industrial/Professional use spec : For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Scafell Organics Molekula Ltd Lingfield Way Darlington - England

T +44 (0) 1949 823777 / +44 (0) 7590 545705

info@molekula.com / kbowen@molekula.com - www.molekula.com

1.4. Emergency telephone number

Emergency number : +44 (0) 7590 545705

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Oxidising Solids, Category 2 H272 Serious eye damage/eye irritation, Category 2 H319

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS03

GHS07

Signal word (CLP) : Danger

Hazard statements (CLP)

: H272 - May intensify fire; oxidiser.

H319 - Causes serious eye irritation.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking

P220 - Keep away from clothing and other combustible materials.

P280 - Wear protective clothing, eye protection, face protection, protective gloves. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P371+P380+P375 - In case of major fire and large quantities: Evacuate area. Fight fire

remotely due to the risk of explosion.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

EN (English) 1/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3.1. Substances

Substance type : Mono-constituent

31		
Name	Product identifier	%
Magnesium Nitrate	(CAS-No.) 10377-60-3 (EC-No.) 233-826-7	100

Full text of H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If possible show this sheet, if not

available show packaging or label. Do not leave affected person unattended.

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable

for breathing. Give oxygen or artificial respiration if necessary. If experiencing respiratory

symptoms: Get medical advice/attention.

First-aid measures after skin contact : After contact with skin, take off immediately all contaminated clothing, and wash

immediately with plenty of water. Do not remove clothing if it sticks to the skin. If skin

irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do.

Continue rinsing. Obtain medical attention if pain, blinking or redness persists.

: Rinse mouth. Do NOT induce vomiting. Get medical advice/attention. First-aid measures after ingestion

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Inhalation may cause irritation (cough, short breathing, difficulty in breathing).

Symptoms/effects after skin contact : irritation (itching, redness, blistering).

Symptoms/effects after eye contact : Dust from this product may cause eye irritation. redness, itching, tears.

Symptoms/effects after ingestion : Ingestion may cause nausea, vomiting and diarrhea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry powder. Carbon dioxide. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Nitrogen oxides.

5.3. Advice for firefighters

Precautionary measures fire : Exposure to fire/heat: seal off low-lying areas. Keep container tightly closed and away from

heat, sparks and flame.

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : Warn all persons of toxic hazard.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Isolate from fire, if possible, without unnecessary risk. No flames, no sparks. Eliminate all

sources of ignition. Avoid dust formation.

6.1.1. For non-emergency personnel

: Wear recommended personal protective equipment. Protective equipment

Emergency procedures : Evacuate unnecessary personnel. Mark out the contaminated area with signs and prevent

access to unauthorized personnel. Avoid contact with skin, eyes and clothing. Do not

breathe dust. Do not touch or walk on the spilled product.

Measures in case of dust release : Keep upwind. Ventilate the area thoroughly, especially low lying areas (basements,

workpits etc).

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. Use self-contained breathing apparatus and

chemically protective clothing.

Emergency procedures : Ventilate area. Stop leak if safe to do so.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

2/26/2019 (Version: 1.0) EN (English) 2/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Minimise generation of dust. Store away

from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Provide local exhaust or general room ventilation. Avoid creating or spreading dust.

Hygiene measures : Take off immediately all contaminated clothing and wash it before reuse. Contaminated

work clothing should not be allowed out of the workplace. Always wash hands after handling the product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke

when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ensure adequate ventilation, especially in confined areas.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct

sunlight, Heat sources. Keep container closed when not in use. Hygroscopic. Protect from

moisture.

Incompatible products : reducing agents. Oxidising agents. Combustible materials.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources. Moisture. Water, humidity.

Heat and ignition sources : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

Storage area : Store at ambient temperature. Store away from heat. Store in dry protected location to

prevent any moisture contact.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls:

Handle in accordance with good industrial hygiene and safety procedures. Provide local exhaust or general room ventilation.

Personal protective equipment:

Wear recommended personal protective equipment. Avoid all unnecessary exposure.

Hand protection:

The protective gloves to be used must comply with the specifications of the regulation 2016/425 and the resultant standard EN 374

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.11		EN 374

Eye protection:

Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure. Use eye protection according to EN 166, designed to protect against powders and dusts. Chemical goggles or safety glasses

Туре	Use	Characteristics	Standard
Face shield, Safety goggles	Dust	With side shields, tightly fitting safety goggles	EN 166

Skin and body protection:

Emergency safety showers should be available in the immediate vicinity of any potential exposure. Keep suitable chemically resistant protective clothing readily available for emergency use

Туре	Standard
Flame retardant antistatic protective clothing	EN ISO 13982

Respiratory protection:

Self contained breathing apparatus, in case of emergency. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

Device	Filter type	Condition	Standard
Respiratory protective device with a particle filter	Type P1, Type P2	Dust protection	EN 14387

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Crystalline powder.

Molecular mass : 148.31 g/mol

Colour : Colourless.

Odour : No data available.

Odour threshold : No data available

pH : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 89 °C

Freezing point : No data available

Boiling point : 330 °C

Flash point : No data available Auto-ignition temperature : No data available : No data available Decomposition temperature Flammability (solid, gas) : Flammable Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available · No data available Solubility Log Pow : No data available Viscosity, kinematic : No data available · No data available Viscosity, dynamic Explosive properties : No data available Oxidising properties : No data available **Explosive limits** : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

May cause or intensify fire; oxidiser.

10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

10.3. Possibility of hazardous reactions

Contact with combustible material may cause fire.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect from sunlight. Moisture. Water, humidity.

10.5. Incompatible materials

reducing agents.

10.6. Hazardous decomposition products

No hazardous decomposition products known at room temperature. Thermal decomposition generates: Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Magnesium Nitrate (10377-60-3)

LD50 oral rat 5440 mg/kg
Skin corrosion/irritation : Not classified

Additional information : Based on available data, the classification criteria are not met

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified

Additional information : Based on available data, the classification criteria are not met

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Germ cell mutagenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

Potential adverse human health effects and : Based on available data, the classification criteria are not met

symptoms

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic foxicity : Not classified Chronic aquatic toxicity : Not classified

12.2. Persistence and degradability

Magnesium Nitrate (10377-60-3)

Persistence and degradability No data available.

12.3. Bioaccumulative potential

Magnesium Nitrate (10377-60-3)

Bioaccumulative potential No data available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Magnesium Nitrate (10377-60-3)

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.


SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

A description with ABIT THE THE CONTROL TO				
ADR	IMDG	IATA	ADN	RID
14.1. UN number	14.1. UN number			
1474	1474	1474	1474	1474
14.2. UN proper shippin	g name			
MAGNESIUM NITRATE	MAGNESIUM NITRATE	Magnesium nitrate	MAGNESIUM NITRATE	MAGNESIUM NITRATE
Transport document descr	Transport document description			
UN 1474 MAGNESIUM NITRATE (Magnesium Nitrate), 5.1, III, (E)	UN 1474 MAGNESIUM NITRATE (Magnesium Nitrate), 5.1, III	UN 1474 Magnesium nitrate (Magnesium Nitrate), 5.1, III	UN 1474 MAGNESIUM NITRATE (Magnesium Nitrate), 5.1, III	UN 1474 MAGNESIUM NITRATE (Magnesium Nitrate), 5.1, III
14.3. Transport hazard class(es)				
5.1	5.1	5.1	5.1	5.1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : O2
Special provisions (ADR) : 332
Limited quantities (ADR) : 5kg
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P002, IBC08, LP02, R001

Special packing provisions (ADR) : B3

Mixed packing provisions (ADR) : MP10

Portable tank and bulk container instructions : T1, BK1, BK2, BK3

(ADR)

Portable tank and bulk container special provisions : TP33

(ADR)

Tank code (ADR) : SGAV
Tank special provisions (ADR) : TU3
Vehicle for tank carriage : AT
Transport category (ADR) : 3

Special provisions for carriage - Bulk (ADR) : VC1, VC2, AP6, AP7

Special provisions for carriage - Loading,

unloading and handling (ADR)

Hazard identification number (Kemler No.) : 50

Orange plates : T

50 1474

: CV24

Tunnel restriction code (ADR) : E EAC code : 1Z

Transport by sea

Special provisions (IMDG) : 332, 967
Limited quantities (IMDG) : 5 kg
Excepted quantities (IMDG) : E1
Packing instructions (IMDG) : P002, LP02

IBC packing instructions (IMDG) : IBC08
IBC special provisions (IMDG) : B3

Tank instructions (IMDG) : T1, BK2, BK3

Tank special provisions (IMDG) : TP33
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-Q
Stowage category (IMDG) : A
Stowage and handling (IMDG) : SW23

Properties and observations (IMDG) : White deliquescent crystals, soluble in water. Mixtures with combustible material are

readily ignited and may burn fiercely. Harmful if swallowed.

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y546
PCA limited quantity max net quantity (IATA) : 10kg
PCA packing instructions (IATA) : 559

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

: 25ka PCA max net quantity (IATA) : 563 CAO packing instructions (IATA) CAO max net quantity (IATA) : 100kg Special provisions (IATA) : A155, A803

ERG code (IATA) : 5L

Inland waterway transport

Classification code (ADN) : 02 Special provisions (ADN) : 332 Limited quantities (ADN) : 5 kg Excepted quantities (ADN) : E1 Carriage permitted (ADN) : B Equipment required (ADN) : PP Provisions prior to loading (ADN) : LO04 : CO02 Provisions for carriage in bulk (ADN) Number of blue cones/lights (ADN) : 0

Additional requirements/Remarks (ADN) : CO02 and LO04 apply only when this substance is carried in bulk or without packaging

Rail transport

Classification code (RID) : 02 Special provisions (RID) : 332 Excepted quantities (RID) : E1

Packing instructions (RID) : P002, IBC08, LP02, R001

Special packing provisions (RID) : B3 Mixed packing provisions (RID) : MP10

: T1, BK1, BK2, BK3 Portable tank and bulk container instructions (RID)

Portable tank and bulk container special provisions

(RID)

Tank codes for RID tanks (RID) : SGAV Special provisions for RID tanks (RID) : TU3 Transport category (RID) . 3

Special provisions for carriage – Bulk (RID) : VC1, VC2, AP6, AP7

Special provisions for carriage - Loading, : CW24

unloading and handling (RID)

Colis express (express parcels) (RID) : CE11 Hazard identification number (RID) : 50

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

· TP33

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Magnesium Nitrate is not on the REACH Candidate List Magnesium Nitrate is not on the REACH Annex XIV List Directive 2012/18/EU (SEVESO III)

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 1, Slightly hazardous to water (Classification according to

AwSV; ID No. 363)

12th Ordinance Implementing the Federal

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance) Immission Control Act - 12.BlmSchV

Netherlands

SZW-lijst van kankerverwekkende stoffen . The substance is not listed SZW-lijst van mutagene stoffen : The substance is not listed NIET-limitatieve lijst van voor de voortplanting : The substance is not listed

giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting

: The substance is not listed giftige stoffen - Vruchtbaarheid

2/26/2019 (Version: 1.0) EN (English) 7/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

NIET-limitatieve lijst van voor de voortplanting : The substance is not listed

giftige stoffen - Óntwikkeling

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16
December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Ox. Sol. 2	Oxidising Solids, Category 2	
H272	May intensify fire; oxidiser.	
H319	Causes serious eye irritation.	

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

2/26/2019 (Version: 1.0) EN (English) 8/8