

Isopropylmagnesium chloride 2m in thf

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
Date of issue: 2/25/2020 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: Isopropylmagnesium chloride 2m in thf
EC-No.	: 213-947-1
CAS-No.	: 1068-55-9
Product code	: 90026958
Formula	: C ₃ H ₇ ClMg
Product group	: Blend

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Laboratory use, Industrial use, Professional use
Industrial/Professional use spec	: For professional use only
Use of the substance/mixture	: For analytical purposes Scientific research and development Not for human consumption or veterinary purposes.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Scafell Organics
Molekula Ltd
Lingfield Way
Darlington - England
T +44 (0) 3302 000 333
info@molekula.com / kevinbanks@molekula.com - www.molekula.com

1.4. Emergency telephone number

Emergency number : +44 (0) 7769276927

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2	H225
Substances and Mixtures which, in contact with water, emit flammable gases, Category 1	H260
Skin corrosion/irritation, Category 1	H314
Carcinogenicity, Category 2	H351
Specific target organ toxicity — Single exposure, Category 3, Narcosis	H336
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	H335
Full text of H statements : see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02

GHS05

GHS07

GHS08

Signal word (CLP)

: Danger

Hazard statements (CLP)

: H225 - Highly flammable liquid and vapour.
H260 - In contact with water releases flammable gases which may ignite spontaneously.
H314 - Causes severe skin burns and eye damage.
H335 - May cause respiratory irritation.
H336 - May cause drowsiness or dizziness.
H351 - Suspected of causing cancer.

Isopropylmagnesium chloride 2m in thf

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P231+P232 - Handle and store contents under inert gas. Protect from moisture. Protect from moisture. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water /shower. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 - IF exposed or concerned: Get medical advice/attention.
--------------------------------	---

EUH-statements	: EUH014 - Reacts violently with water. EUH019 - May form explosive peroxides.
----------------	---

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Tetrahydrofuran	(CAS-No.) 109-99-9 (EC-No.) 203-726-8 (EC Index-No.) 603-025-00-0	80 - 85	Flam. Liq. 2, H225 Carc. 2, H351 Eye Irrit. 2, H319 STOT SE 3, H335
Isopropylmagnesium chloride	(CAS-No.) 1068-55-9	15 - 20	Flam. Liq. 2, H225 Water-react. 1, H260 Skin Corr. 1, H314 Eye Dam. 1, H318

Specific concentration limits:

Name	Product identifier	Specific concentration limits
Tetrahydrofuran	(CAS-No.) 109-99-9 (EC-No.) 203-726-8 (EC Index-No.) 603-025-00-0	(C >= 25) STOT SE 3, H335 (C >= 25) Eye Irrit. 2, H319

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: If possible show this sheet, if not available show packaging or label. Never give anything by mouth to an unconscious person. Do not leave affected person unattended.
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Give oxygen or artificial respiration if necessary. If breathing difficulties persist : Get medical advice/attention.
First-aid measures after skin contact	: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Do not remove clothing if it sticks to the skin. If irritation persists, consult a doctor.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth out with water. Do not induce vomiting. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Burns or irritation of the linings of the mouth, throat, and gastrointestinal tract. May cause drowsiness or dizziness. May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes severe burns. Irritation (itching, redness, blistering).
Symptoms/effects after eye contact	: Causes serious eye damage.
Symptoms/effects after ingestion	: Severe irritation or burns to the mouth, throat, oesophagus, and stomach.
Chronic symptoms	: Suspected of causing cancer.

4.3. Indication of any immediate medical attention and special treatment needed

Get immediate medical advice/attention.

Isopropylmagnesium chloride 2m in thf

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Dry powder. Sand.
- Unsuitable extinguishing media : Do NOT use water jet.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Flammable liquid and vapour. Reacts violently with water.
- Explosion hazard : May form flammable/explosive vapour-air mixture.
- Hazardous decomposition products in case of fire : Hydrogen chloride gas. Magnesium oxide fumes. Carbon oxides (CO, CO₂).

5.3. Advice for firefighters

- Precautionary measures fire : Keep container tightly closed and away from heat, sparks and flame. Keep away from combustible materials.
- Firefighting instructions : Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
- Protection during firefighting : Wear recommended personal protective equipment. Use self-contained breathing apparatus and chemically protective clothing.
- Other information : Warn all persons of toxic hazard.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Do not handle until all safety precautions have been read and understood. Ventilate the area thoroughly, especially low lying areas (basements, workpits etc). Keep away from combustible materials.

6.1.1. For non-emergency personnel

- Protective equipment : Wear recommended personal protective equipment.
- Emergency procedures : Evacuate unnecessary personnel. Mark out the contaminated area with signs and prevent access to unauthorized personnel. Do not touch or walk on the spilled product. Avoid contact with skin, eyes and clothing.
- Measures in case of dust release : Shelter from vapours by keeping upwind. Ventilate the area thoroughly, especially low lying areas (basements, workpits etc). Special attention should be given to low areas/pits where flammable vapours can accumulate.

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. Use self-contained breathing apparatus and chemically protective clothing.
- Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- For containment : Collect spillage. Contain the spilled material by bunding.
- Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Try to stop release if without risk.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : Handle empty containers with care because residual vapours are flammable. Reacts violently with water.
- Precautions for safe handling : Avoid formation of vapours. Avoid contact with skin, eyes and clothing. Do not handle until all safety precautions have been read and understood. Ensure that there is a suitable ventilation system. Do not handle in a confined space.
- Hygiene measures : Take off immediately all contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Ensure adequate ventilation, especially in confined areas. Proper grounding procedures to avoid static electricity should be followed.
- Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Heat sources, Direct sunlight. Keep container closed when not in use. Store contents under inert gas. Moisture sensitive. Light sensitive.
- Incompatible products : Strong oxidizing agents. Acids. Water. alcohols.
- Incompatible materials : Sources of ignition. Direct sunlight. Heat sources. open flames. sparks.
- Heat and ignition sources : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Isopropylmagnesium chloride 2m in thf

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Storage area

: Keep away from combustible materials. Store below 20 °C. Store in a dry place. Store in a closed container.

7.3. Specific end use(s)

For analytical purposes. Scientific research and development. Not for human consumption or veterinary purposes.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Tetrahydrofuran (109-99-9)		
United Kingdom	Local name	Tetrahydrofuran
United Kingdom	WEL TWA (mg/m³)	150 mg/m³
United Kingdom	WEL TWA (ppm)	50 ppm
United Kingdom	WEL STEL (mg/m³)	300 mg/m³
United Kingdom	WEL STEL (ppm)	100 ppm
United Kingdom	Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
United Kingdom	Regulatory reference	EH40/2005 (Third edition, 2018). HSE

8.2. Exposure controls

Appropriate engineering controls:

Handle in accordance with good industrial hygiene and safety procedures. Floors should be impervious, resistant to liquids and easy to clean.

Personal protective equipment:

Avoid all unnecessary exposure.

Materials for protective clothing:					
Wear suitable protective clothing, gloves and eye/face protection					
Hand protection:					
The protective gloves to be used must comply with the specifications of the regulation 2016/425 and the resultant standard EN 374					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Fluoroelastomer (FKM)	6 (> 480 minutes)	0.7		EN 374
Eye protection:					
Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure. Use eye protection according to EN 166, designed to protect against liquid splashes.					
Type	Use	Characteristics	Standard		
Safety goggles, Face shield	Droplet, vapours	tightly fitting safety goggles, With side shields	EN 166		
Skin and body protection:					
Emergency safety showers should be available in the immediate vicinity of any potential exposure. Keep suitable chemically resistant protective clothing readily available for emergency use					
Type			Standard		
Total impervious protective suits, gloves, and boots must be worn to prevent any contact with the product, Flame retardant antistatic protective clothing			EN 14605		
Respiratory protection:					
Keep self contained breathing apparatus readily available for emergency use. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended					
Device	Filter type	Condition	Standard		
Air-Purifying Respirator (APR), reusable	ABEK	Moist condition, Mist formation, Protection for Liquid particles, Vapour protection	EN 14387		

Other information:

Do not eat, drink or smoke during use.

Isopropylmagnesium chloride 2m in thf

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Molecular mass	: 102.85 g/mol
Colour	: brown.
Odour	: Irritating.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: 5 °C
Freezing point	: No data available
Boiling point	: 62.4
Flash point	: -27 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Flammable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0.97
Solubility	: No data available
Log Pow	: 0.45 Tetrahydrofuran
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour. Reacts violently with water.

10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Protect from sunlight. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Strong oxidizers. Acids. water. alcohols.

10.6. Hazardous decomposition products

No hazardous decomposition products known at room temperature. Thermal decomposition generates :

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Isopropylmagnesium chloride 2m in thf (1068-55-9)

LD50 oral rat	1650 mg/kg Tetrahydrofuran
LD50 dermal rabbit	>2000 Tetrahydrofuran
LC50 inhalation rat (mg/l)	53.9 mg/l/4h Tetrahydrofuran
ATE CLP (oral)	1650 mg/kg bodyweight
ATE CLP (vapours)	53.9 mg/l/4h
ATE CLP (dust,mist)	53.9 mg/l/4h

Tetrahydrofuran (109-99-9)

LD50 oral rat	1650 mg/kg
---------------	------------

Isopropylmagnesium chloride 2m in thf

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LD50 dermal rat	> 2000 mg/kg
LC50 inhalation rat (mg/l)	14.7 mg/l 6h

Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Additional information	: Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Serious eye damage, category 1, implicit
Additional information	: Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Suspected of causing cancer.
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: May cause drowsiness or dizziness. May cause respiratory irritation.
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

Isopropylmagnesium chloride 2m in thf (1068-55-9)	
LC50 fish 1	2160 mg/l Pimephales promelas - 96 h Tetrahydrofuran
LC50 fish 2	2820 mg/l Leuciscus idus - 48 h Tetrahydrofuran
EC50 Daphnia 1	3485 mg/l Water flea - 48 h Tetrahydrofuran

Tetrahydrofuran (109-99-9)	
LC50 fish 1	2160 mg/l Pimephales promelas (fathead marrow)
EC50 Daphnia 1	382 mg/l 24h

12.2. Persistence and degradability

Isopropylmagnesium chloride 2m in thf (1068-55-9)	
Persistence and degradability	No data available.

Tetrahydrofuran (109-99-9)	
Persistence and degradability	Not biodegradable.

12.3. Bioaccumulative potential

Isopropylmagnesium chloride 2m in thf (1068-55-9)	
Log Pow	0.45 Tetrahydrofuran
Bioaccumulative potential	No data available.

Tetrahydrofuran (109-99-9)	
Log Pow	0.46
Bioaccumulative potential	Not potentially bioaccumulable.

12.4. Mobility in soil

No additional information available

Isopropylmagnesium chloride 2m in thf

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.5. Results of PBT and vPvB assessment

Isopropylmagnesium chloride 2m in thf (1068-55-9)

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Component

Tetrahydrofuran (109-99-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
----------------------------	---

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods






Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Additional information : Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
3399	3399	3399	3399	3399
14.2. UN proper shipping name				
ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE	ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE	Organometallic substance, liquid, water-reactive, flammable	ORGANOMETALLIC SUBSTANCE, LIQUID, WATER REACTIVE, FLAMMABLE	ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE
Transport document description				
UN 3399 ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE (Isopropylmagnesium chloride 2m in thf), 4.3 (3), II, (D/E)	UN 3399 ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE (Isopropylmagnesium chloride 2m in thf), 4.3 (3), II	UN 3399 Organometallic substance, liquid, water-reactive, flammable (Isopropylmagnesium chloride 2m in thf), 4.3, II	UN 3399 ORGANOMETALLIC SUBSTANCE, LIQUID, WATER REACTIVE, FLAMMABLE (Isopropylmagnesium chloride 2m in thf), 4.3 (3), II	UN 3399 ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE (Isopropylmagnesium chloride 2m in thf), 4.3 (3), II
14.3. Transport hazard class(es)				
4.3 (3)	4.3 (3)	4.3 (3)	4.3 (3)	4.3 (3)
				
14.4. Packing group				
II	II	II	II	II
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: WF1
Special provisions (ADR)	: 274
Limited quantities (ADR)	: 500ml
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC01

Isopropylmagnesium chloride 2m in thf

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Mixed packing provisions (ADR)	: MP15
Portable tank and bulk container instructions (ADR)	: T7
Portable tank and bulk container special provisions (ADR)	: TP2, TP7, TP36, TP41
Tank code (ADR)	: L4DH
Tank special provisions (ADR)	: TU4, TU14, TU22, TE21, TM2
Vehicle for tank carriage	: FL
Transport category (ADR)	: 0
Special provisions for carriage - Packages (ADR)	: V1
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV23
Special provisions for carriage - Operation (ADR)	: S2
Hazard identification number (Kemler No.)	: 323
Orange plates	:



Tunnel restriction code (ADR)	: D/E
EAC code	: 4W
APP code	: A(fl)

Transport by sea

Special provisions (IMDG)	: 274
Packing instructions (IMDG)	: P001
Special packing provisions (IMDG)	: PP31
IBC packing instructions (IMDG)	: IBC01
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP2, TP7, TP36, TP41
EmS-No. (Fire)	: F-G
EmS-No. (Spillage)	: S-N
Stowage category (IMDG)	: D
Stowage and handling (IMDG)	: SW2, H1
Segregation (IMDG)	: SG35, SG26
Properties and observations (IMDG)	: Flammable liquid. Reacts violently with moisture, water and acids evolving flammable gas.

Air transport

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Forbidden
PCA limited quantity max net quantity (IATA)	: Forbidden
PCA packing instructions (IATA)	: 493
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 494
CAO max net quantity (IATA)	: 5L
Special provisions (IATA)	: A3, A803
ERG code (IATA)	: 4FW

Inland waterway transport

Classification code (ADN)	: WF1
Special provisions (ADN)	: 274
Limited quantities (ADN)	: 500 ml
Excepted quantities (ADN)	: E2
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Provisions for handling and stowage of the cargo (ADN)	: HA08
Number of blue cones/lights (ADN)	: 1

Rail transport

Classification code (RID)	: WF1
Special provisions (RID)	: 274
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC01

Isopropylmagnesium chloride 2m in thf

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Mixed packing provisions (RID)	: MP15
Portable tank and bulk container instructions (RID)	: T7
Portable tank and bulk container special provisions (RID)	: TP2, TP7, TP36, TP41
Tank codes for RID tanks (RID)	: L4DH
Special provisions for RID tanks (RID)	: TU4, TU14, TU22, TE21, TM2
Transport category (RID)	: 0
Special provisions for carriage – Packages (RID)	: W1
Special provisions for carriage - Loading, unloading and handling (RID)	: CW23
Colis express (express parcels) (RID)	: CE7
Hazard identification number (RID)	: 323

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Directive 2012/18/EU (SEVESO III)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:	
Carc. 2	Carcinogenicity, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Skin Corr. 1	Skin corrosion/irritation, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
Water-react. 1	Substances and Mixtures which, in contact with water, emit flammable gases, Category 1
H225	Highly flammable liquid and vapour.
H260	In contact with water releases flammable gases which may ignite spontaneously.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
EUH014	Reacts violently with water.
EUH019	May form explosive peroxides.

Isopropylmagnesium chloride 2m in thf

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.