

## **SAFETY DATA SHEET**

## N,N'-Methylene-bis-acrylamide

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name N,N'-Methylene-bis-acrylamide

 Product number
 22797959

 CAS number
 110-26-9

 EC number
 203-750-9

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Uses advised against

Use only for intended applications.

## 1.3. Details of the supplier of the safety data sheet

Supplier Molekula Ltd.

Lingfield Way,
Darlington,
DL1 4XX,
United Kingdom
+44 (0) 3302000333
info@molekula.com

#### 1.4. Emergency telephone number

+44 (0) 7769276927

## SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Not Classified

Health hazards Acute Tox. 3 - H301 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Eye Dam. 1 - H318 Skin Sens.

1 - H317 Muta. 1B - H340 Carc. 1B - H350 Repr. 1B - H360 STOT RE 1 - H372

Environmental hazards Not Classified

2.2. Label elements

**EC number** 203-750-9

Hazard pictograms







Signal word

Danger

## N,N'-Methylene-bis-acrylamide

Hazard statements H301 Toxic if swallowed.

H312+H332 Harmful in contact with skin or if inhaled.

H318 Causes serious eye damage. H317 May cause an allergic skin reaction.

H340 May cause genetic defects.

H350 May cause cancer.

H360 May damage fertility or the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

#### Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust.

P264 Wash contaminated skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/ attention.

P312 Call a POISON CENTRE/doctor if you feel unwell. P314 Get medical advice/ attention if you feel unwell. P321 Specific treatment (see medical advice on this label).

P330 Rinse mouth.

P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/ container in accordance with national regulations.

#### 2.3. Other hazards

This substance is not classified as PBT or vPvB according to current UK criteria.

#### SECTION 3: Composition/information on ingredients

### 3.1. Substances

Product name N,N'-Methylene-bis-acrylamide

CAS number 110-26-9 EC number 203-750-9 Chemical formula C7H10N2O2

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

General information Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical

personnel.

Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention. Place unconscious person on their side in the recovery

position and ensure breathing can take place.

## N,N'-Methylene-bis-acrylamide

Ingestion Get medical attention immediately. Rinse mouth thoroughly with water. Give a few small

glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Never give anything by mouth to an unconscious person. Place unconscious person on their side in the recovery position and ensure breathing can take place. Keep

affected person under observation.

**Skin contact** It is important to remove the substance from the skin immediately. Remove contamination

with soap and water or recognised skin cleansing agent. Get medical attention.

Eye contact Rinse immediately with plenty of water. Do not rub eye. Remove any contact lenses and open

eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

**Protection of first aiders** It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.

#### 4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

**Inhalation** A single exposure may cause the following adverse effects: Headache. Exhaustion and

weakness. Prolonged or repeated exposure may cause the following adverse effects: May

cause cancer.

**Ingestion** May cause sensitisation or allergic reactions in sensitive individuals. May cause stomach pain

or vomiting. May cause severe internal injury. Prolonged or repeated exposure may cause the

following adverse effects: May cause cancer.

**Skin contact** May cause skin sensitisation or allergic reactions in sensitive individuals. May cause

discomfort. Prolonged or repeated exposure may cause the following adverse effects: May

cause cancer.

Eye contact Causes serious eye damage. Symptoms following overexposure may include the following:

Pain. Profuse watering of the eyes. Redness.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically. Keep affected person under observation. May cause sensitisation or

allergic reactions in sensitive individuals.

#### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-

extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** This product is toxic.

Hazardous combustion

products

Thermal decomposition or combustion products may include the following substances: Very toxic or corrosive gases or vapours. Carbon monoxide (CO). Carbon dioxide (CO2). Nitrous

gases (NOx).

### 5.3. Advice for firefighters

## Protective actions during firefighting

Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

## Special protective equipment for firefighters

Wear chemical protective suit. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing will provide a basic level of protection for chemical incidents.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Avoid inhalation of dust. Use suitable respiratory protection if ventilation is inadequate. Avoid contact with skin and eyes.

#### 6.2. Environmental precautions

**Environmental precautions** 

Personal precautions

Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Provide adequate ventilation. Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.

#### 6.4. Reference to other sections

Reference to other sections

For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Usage precautions

Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Keep container tightly sealed when not in use. This product is toxic. Immediate first aid is imperative. May cause cancer. May cause genetic defects. May damage fertility or the unborn child. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.

# Advice on general occupational hygiene

Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions

Store away from incompatible materials (see Section 10). Store locked up. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage.

Air and light sensitive. Store under inert gas. Store at temperatures between  $2^{\circ}\text{C}/35.6^{\circ}\text{F}$  and  $8^{\circ}\text{C}/46.4^{\circ}\text{F}$ .

## Storage class

Toxic storage.

#### 7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

#### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

#### 8.2. Exposure controls

#### Protective equipment









#### Appropriate engineering controls

Provide adequate general and local exhaust ventilation. Ensure the ventilation system is regularly maintained and tested. Good general ventilation should be adequate to control worker exposure to airborne contaminants. Observe any occupational exposure limits for the product or ingredients.

#### Eye/face protection

Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a fullface respirator may be required instead.

#### Hand protection

Wear protective gloves. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, wear gloves that are proven to be impervious to the chemical and resist degradation. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.

#### Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

#### Hygiene measures

Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.

## Respiratory protection

Ensure all respiratory protective equipment is suitable for its intended use and is 'UKCA'marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges suitable for intended use should be used. Full face mask respirators with replaceable filter cartridges suitable for intended use should be used. Half mask and quarter mask respirators with replaceable filter cartridges suitable for intended use should be used.

#### **Environmental exposure** controls

Melting point

Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

**Appearance** Powder. White. Colour Odour Not known.

Odour threshold No information available. No information available. pΗ 180 - 185°C/356 - 365°F

## N,N'-Methylene-bis-acrylamide

**Initial boiling point and range** No information available.

Flash point No information available.

**Evaporation rate** No information available.

Flammability (solid, gas) No information available.

Upper/lower flammability or

explosive limits

No information available.

Vapour pressureNo information available.Vapour densityNo information available.

Relative density 1.216

**Solubility(ies)** No information available.

Partition coefficient No information available.

Auto-ignition temperature No information available.

**Decomposition Temperature** No information available.

9.2. Other information

Molecular weight 154.17

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** See the other subsections of this section for further details.

10.2. Chemical stability

Stability Air and light sensitive. Store under inert gas. Stable under the prescribed storage conditions.

## 10.3. Possibility of hazardous reactions

Possibility of hazardous

Violent reactions possible with:

reactions

Strong oxidising agents.

Strong acids. Strong alkalis.

10.4. Conditions to avoid

Conditions to avoid Exposure to moist air or water.

10.5. Incompatible materials

Materials to avoid Avoid contact with strong oxidising agents. Strong acids. Alkalis.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours. Carbon

monoxide (CO). Carbon dioxide (CO2). Nitrous gases (NOx).

### SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Acute toxicity - oral

**Summary** Toxic if swallowed.

Acute toxicity oral (LD₅o

mg/kg)

100.0

## N,N'-Methylene-bis-acrylamide

**Species** Rat

ATE oral (mg/kg) 100.0

Acute toxicity - dermal

**Summary** Harmful in contact with skin.

Acute toxicity dermal (LD₅o

mg/kg)

1,141.0

Species Rabbit
ATE dermal (mg/kg) 1,141.0

Acute toxicity - inhalation

**Summary** Harmful if inhaled.

Acute toxicity inhalation (LC50

dust/mist mg/l)

1.2

**Species** Rat

ATE inhalation (dusts/mists

mg/l)

1.2

Skin corrosion/irritation

**Summary** Based on available data the classification criteria are not met.

Serious eye damage/irritation

**Summary** Causes serious eye damage.

Respiratory sensitisation

**Summary** Based on available data the classification criteria are not met.

Skin sensitisation

**Summary** May cause an allergic skin reaction.

Germ cell mutagenicity

**Summary** May cause genetic defects.

Carcinogenicity

**Summary** May cause cancer.

**IARC carcinogenicity**None of the ingredients are listed or exempt.

Reproductive toxicity

**Summary** May damage fertility or the unborn child.

Specific target organ toxicity - single exposure

**Summary** Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

**Summary** Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

Summary Not relevant. Solid.

General information May damage fertility. May cause cancer after repeated exposure. Risk of cancer depends on

duration and level of exposure. May cause genetic defects. The severity of the symptoms

described will vary dependent on the concentration and the length of exposure.

## N,N'-Methylene-bis-acrylamide

**Inhalation** A single exposure may cause the following adverse effects: Headache. Exhaustion and

weakness.

**Ingestion** May cause sensitisation or allergic reactions in sensitive individuals. May cause stomach pain

or vomiting. May cause severe internal injury.

Skin contact May cause skin sensitisation or allergic reactions in sensitive individuals. May cause

discomfort.

**Eye contact** Causes serious eye damage. Symptoms following overexposure may include the following:

Pain. Profuse watering of the eyes. Redness.

Route of exposure Ingestion Inhalation Skin and/or eye contact

**Target organs** No specific target organs known.

**Medical considerations** Skin disorders and allergies.

#### **SECTION 12: Ecological information**

**Ecotoxicity** Not regarded as dangerous for the environment. However, large or frequent spills may have

hazardous effects on the environment.

#### 12.1. Toxicity

Acute aquatic toxicity

**Summary** Based on available data the classification criteria are not met.

Acute toxicity - fish NOEC, 96 hours: 100 mg/l, Brachydanio rerio (Zebra Fish)

Chronic aquatic toxicity

**Summary** Based on available data the classification criteria are not met.

#### 12.2. Persistence and degradability

Persistence and degradability 2.1%, 28 days Not readily biodegradable.

#### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

Partition coefficient No information available.

12.4. Mobility in soil

Mobility No data available.

#### 12.5. Results of PBT and vPvB assessment

#### 12.6. Other adverse effects

Other adverse effects None known.

## SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

General information The generation of waste should be minimised or avoided wherever possible. Reuse or recycle

products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product

residues and hence be potentially hazardous.

#### Disposal methods

Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Incineration or landfill should only be considered when recycling is not feasible.

#### **SECTION 14: Transport information**

General For limited quantity packaging/limited load information, consult the relevant modal

documentation using the data shown in this section.

14.1. UN number

**UN No. (ADR/RID)** 2811

**UN No. (IMDG)** 2811

**UN No. (ICAO)** 2811

**UN No. (ADN)** 2811

#### 14.2. UN proper shipping name

Proper shipping name

(ADR/RID)

 $TOXIC\ SOLID,\ ORGANIC,\ N.O.S.\ (N,N'-Methylene-bis-acrylamide)$ 

Proper shipping name (IMDG) TOXIC SOLID, ORGANIC, N.O.S. (N,N'-Methylene-bis-acrylamide)

Proper shipping name (ICAO) TOXIC SOLID, ORGANIC, N.O.S. (N,N'-Methylene-bis-acrylamide)

Proper shipping name (ADN) TOXIC SOLID, ORGANIC, N.O.S. (N,N'-Methylene-bis-acrylamide)

#### 14.3. Transport hazard class(es)

ADR/RID class 6.1

ADR/RID classification code T2

ADR/RID label 6.1

IMDG class 6.1

ICAO class/division 6.1

ADN class 6.1

## Transport labels



## 14.4. Packing group

ADR/RID packing group III

IMDG packing group

ICAO packing group

ADN packing group

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

#### 14.6. Special precautions for user

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**EmS** F-A, S-A

ADR transport category 2

Emergency Action Code 2X

Hazard Identification Number 60

(ADR/RID)

Tunnel restriction code (E)

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Health and Safety at Work etc. Act 1974 (as amended).

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment

Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].

EH40/2005 Workplace exposure limits.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### Inventories

#### **EU - EINECS/ELINCS**

None of the ingredients are listed or exempt.

#### **SECTION 16: Other information**

Abbreviations and acronyms used in the safety data sheet

ADR: European Agreement concerning the International Carriage of Dangerous Goods by

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.

RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.

IATA: International Air Transport Association.

ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IMDG: International Maritime Dangerous Goods.

CAS: Chemical Abstracts Service.

ATE: Acute Toxicity Estimate.

LC50: Lethal Concentration to 50 % of a test population.

LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).

EC<sub>50</sub>: 50% of maximal Effective Concentration.

PBT: Persistent, Bioaccumulative and Toxic substance.

vPvB: Very Persistent and Very Bioaccumulative.

## N,N'-Methylene-bis-acrylamide

Classification abbreviations

and acronyms

Acute Tox. = Acute toxicity
Carc. = Carcinogenicity

Eye Dam. = Serious eye damage Muta. = Germ cell mutagenicity Repr. = Reproductive toxicity Skin Sens. = Skin sensitisation

STOT RE = Specific target organ toxicity-repeated exposure

Classification procedures according to SI 2019 No. 720

Acute Tox. 3 - H301: Acute Tox. 4 - H312: Acute Tox. 4 - H332: Eye Dam. 1 - H318: STOT RE 1 - H372: Skin Sens. 1 - H317: Muta. 1B - H340: Carc. 1B - H350: Repr. 1B - H360: :

Expert judgement.

**Training advice** Only trained personnel should use this material.

Revision date 06/04/2022

Revision 2

Supersedes date 19/01/2022

SDS number 620

Hazard statements in full H301 Toxic if swallowed.

H312 Harmful in contact with skin.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H340 May cause genetic defects.

H350 May cause cancer.

H360 May damage fertility or the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.