

According to Regulation (EC) No 1907/2006

Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) SG



Version number: 1
Issued: 2023-11-20

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) SG

CAS number

110-71-4

EC number

203-794-9

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Research and development.

Not suitable for use in

Not suitable for human consumption or veterinary purposes.

1.3. Details of the supplier of the safety data sheet

Supplier

Molekula Group

Address

Molekula Ltd, Lingfield Way, Darlington,
DL1 4XX Darlington
United Kingdom

Telephone

+44 (0) 3302 000 333

Email

info@molekula.com

Web site

www.molekula.com

Contact person

Kevin Banks

Email

+44 (0) 7769276927

1.4. Emergency telephone number

Poison center/Additional emergency number

0344 892 0111 - National Poisons Information Service (Newcastle Centre)

According to Regulation (EC) No 1907/2006

Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) SG

Version number: 1
Issued: 2023-11-20



SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Classification

Skin irritation, hazard category 2
Reproductive toxicity, hazard category 1B
Eye irritation, hazard category 2
Acute toxicity, inhalation, hazard category 4

Hazard statements

H315, H319, H332, H360

Supplemental hazard statements

EUH019

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Danger

Hazard statements

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H360 May damage fertility or the unborn child.

Supplemental hazard statements

EUH019 May form explosive peroxides.

According to Regulation (EC) No 1907/2006

Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) SG



Version number: 1
Issued: 2023-11-20

Precautionary statements

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P260 Do not breathe dust/fumes/gas/mist/vapours/spray.
P262 Do not get in eyes, on skin, or on clothing.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P302 + P352 IF ON SKIN: Wash with plenty of water/.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical advice/attention.
P314 Get medical advice/attention if you feel unwell.
P332 + P313 If skin irritation occurs: Get medical advice/attention.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P403 Store in a well-ventilated place.
P405 Store locked up.
P501 Dispose of contents/container to local regulations.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS No. EC No. REACH No. Index No.	Concentration	Classification	H-phrases M factor acute M factor chronic	Note
Ethylene glycol dimethyl ether (1,2-Dimethoxyethane)	110-71-4 203-794-9 - -	100%	Flam. Liq. 2, Skin Irrit. 2, Eye Irrit. 2, Acute Tox. 4 - inhalation, Repr. 1B	H225, H315, H319, H332, H360FD - -	-

Molecular weight

90.12

Substance additional information

For the complete text of H- / EUH-statements mentioned in this section, see section 16.

According to Regulation (EC) No 1907/2006

Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) SG



Version number: 1
Issued: 2023-11-20

SECTION 4: First aid measures

4.1. Description of first aid measures

Get medical attention if any discomfort continues. Show this Safety Data Sheet (SDS) to medical personnel.

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing. In case of persistent throat irritation or coughing: Seek medical attention and bring these instructions.

Skin contact

IF ON SKIN: Wash with plenty of soap and water. Continue to rinse for at least 15 minutes. Get medical advice/attention if you feel unwell.

Eye contact

Remove contact lenses if present. Rinse eyes with water. Continue to rinse for at least 15 minutes and seek medical attention.

Ingestion

Rinse mouth. Do NOT induce vomiting. Get medical advice/attention if you feel unwell.

Information for doctors

No data available.

4.2. Most important symptoms and effects, both acute and delayed

The severity of the symptoms described will vary dependant of the concentration and the length of exposure.

Inhalation

Single exposure may cause the following adverse effects: Upper respiratory irritation. Difficulty in breathing.

Skin contact

Single exposure may cause the following adverse effects: Severe skin irritation.

Eye contact

May cause temporary eye irritation.

Ingestion

Single exposure may cause the following adverse effects: Severe abdominal pain. Nausea, vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. No special treatment requirement.

According to Regulation (EC) No 1907/2006

Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) SG



Version number: 1
Issued: 2023-11-20

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

Unsuitable extinguishing media

No specific fire fighting procedure given.

5.2. Special hazards arising from the substance or mixture

Specific hazards: FLAMMABLE.

Containers can burst violently when heated, due to excess pressure build-up.

Vapours may form explosive mixture with air at room temperature.

Carbon monoxide (CO). Carbon dioxide (CO₂).

Combustible.

Vapours are heavier than air and may travel along the floor and in the bottom of containers.

Development of hazardous combustion gases or vapours possible in the event of fire.

Pay attention to flashback.

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Evacuate area. Avoid breathing gas, fume, vapours or spray. Prevent skin contact by maintaining a safe distance and by wearing suitable protective equipment/ clothing. Cool containers exposed to heat with water spray and remove container, if no risk is involved.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid inhalation of vapours and spray mist and contact with skin and eyes. For personal protection, see section 8. Provide adequate ventilation. Remove sources of ignition. Beware of the explosion danger. Take action to prevent static discharges.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground. Risk of explosion.

6.3. Methods and material for containment and cleaning up

Collect with absorbent, non-combustible material into suitable containers. Remove sources of ignition. Beware of the explosion danger. Use spark-proof tools and explosion-proof equipment.

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

According to Regulation (EC) No 1907/2006

Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) SG



Version number: 1
Issued: 2023-11-20

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Preventive handling precautions

For precautions see section 2.2. Work under hood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take action to prevent static discharges. Use spark-proof tools and explosion-proof equipment. Wear protective clothing, gloves, eye and face protection. Avoid contact with skin and eyes. Avoid ingestion and inhalation.

General hygiene

Observe good chemical hygiene practices. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove contaminated clothing and launder thoroughly before re-use. Wash skin thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Store at room temperature. Store in a dry place. Store in a closed container. Handle and store contents under inert gas. Moisture Sensitive. Test for peroxide formation periodically and before distillation.

7.3. Specific end use(s)

No specific usage precautions noted.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits

No occupational exposure limit assigned.

DNEL/DMEL

Product/Substance name (CAS No./EC No.)	Type	Exposure	Value	Population	Effects
Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) (110-71-4/203-794-9)	DNEL	Chronic (long term) Inhalation	3.1 mg/m ³	Workers	Systemic
Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) (110-71-4/203-794-9)	DNEL	Chronic (long term) Dermal	1.1 mg/kg bw/day	Workers	Systemic
Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) (110-71-4/203-794-9)	DNEL	Chronic (long term) Inhalation	1.5 mg/m ³	Consumers	Systemic
Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) (110-71-4/203-794-9)	DNEL	Chronic (long term) Dermal	0.23 mg/kg bw/day	Consumers	Systemic
Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) (110-71-4/203-794-9)	DNEL	Chronic (long term)	0.23 mg/kg bw/day	Consumers	Systemic

According to Regulation (EC) No 1907/2006

Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) SG



Version number: 1
Issued: 2023-11-20

Product/Substance name (CAS No./EC No.)	Type	Exposure	Value	Population	Effects
oxyethane) (110-71-4/203-794-9)		Oral			

PNEC/PEC

Product/Substance name (CAS No./EC No.)	Type	Environmental compartment	Value
Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) (110-71-4/203-794-9)	PNEC	Soil	1.39 mg/kg
Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) (110-71-4/203-794-9)	PNEC	Marine water	0.64 mg/l
Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) (110-71-4/203-794-9)	PNEC	Freshwater	6.4 mg/l
Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) (110-71-4/203-794-9)	PNEC	Sediment (marine water)	2.57 mg/kg
Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) (110-71-4/203-794-9)	PNEC	Sediment (freshwater)	25.7 mg/kg
Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) (110-71-4/203-794-9)	PNEC	Sewage Treatment Plant	20 mg/l

8.2. Exposure controls

Personal Protective Equipment Symbols



Eye / face protection

Wear eye protection.

Hand protection

Wear protective gloves.

Recommended gloves: Viton rubber (fluor rubber).

Glove Thickness: 0.7mm

Breakthrough time: 8 hours

No specific hygiene procedures noted, but good personal hygiene practices are always advisable, especially when working with chemicals.

Wash contaminated skin thoroughly after handling.

Other skin protection

Wash skin thoroughly after handling.

According to Regulation (EC) No 1907/2006

Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) SG



Version number: 1
Issued: 2023-11-20

Respiratory protection

Provide adequate ventilation. If ventilation is insufficient, suitable respiratory protection must be provided.

Environmental exposure controls

Avoid discharge into drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Colourless.

Odour

Ether.

Melting point / freezing point

-58 °C

Boiling point or initial boiling point and boiling range

85 °C

Flammability

No data available

Lower and upper explosion limit

1.6 - 10.4 %

Flash point

5 °C

Method

CC (Closed cup).

Auto-ignition temperature

No data available

Decomposition temperature

No data available

pH

7

Kinematic viscosity

0.48 mm²/s

According to Regulation (EC) No 1907/2006

Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) SG



Version number: 1
Issued: 2023-11-20

Solubility

No data available

Water solubility

1000 g/l

Partition coefficient n-octanol/water

-0.21

Vapour pressure

87 hPa

Density and/or relative density

0.867 g/cm³

Relative vapour density

3.11

Particle characteristics

No data available

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Vapours may form explosive mixture with air at room temperature.

10.2. Chemical stability

Stable under normal temperature conditions. Stable under the prescribed storage conditions.

10.3. Possibility of hazardous reactions

There are no known conditions that are likely to result in a hazardous situation.

10.4. Conditions to avoid

Heat, sparks, flames. Moisture.

10.5. Incompatible materials

Oxidising materials. Strong acids. Strong oxidising agents.

10.6. Hazardous decomposition products

See section 5.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

According to Regulation (EC) No 1907/2006

Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) SG



Version number: 1
Issued: 2023-11-20

Product / Substance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Test animals
Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) 110-71-4 / 203-794-9	LD50	5370 mg/kg	Oral	Rat
Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) 110-71-4 / 203-794-9	ATE = Acute Toxicity Estimate.	11.1 mg/l	Inhalation.	-
Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) 110-71-4 / 203-794-9	LD50	>5000 mg/kg	Dermal	Rat

Skin corrosion/irritation

Product / Substance name CAS / EC no.	Result	Duration of exposure	Species
Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) 110-71-4 / 203-794-9	Irritating.	24 hours	Rabbit

Serious eye damage/irritation

Product / Substance name CAS / EC no.	Result	Duration of exposure	Species
Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) 110-71-4 / 203-794-9	No eye irritation.	24 hours	Rabbit

Respiratory or skin sensitisation

Product / Substance name CAS / EC no.	Result	Species	Method / Guideline
Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) 110-71-4 / 203-794-9	Negative.	Mouse	Local Lymph Node Assay

Germ cell mutagenicity

According to Regulation (EC) No 1907/2006

Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) SG



Version number: 1
Issued: 2023-11-20

Product / Substance name CAS / EC no.	Result	Exposure route	Metabolic activation / Exposure	Species	Method / Guideline
Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) 110-71-4 / 203-794-9	Negative.	-	with and without metabolic activation	Human lymphocytes	unscheduled DNA synthesis assay
Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) 110-71-4 / 203-794-9	Negative.	-	with and without metabolic activation	Escherichia coli/Salmonella typhimurium	Ames test
Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) 110-71-4 / 203-794-9	Positive.	-	with and without metabolic activation	Chinese Hamster cells: Ovary	sister chromatid exchange assay
Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) 110-71-4 / 203-794-9	Negative.	Oral	-	Mouse bone marrow	in vivo Micronucleus test
Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) 110-71-4 / 203-794-9	Negative.	Oral	-	Chinese Hamster cells: bone marrow	Chromosome aberration:

Reproductive toxicity

Product / Substance name CAS / EC no.	Result
Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) 110-71-4 / 203-794-9	May damage the unborn child. May damage fertility.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

No data available

According to Regulation (EC) No 1907/2006

Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) SG

Version number: 1
Issued: 2023-11-20



SECTION 12: Ecological information

12.1. Toxicity

Acute fish toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species
Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) 110-71-4 / 203-794-9	LC50	>5000 mg/l	96 hours	Brachydanio rerio (Zebra Fish)

Acute algae toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species
Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) 110-71-4 / 203-794-9	ErC50	9120 mg/l	72 hours	Pseudokirchneriella subcapitata

Acute crustacean toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species
Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) 110-71-4 / 203-794-9	EC50	4000 mg/l	48 hours	Daphnia magna

Micro-/macro organism toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species
Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) 110-71-4 / 203-794-9	EC50	>6400 mg/l	3 hours	Activated sludge.

According to Regulation (EC) No 1907/2006

Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) SG



Version number: 1
Issued: 2023-11-20

Chronical toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species
Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) 110-71-4 / 203-794-9	NOEC	320 mg/l	21 days	Daphnia magna

12.2. Persistence and degradability

Persistence and degradability

Product / Substance name CAS / EC no.	Type of test	Duration	Result	Degradation
Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) 110-71-4 / 203-794-9	aerobic	48 days	16%	The product is not readily biodegradable.

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors.

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal considerations

Dispose of contents/container in accordance with local/regional/national/international regulations.

According to Regulation (EC) No 1907/2006

Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) SG



Version number: 1
Issued: 2023-11-20

SECTION 14: Transport information

14.1. UN number

2252

14.2. UN proper shipping name

ADR / RID / ADN proper shipping name

1,2-DIMETHOXYETHANE

IMDG proper shipping name

1,2-DIMETHOXYETHANE

IATA proper shipping name

1,2-Dimethoxyethane

14.3. Transport hazard class(es)

Label

ADR/RID/ADN



3

IMDG



3

IATA



3

ADR / RID Class

3

ADR / RID Classification code

F1

ADR / RID hazard identification number

33

According to Regulation (EC) No 1907/2006

Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) SG



Version number: 1
Issued: 2023-11-20

IMDG Class

3

IATA Class

3

ADN Class

3

ADN Class Code

F1

14.4. Packing group

ADR / RID / ADN: II

IMDG: II

IATA: II

14.5. Environmental hazards

IMDG EmS

F-E, S-D

14.6. Special precautions for user

Tunnel restriction code: D/E

Transport category: 2

14.7. Maritime transport in bulk according to IMO instruments

IBC Instruction: IBC02

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

National regulations

REACH : 1,2-dimethoxy-ethane

Directive: 2012/18/EU: FLAMMABLE LIQUIDS

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

According to Regulation (EC) No 1907/2006

Ethylene glycol dimethyl ether (1,2-Dimethoxyethane) SG

Version number: 1
Issued: 2023-11-20



SECTION 16: Other information

Phrase meaning

Skin Irrit. 2 - Skin irritation, hazard category 2

Repr. 1B - Reproductive toxicity, hazard category 1B

Eye Irrit. 2 - Eye irritation, hazard category 2

Acute Tox. 4 - inhalation - Acute toxicity, inhalation, hazard category 4

Flam. Liq. 2 - Flammable liquids, hazard category 2

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H360 May damage fertility or the unborn child.

H360FD May damage fertility. May damage the unborn child

EUH019 May form explosive peroxides.