



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 9/17/2019 Version: 1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance Substance name : Dodecylamine **IUPAC** name : dodecan-1-amine EC-No. : 204-690-6 CAS-No. : 124-22-1 : 10291377 Product code Formula : CH3(CH2)11NH2 Product group · Raw material

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Laboratory use, Industrial use, Professional use

Industrial/Professional use spec : For professional use only Use of the substance/mixture : For analytical purposes

Scientific research and development

Not for human consumption or veterinary purposes.

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

#### Supplier

Scafell Organics Molekula Ltd Lingfield Way Darlington - England

T +44 (0) 1949 823777 / +44 (0) 7590 545705

info@molekula.com / kbowen@molekula.com - www.molekula.com

## 1.4. Emergency telephone number

Emergency number : +44 (0) 7590 545705

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1 H290
Skin corrosion/irritation, Category 1C H314
Specific target organ toxicity — Single exposure, Category 3,
Respiratory tract irritation
Specific target organ toxicity — Repeated exposure, Category 2 H373
Aspiration hazard, Category 1 H304
Hazardous to the aquatic environment — Chronic Hazard, Category 1 H410

Full text of H statements : see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP) : Danger

Hazard statements (CLP) : H290 - May be corrosive to metals.

H304 - May be fatal if swallowed and enters airways. H314 - Causes severe skin burns and eye damage.

H335 - May cause respiratory irritation.

H373 - May cause damage to organs through prolonged or repeated exposure.

H410 - Very toxic to aquatic life with long lasting effects.

EN (English) 1/8

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP) : P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor. P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

#### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## SECTION 3: Composition/information on ingredients

3.1. Substances			
Name	Product identifier	%	
Dodecylamine	(CAS-No.) 124-22-1 (EC-No.) 204-690-6	100	

Full text of H-statements: see section 16

#### 3.2. Mixtures

Not applicable

## **SECTION 4: First aid measures**

First-aid measures after eye contact

#### 4.1. Description of first aid measures

First-aid measures general : If possible show this sheet, if not available show packaging or label. Never give anything by mouth to an unconscious person. Do not leave affected person unattended.

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Give oxygen or artificial respiration if necessary. If breathing difficulties

for breathing. Give oxygen or artificial respiration if necessary. If breathing difficulties persist: Get medical advice/attention.

First-aid measures after skin contact : After contact with skin, take off immediately all contaminated clothing, and wash

immediately with plenty of water. Do not remove clothing if it sticks to the skin. If irritation persists, consult a doctor.

: Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do.

Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth out with water. Do not induce vomiting. Get medical advice/attention.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea. Burns or irritation of the linings of the

mouth, throat, and gastrointestinal tract. May be harmful if inhaled.

Symptoms/effects after skin contact : Causes severe burns. May produce skin irritation, blistering, ulcers, and deep scarring.

Cracking of the skin. Redness, pain.

Symptoms/effects after eye contact : Causes serious eye burns. Blurred vision. redness, itching, tears. stinging. More severe

symptoms are also possible.

Symptoms/effects after ingestion : Burns or irritation of the linings of the mouth, throat, and gastrointestinal tract. Symptoms of

ingestion include drowsiness, weakness, headache, dizziness, nausea, vomiting. May be

fatal if swallowed and enters airways.

: May cause damage to organs through prolonged or repeated exposure.

Chronic symptoms : May cause damage to organs through prolon

4.3. Indication of any immediate medical attention and special treatment needed

May cause severe chemical burns to skin and cornea. Suitable first-aid treatment should be immediately available. Seek medical advice before using product.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Carbon oxides (CO, CO2). Nitrogen oxides.

#### 5.3. Advice for firefighters

Precautionary measures fire : Keep container tightly closed and away from heat, sparks and flame. Keep away from

combustible materials.

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : Warn all persons of toxic hazard.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Isolate from fire, if possible, without unnecessary risk. Avoid dust formation. No flames, no

sparks. Eliminate all sources of ignition.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Evacuate unnecessary personnel. Mark out the contaminated area with signs and prevent

access to unauthorized personnel. Do not touch or walk on the spilled product. Avoid

contact with skin, eyes and clothing.

Measures in case of dust release : Keep upwind. Avoid creating or spreading dust. Ventilate the area thoroughly, especially

low lying areas (basements, workpits etc).

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. Use self-contained breathing apparatus and

chemically protective clothing.

Emergency procedures : Ventilate area

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Shovel or sweep up and put in a closed

container for disposal.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid creating or spreading dust. Provide local exhaust or general room ventilation.

Hygiene measures : Take off immediately all contaminated clothing and wash it before reuse. Wash hands and

other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ensure adequate ventilation, especially in confined areas.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Heat

sources, Direct sunlight. Keep container closed when not in use. Moisture sensitive. Store

contents under inert gas.

Incompatible products : Strong oxidizing agents. Acid anhydrides. Acid chlorides. Acids.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources. Moisture. Water, humidity.

Heat and ignition sources : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

Storage area : Store below 20 °C. Store in dry protected location to prevent any moisture contact.

Special rules on packaging : Keep only in original container.

Packaging materials : Do not store in corrodable metal

#### 7.3. Specific end use(s)

For analytical purposes. Scientific research and development. Not for human consumption or veterinary purposes.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

No additional information available

## 8.2. Exposure controls

#### Appropriate engineering controls:

Handle in accordance with good industrial hygiene and safety procedures.

#### Personal protective equipment:

Avoid all unnecessary exposure.

## Materials for protective clothing:

Wear suitable protective clothing, gloves and eye/face protection

#### Hand protection:

The protective gloves to be used must comply with the specifications of the regulation 2016/425 and the resultant standard EN 374

	. ,	•			
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Butyl rubber	6 (> 480 minutes)	0.3		EN 374

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### Eye protection:

Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure. Use eye protection according to EN 166, designed to protect against powders and dusts.

Туре	Use	Characteristics	Standard
Safety goggles, Face shield	Fine dust, Dust	tightly fitting safety goggles, With side shields	EN 166

#### Skin and body protection:

Emergency safety showers should be available in the immediate vicinity of any potential exposure. Keep suitable chemically resistant protective clothing readily available for emergency use

Туре	Standard
Total impervious protective suits, gloves, and boots must be worn to prevent any contact with the product	EN ISO 13982

#### Respiratory protection:

Keep self contained breathing apparatus readily available for emergency use. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

Device	Filter type	Condition	Standard
Respiratory protective device with a particle filter	Type P3	Dust protection	EN 14387

#### Other information:

Do not eat, drink or smoke during use.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Low melting solid. Molecular mass : 185.35 g/mol Colour : White to off-white. Odour : No data available. Odour threshold : No data available

рΗ : 12.4

Relative evaporation rate (butylacetate=1) : No data available Melting point · 25 - 30 °C Freezing point : No data available Boiling point : 247 - 249 °C lit. : 115 °C closed cup. Flash point

Auto-ignition temperature : 255 °C

Decomposition temperature : No data available Flammability (solid, gas) : Non flammable. Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : 0.806 g/mL : No data available Solubility

Log Pow . 47

Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosive properties : No data available Oxidising properties : No data available **Explosive limits** : No data available

## 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Protect from sunlight. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Moisture.

#### 10.5. Incompatible materials

Strong oxidizers. Acid anhydrides. Acid chlorides. Acids.

#### 10.6. Hazardous decomposition products

No hazardous decomposition products known at room temperature. Thermal decomposition generates: Carbon oxides (CO, CO2). Nitrogen oxides.

SECTION 11: Toxicolo	gical informati	on
----------------------	-----------------	----

11.1. Information on toxicologic
----------------------------------

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

D			. 14	0.4	00	
Dode	cvia	mın	le (1	24-	22-'	I)

LD50 oral rat > 2000 mg/kg

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: 12.4

Additional information : Based on available data, the classification criteria are not met

Serious eye damage, rategory 1, implicit

pH: 12.4

Additional information : Based on available data, the classification criteria are not met

Respiratory or skin sensitisation : Not classified

Additional information : Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : May cause respiratory irritation.

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : May be fatal if swallowed and enters airways.

Additional information : Based on available data, the classification criteria are not met

Potential adverse human health effects and : Based on available data, the classification criteria are not met.

symptoms

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

EC50 72h algae (1)

Acute aquatic foxicity : Not classified

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Dodecylamine	(124-22-1)
LC50 fish 1	

LC30 listi i	0.34 Danio Teno (Zebra listi) 9011		
EC50 Daphnia 1	0.15 mg/l Daphnia magna (Water flea) 48hr		

## 12.2. Persistence and degradability

## Dodecylamine (124-22-1)

Persistence and degradability No data available.

#### 12.3. Bioaccumulative potential

#### Dodecylamine (124-22-1)

Log Pow	4.7
Bioaccumulative potential	No data available.

0.05 mg/l Pseudokirchneriella subcapitata 72hr

## 12.4. Mobility in soil

No additional information available

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## 12.5. Results of PBT and vPvB assessment

## Dodecylamine (124-22-1)

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### 12.6. Other adverse effects

Additional information : Avoid release to the environment.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

#### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID			
14.1. UN number							
3259	3259	3259	3259	3259			
14.2. UN proper shippin	14.2. UN proper shipping name						
AMINES, SOLID, CORROSIVE, N.O.S.	AMINES, SOLID, CORROSIVE, N.O.S.	Amines, solid, corrosive, n.o.s.	AMINES, SOLID, CORROSIVE, N.O.S.	AMINES, SOLID, CORROSIVE, N.O.S.			
Transport document descr	iption						
UN 3259 AMINES, SOLID, CORROSIVE, N.O.S. (Dodecylamine), 8, III, (E), ENVIRONMENTALLY HAZARDOUS	UN 3259 AMINES, SOLID, CORROSIVE, N.O.S. (Dodecylamine), 8, III, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 3259 Amines, solid, corrosive, n.o.s. (Dodecylamine), 8, III, ENVIRONMENTALLY HAZARDOUS	UN 3259 AMINES, SOLID, CORROSIVE, N.O.S. (Dodecylamine), 8, III, ENVIRONMENTALLY HAZARDOUS	UN 3259 AMINES, SOLID, CORROSIVE, N.O.S. (Dodecylamine), 8, III, ENVIRONMENTALLY HAZARDOUS			
14.3. Transport hazard	class(es)						
8	8	8	8	8			
***************************************		***************************************	8				
14.4. Packing group							
III	III	III	III	III			
14.5. Environmental hazards							
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes			

## No supplementary information available

## 14.6. Special precautions for user

## Overland transport

Classification code (ADR) : C8
Special provisions (ADR) : 274
Limited quantities (ADR) : 5kg
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P002, IBC08, LP02, R001

Special packing provisions (ADR) : B3
Mixed packing provisions (ADR) : MP10
Portable tank and bulk container instructions (ADR) : T1

Portable tank and bulk container special provisions

(ADR)

Tank code (ADR) : SGAV, L4BN

Vehicle for tank carriage : AT

9/17/2019 (Version: 1.0) EN (English) 6/8

: TP33

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Transport category (ADR) : 3

Special provisions for carriage - Bulk (ADR) : VC1, VC2, AP7

Hazard identification number (Kemler No.) : 80

Orange plates :

80 3259

Tunnel restriction code (ADR) : E EAC code : 2X

Transport by sea

: 223, 274 Special provisions (IMDG) Packing instructions (IMDG) : P002, LP02 IBC packing instructions (IMDG) : IBC08 IBC special provisions (IMDG) : B3 : T1 Tank instructions (IMDG) Tank special provisions (IMDG) : TP33 EmS-No. (Fire) : F-A · S-B EmS-No. (Spillage) Stowage category (IMDG) : A Segregation (IMDG) : SG35

Properties and observations (IMDG) : Colourless to yellowish solids with a pungent odour. Miscible with or soluble in water.

When involved in a fire, evolve toxic gases. Corrosive to most metals, especially to copper and its alloys. Cause burns to skin, eyes and mucous membranes. React violently with

acids.

Air transport

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y845 PCA limited quantity max net quantity (IATA) : 5kg PCA packing instructions (IATA) : 860 PCA max net quantity (IATA) : 25kg : 864 CAO packing instructions (IATA) CAO max net quantity (IATA) : 100kg Special provisions (IATA) : A3. A803 ERG code (IATA) : 8L

Inland waterway transport

Classification code (ADN) : C8

Special provisions (ADN) : 274

Limited quantities (ADN) : 5 kg

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : C8
Special provisions (RID) : 274
Excepted quantities (RID) : E1

Packing instructions (RID) : P002, IBC08, LP02, R001

Special packing provisions (RID) : B3

Mixed packing provisions (RID) : MP10

Portable tank and bulk container instructions (RID) : T1

Portable tank and bulk container special provisions : TP33

(RID)

Tank codes for RID tanks (RID) : SGAV, L4BN

Transport category (RID) : 3

Special provisions for carriage – Bulk (RID) : VC1, VC2, AP7

Colis express (express parcels) (RID) : CE11
Hazard identification number (RID) : 80

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions Dodecylamine is not on the REACH Candidate List Directive 2012/18/EU (SEVESO III)

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

#### **SECTION 16: Other information**

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16

December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Asp. Tox. 1	Aspiration hazard, Category 1
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1C	Skin corrosion/irritation, Category 1C
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H290	May be corrosive to metals.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.

### SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.