

According to Regulation (EC) No 1907/2006

According to Regulation (EC) No 2020/878

Dimethylamine 40% w/w Aqueous Solution

Version number: 1.0
Issued: 2024-03-27



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Dimethylamine 40% w/w Aqueous Solution

Article No.

90027746

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Research and development. Laboratory Chemicals. Manufacture of substances.

Not suitable for use in

Not suitable for human consumption or veterinary purposes.

1.3. Details of the supplier of the safety data sheet

Supplier

Molekula Group

Address

Molekula Ltd, Lingfield Way, Darlington,
DL1 4XX Darlington
United Kingdom

Telephone

+44 (0) 3302 000 333

Email

info@molekula.com

Web site

www.molekula.com

Contact person

Kevin Banks

Email

+44 (0) 7769276927

1.4. Emergency telephone number

Poison center/Additional emergency number

0344 892 0111 - National Poisons Information Service (Newcastle Centre)

According to Regulation (EC) No 1907/2006

According to Regulation (EC) No 2020/878

Dimethylamine 40% w/w Aqueous Solution

Version number: 1.0
Issued: 2024-03-27



SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Classification

Flammable liquids, hazard category 2
Acute toxicity, oral, hazard category 4
Acute toxicity, inhalation, hazard category 4
Skin corrosion, hazard category 1B
Specific Target Organ Toxicity — Single exposure, hazard category 3 - respiratory tract irritation
Hazardous to the aquatic environment — Chronic hazard category 3

Hazard statements

H225, H302 + H332, H314, H335, H412

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Danger

Hazard statements

H225 Highly flammable liquid and vapour.
H302 + H332 Harmful if swallowed or if inhaled.
H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260 Do not breathe vapour.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

According to Regulation (EC) No 1907/2006

According to Regulation (EC) No 2020/878

Dimethylamine 40% w/w Aqueous Solution

Version number: 1.0
Issued: 2024-03-27



2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Chemical name	CAS No. EC No. REACH No. Index No.	Concentration	Classification	H-phrase M factor acute M factor chronic	Note
De-Ionised Distilled Water	7732-18-5 686-299-4 - -	58 - 62%	-	- - -	-
di-methylamine	124-40-3 204-697-4 01-2119475495-27 612-001-00-9	38 - 42%	Flam. Gas 1A, Skin Irrit. 2, Eye Dam. 1, Acute Tox. 4 - inhala- tion, STOT SE 3 - resp. tract irrit., Press. Gas	H220, H315, H318, H332, H335 - -	Skin Irrit. 2; H315: C ≥ 5 % Eye Dam. 1; H318: C ≥ 5 % Eye Irrit. 2; H319: 0,5 % ≤ C < 5 % STOT SE 3; H335: C ≥ 5 %; 5 U

Substance additional information

For the complete text of H- / EUH-statements mentioned in this section, see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

IF exposed or concerned: Get medical advice/attention. First aiders/ medical personnel need to protect themselves. Show this Safety Data Sheet (SDS) to medical personnel.

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. If breathing stops, provide artificial respiration. For breathing difficulties oxygen may be necessary.

Skin contact

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Immediately call a POISON CENTER/doctor.

According to Regulation (EC) No 1907/2006

According to Regulation (EC) No 2020/878

Dimethylamine 40% w/w Aqueous Solution

Version number: 1.0
Issued: 2024-03-27



Eye contact

Remove contact lenses if present. Rinse eyes with water. Continue to rinse for at least 15 minutes and seek medical attention.

Ingestion

IF SWALLOWED: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only if the persons are fully conscious and awake). Administer activated charcoal (20 - 40g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

Information for doctors

No data available.

4.2. Most important symptoms and effects, both acute and delayed

The severity of the symptoms described will vary dependant of the concentration and the length of exposure. Causes burns by all exposure routes.

See section 11 for more detailed information on health effects and symptoms.

Inhalation

Single exposure may cause the following adverse effects: Difficulty in breathing.

Skin contact

Single exposure may cause the following adverse effects: Causes severe burns. Blistering may occur.

Eye contact

Single exposure may cause the following adverse effects: Causes serious eye damage.

Ingestion

Single exposure may cause the following adverse effects: Severe abdominal pain. May cause severe internal injury. Unconsciousness, possibly death.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Immediately call a POISON CENTER/doctor.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

Unsuitable extinguishing media

No specific fire fighting procedure given.

According to Regulation (EC) No 1907/2006

According to Regulation (EC) No 2020/878

Dimethylamine 40% w/w Aqueous Solution

Version number: 1.0
Issued: 2024-03-27



5.2. Special hazards arising from the substance or mixture

Specific hazards: Highly flammable Corrosive.

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Carbon monoxide (CO). Carbon dioxide (CO₂). Nitrous gases (NO_x).

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Evacuate area. Avoid breathing gas, fume, vapours or spray. Prevent skin contact by maintaining a safe distance and by wearing suitable protective equipment/ clothing. Cool containers exposed to heat with water spray and remove container, if no risk is involved.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Avoid contact with skin and eyes. For personal protection, see section 8.

In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground. Risk of explosion.

6.3. Methods and material for containment and cleaning up

Collect with absorbent, non-combustible material into suitable containers.

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Preventive handling precautions

For precautions see section 2.2. Work under hood Take action to prevent static discharges. Wear protective clothing, gloves, eye and face protection. Avoid contact with skin and eyes. Avoid ingestion and inhalation.

General hygiene

Observe good chemical hygiene practices. Keep away from food, drink and animal feeding stuffs. Wash contaminated skin thoroughly after handling. Do not eat, drink or smoke when using this product. Remove contaminated clothing and launder thoroughly before re-use.

7.2. Conditions for safe storage, including any incompatibilities

Store in a dry place. Store in a closed container.

Store at ambient temperature.

According to Regulation (EC) No 1907/2006

According to Regulation (EC) No 2020/878

Dimethylamine 40% w/w
Aqueous Solution

Version number: 1.0
Issued: 2024-03-27



7.3. Specific end use(s)
No specific usage precautions noted.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL

Product/Substance name (CAS No./EC No.)	Type	Exposure	Value	Population	Effects
di-methylamine (124-40-3/204-697-4)	DNEL	Acute (short term) Inhalation	12.9 mg/m³	Workers	Local
di-methylamine (124-40-3/204-697-4)	DNEL	Acute (short term) Dermal	1.95 mg/kg bw/day	Workers	Systemic
di-methylamine (124-40-3/204-697-4)	DNEL	Acute (short term) Inhalation	9.4 mg/m³	Workers	Systemic
di-methylamine (124-40-3/204-697-4)	DNEL	Chronic (long term) Inhalation	3.8 mg/m³	Workers	Systemic
di-methylamine (124-40-3/204-697-4)	DNEL	Chronic (long term) Dermal	0.0874 mg/kg bw/day	Workers	Systemic

PNEC/PEC

Product/Substance name (CAS No./EC No.)	Type	Environmental compartment	Value
di-methylamine (124-40-3/204-697-4)	PNEC	Freshwater	0.06 mg/l
di-methylamine (124-40-3/204-697-4)	PNEC	Marine water	0.006 mg/l
di-methylamine (124-40-3/204-697-4)	PNEC	Sediment (freshwater)	3.26 mg/kg dwt
di-methylamine (124-40-3/204-697-4)	PNEC	Sediment (marine water)	0.33 mg/kg dwt
di-methylamine (124-40-3/204-697-4)	PNEC	Intermittent releases	0.06 mg/l
di-methylamine (124-40-3/204-697-4)	PNEC	Sewage Treatment Plant	100 mg/l
di-methylamine	PNEC	Soil	0.0385

According to Regulation (EC) No 1907/2006

According to Regulation (EC) No 2020/878

Dimethylamine 40% w/w Aqueous Solution

Version number: 1.0
Issued: 2024-03-27



Product/Substance name (CAS No./EC No.)	Type	Environmental compartment	Value
(124-40-3/204-697-4)			mg/kg soil dry weight

8.2. Exposure controls

Personal Protective Equipment Symbols



Eye / face protection

Wear eye protection.

Hand protection

Wear protective gloves.

Always inspect gloves before use. If signs of wear and tear are noticed then the gloves should be replaced.

No specific hygiene procedures noted, but good personal hygiene practices are always advisable, especially when working with chemicals. Wash contaminated skin thoroughly after handling.

Other skin protection

Wash skin thoroughly after handling.

Respiratory protection

Provide adequate ventilation. If ventilation is insufficient, suitable respiratory protection must be provided.

Environmental exposure controls

Avoid discharge into drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Colourless.

Odour

Ammonia.

According to Regulation (EC) No 1907/2006

According to Regulation (EC) No 2020/878

Dimethylamine 40% w/w Aqueous Solution

Version number: 1.0
Issued: 2024-03-27



Melting point / freezing point

No data available

Boiling point or initial boiling point and boiling range

51 - 54 °C

Flammability

Highly flammable liquid and vapour.

Lower and upper explosion limit

No data available

Flash point

16 °C

Method

CC (Closed cup).

Auto-ignition temperature

390 °C

Decomposition temperature

No data available

pH

12

Method

(1.0%)

Kinematic viscosity

No data available

Solubility

No data available

Partition coefficient n-octanol/water

No data available

Vapour pressure

1170 hPa

Method

(55°C)

Density and/or relative density

0.89 g/cm³

Relative vapour density

1.55

According to Regulation (EC) No 1907/2006

According to Regulation (EC) No 2020/878

Dimethylamine 40% w/w Aqueous Solution

Version number: 1.0
Issued: 2024-03-27



Particle characteristics

No data available

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stable under the prescribed storage conditions.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Avoid excessive heat.

10.5. Incompatible materials

Acids. Metals. Peroxides. Strong oxidising agents.

10.6. Hazardous decomposition products

See section 5.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

No data available

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability

No data available

According to Regulation (EC) No 1907/2006

According to Regulation (EC) No 2020/878

Dimethylamine 40% w/w Aqueous Solution

Version number: 1.0
Issued: 2024-03-27



12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors.

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal considerations

Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14: Transport information

14.1. UN number

1160

14.2. UN proper shipping name

ADR / RID / ADN proper shipping name

DIMETHYLAMINE AQUEOUS SOLUTION

IMDG proper shipping name

DIMETHYLAMINE, AQUEOUS SOLUTION

IATA proper shipping name

Dimethylamine, aqueous solution

According to Regulation (EC) No 1907/2006

According to Regulation (EC) No 2020/878

Dimethylamine 40% w/w Aqueous Solution

Version number: 1.0
Issued: 2024-03-27



14.3. Transport hazard class(es)

Label

ADR/RID/ADN



3



8

IMDG



3



8

IATA



3



8

ADR / RID Class

3

ADR / RID Classification code

FC

ADR / RID hazard identification number

338

IMDG Class

3 (8)

IATA Class

3 (8)

ADN Class

3

ADN Class Code

FC

According to Regulation (EC) No 1907/2006

According to Regulation (EC) No 2020/878

Dimethylamine 40% w/w Aqueous Solution

Version number: 1.0
Issued: 2024-03-27



14.4. Packing group

ADR / RID / ADN: II
IMDG: II
IATA: II

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Special precautions for user

Tunnel restriction code: D/E
Transport category: 2

IMDG EmS

F-E, S-C

14.7. Maritime transport in bulk according to IMO instruments

IBC Instruction: IBC02

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.
This material safety data sheet complies with the requirements of Regulation (EU) 2020/878.

National regulations

No data available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

According to Regulation (EC) No 1907/2006

According to Regulation (EC) No 2020/878

Dimethylamine 40% w/w Aqueous Solution

Version number: 1.0
Issued: 2024-03-27



SECTION 16: Other information

Phrase meaning

Flam. Liq. 2 - Flammable liquids, hazard category 2
Acute Tox. 4 - oral - Acute toxicity, oral, hazard category 4
Acute Tox. 4 - inhalation - Acute toxicity, inhalation, hazard category 4
Skin Corr. 1B - Skin corrosion, hazard category 1B
STOT SE 3 - resp. tract irrit. - Specific Target Organ Toxicity — Single exposure, hazard category 3 - respiratory tract irritation
Aquatic Chronic 3 - Hazardous to the aquatic environment — Chronic hazard category 3
Flam. Gas 1A - Flammable gases, hazard category 1A
Skin Irrit. 2 - Skin irritation, hazard category 2
Eye Dam. 1 - Serious eye damage, hazard category 1
Press. Gas - Gases under pressure
H220 Extremely flammable gas.
H225 Highly flammable liquid and vapour.
H302 + H332 Harmful if swallowed or if inhaled.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
H412 Harmful to aquatic life with long lasting effects.