

# Nickel Aluminum, Raney|r type non-activated

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Issue date: 10/12/2020 Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form	: Substance
Substance name	: Nickel Aluminum, Raney r type non-activated
EC-No.	: 684-239-1
CAS-No.	: 12635-29-9
Product code	: 13853276
Formula	: AlNi
Product group	: Raw material

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category	: Laboratory use, Industrial use, Professional use
Industrial/Professional use spec	: For professional use only
Use of the substance/mixture	: For analytical purposes Scientific research and development Not for human consumption or veterinary purposes.

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

Safell Organics  
Molekula Ltd  
Lingfield Way  
Darlington - England  
T +44 (0) 3302 000 333  
[info@molekula.com](mailto:info@molekula.com) / [kevinbanks@molekula.com](mailto:kevinbanks@molekula.com) - [www.molekula.com](http://www.molekula.com)

#### 1.4. Emergency telephone number

Emergency number : +44 (0) 7769276927

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable solids, Category 1	H228
Substances and Mixtures which, in contact with water, emit flammable gases, Category 3	H261
Skin sensitisation, Category 1	H317
Carcinogenicity, Category 2	H351
Specific target organ toxicity — Repeated exposure, Category 1	H372
Full text of H statements : see section 16	

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP)

: Danger

Hazard statements (CLP)

: H228 - Flammable solid.  
H261 - In contact with water releases flammable gases.  
H317 - May cause an allergic skin reaction.  
H351 - Suspected of causing cancer.  
H372 - Causes damage to organs through prolonged or repeated exposure.

# Nickel Aluminum, Raney|r type non-activated

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P231+P232 - Handle and store contents under inert gas. Protect from moisture. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P308+P313 - IF exposed or concerned: Get medical advice/attention.
--------------------------------	--

### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Name	Product identifier	%
Nickel Aluminum, Raney r type non-activated	(CAS-No.) 12635-29-9 (EC-No.) 684-239-1	100

Full text of H-statements: see section 16

### 3.2. Mixtures

Not applicable

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: If possible show this sheet, if not available show packaging or label. Never give anything by mouth to an unconscious person. Do not leave affected person unattended.
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Give oxygen or artificial respiration if necessary. If breathing difficulties persist : Get medical advice/attention.
First-aid measures after skin contact	: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Do not remove clothing if it sticks to the skin. If irritation persists, consult a doctor.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth out with water. Do not induce vomiting. Get medical advice/attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: May cause an allergic skin reaction.
Symptoms/effects after inhalation	: May cause irritation to the respiratory tract, sneezing, coughing, burning sensation of throat with constricting sensation of the larynx and difficulty in breathing.
Symptoms/effects after skin contact	: May cause moderate irritation. Itching. Redness, pain.
Symptoms/effects after eye contact	: May cause eye irritation. redness, itching, tears.
Symptoms/effects after ingestion	: May cause irritation to the digestive tract.
Chronic symptoms	: Suspected of causing cancer. Causes damage to organs.

### 4.3. Indication of any immediate medical attention and special treatment needed

Get immediate medical advice/attention.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Dry powder. Sand.
Unsuitable extinguishing media	: Do NOT use water jet.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: Flammable solid. Reacts violently with water.
Explosion hazard	: May form flammable/explosive vapour-air mixture.
Hazardous decomposition products in case of fire	: Aluminium oxides.

### 5.3. Advice for firefighters

Precautionary measures fire	: Exposure to fire/heat: seal off low-lying areas. Keep container tightly closed and away from heat, sparks and flame. Keep away from combustible materials.
Firefighting instructions	: Evacuate area. Eliminate all ignition sources if safe to do so. Fight fire from safe distance and protected location. Keep upwind.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Use self-contained breathing apparatus and chemically protective clothing.
Other information	: Warn all persons of toxic hazard.

# Nickel Aluminum, Raney/r type non-activated

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Do not handle until all safety precautions have been read and understood. Ventilate the area thoroughly, especially low lying areas (basements, workpits etc). Proper grounding procedures to avoid static electricity should be followed.

##### 6.1.1. For non-emergency personnel

Protective equipment

: Wear recommended personal protective equipment.

Emergency procedures

: Evacuate unnecessary personnel. Mark out the contaminated area with signs and prevent access to unauthorized personnel. Do not touch or walk on the spilled product. Avoid contact with skin, eyes and clothing.

Measures in case of dust release

: Keep upwind. Avoid creating or spreading dust. Ventilate the area thoroughly, especially low lying areas (basements, workpits etc). Special attention should be given to low areas/pits where flammable vapours can accumulate.

##### 6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. Use self-contained breathing apparatus and chemically protective clothing.

Emergency procedures

: All equipment used when handling the product must be grounded. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Stop leak if safe to do so.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: On land, sweep or shovel into suitable containers. Shovel or sweep up and put in a closed container for disposal.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling

: Avoid formation of dust. Avoid contact with skin, eyes and clothing. Do not handle until all safety precautions have been read and understood. Ensure that there is a suitable ventilation system. Do not handle in a confined space.

Hygiene measures

: Take off immediately all contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Ensure adequate ventilation, especially in confined areas. Proper grounding procedures to avoid static electricity should be followed.

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Heat sources, Direct sunlight. Keep container closed when not in use. Store contents under inert gas. Protect from moisture.

Incompatible products

: Strong oxidizing agents. Acids.

Incompatible materials

: Sources of ignition. Direct sunlight. Heat sources. open flames. sparks.

Heat and ignition sources

: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Storage area

: Keep away from combustible materials. Store at ambient temperature. Store in a dry place. Store in a closed container.

#### 7.3. Specific end use(s)

For analytical purposes. Scientific research and development. Not for human consumption or veterinary purposes.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

##### Appropriate engineering controls:

Handle in accordance with good industrial hygiene and safety procedures.

##### Personal protective equipment:

Avoid all unnecessary exposure.

##### Materials for protective clothing:

Wear suitable protective clothing, gloves and eye/face protection

# Nickel Aluminum, Raney|r type non-activated

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>Hand protection:</b>					
The protective gloves to be used must comply with the specifications of the regulation 2016/425 and the resultant standard EN 374					
<b>Type</b>	<b>Material</b>	<b>Permeation</b>	<b>Thickness (mm)</b>	<b>Penetration</b>	<b>Standard</b>
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.11		EN 374
<b>Eye protection:</b>					
Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure. Use eye protection according to EN 166, designed to protect against powders and dusts.					
<b>Type</b>	<b>Use</b>		<b>Characteristics</b>	<b>Standard</b>	
Safety goggles, Face shield	Fine dust, Dust		tightly fitting safety goggles, With side shields	EN 166	
<b>Skin and body protection:</b>					
Emergency safety showers should be available in the immediate vicinity of any potential exposure. Keep suitable chemically resistant protective clothing readily available for emergency use					
<b>Type</b>			<b>Standard</b>		
Total impervious protective suits, gloves, and boots must be worn to prevent any contact with the product, Flame retardant antistatic protective clothing			EN ISO 13982		
<b>Respiratory protection:</b>					
Keep self contained breathing apparatus readily available for emergency use. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended					
<b>Device</b>	<b>Filter type</b>		<b>Condition</b>	<b>Standard</b>	
Respiratory protective device with a particle filter	Type P3		Dust protection	EN 14387	

### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Powder. Crystals.
Colour	: Grey. Black.
Odour	: odourless.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Flammable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

# Nickel Aluminum, Raney|r type non-activated

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Flammable solid. Reacts violently with water.

#### 10.2. Chemical stability

Flammable solid. In use may form flammable/explosive vapour-air mixture.

#### 10.3. Possibility of hazardous reactions

Stable under normal conditions of use.

#### 10.4. Conditions to avoid

Protect from sunlight. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### 10.5. Incompatible materials

Strong oxidizers. Acids.

#### 10.6. Hazardous decomposition products

No hazardous decomposition products known at room temperature. Thermal decomposition generates : Aluminium oxides.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

#### Nickel Aluminum, Raney|r type non-activated (12635-29-9)

LD50 oral rat	> 9000
---------------	--------

LC50 inhalation rat (mg/l)	> 10.2 mg/l 1 h
----------------------------	-----------------

Skin corrosion/irritation : Not classified

Additional information : Based on available data, the classification criteria are not met

Serious eye damage/irritation : Not classified

Additional information : Based on available data, the classification criteria are not met

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Additional information : Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Suspected of causing cancer.

Additional information : Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure.

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

#### Nickel Aluminum, Raney|r type non-activated (12635-29-9)

LC50 fish 1	10.4 mg/l Cyprinus carpio 96 h
-------------	--------------------------------

EC50 Daphnia 1	510 µg/l Water flea 96 h
----------------	--------------------------

#### 12.2. Persistence and degradability

#### Nickel Aluminum, Raney|r type non-activated (12635-29-9)

Persistence and degradability	No data available.
-------------------------------	--------------------

# Nickel Aluminum, Raney|r type non-activated

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 12.3. Bioaccumulative potential

#### Nickel Aluminum, Raney|r type non-activated (12635-29-9)

Bioaccumulative potential	No data available.
---------------------------	--------------------

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

#### Nickel Aluminum, Raney|r type non-activated (12635-29-9)

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Other adverse effects

Additional information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods






Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Additional information : Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials : Avoid release to the environment.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
3208	3208	3208	3208	3208
<b>14.2. UN proper shipping name</b>				
METALLIC SUBSTANCE, WATER-REACTIVE, N.O.S.	METALLIC SUBSTANCE, WATER-REACTIVE, N.O.S.	Metallic substance, water-reactive, n.o.s.	METALLIC SUBSTANCE, WATER-REACTIVE, N.O.S.	METALLIC SUBSTANCE, WATER-REACTIVE, N.O.S.
<b>Transport document description</b>				
UN 3208 METALLIC SUBSTANCE, WATER-REACTIVE, N.O.S. (Nickel Aluminum, Raney r type non-activated), 4.3, II, (D/E)	UN 3208 METALLIC SUBSTANCE, WATER-REACTIVE, N.O.S. (Nickel Aluminum, Raney r type non-activated), 4.3, II	UN 3208 Metallic substance, water-reactive, n.o.s. (Nickel Aluminum, Raney r type non-activated), 4.3, II	UN 3208 METALLIC SUBSTANCE, WATER-REACTIVE, N.O.S. (Nickel Aluminum, Raney r type non-activated), 4.3, II	UN 3208 METALLIC SUBSTANCE, WATER-REACTIVE, N.O.S. (Nickel Aluminum, Raney r type non-activated), 4.3, II
<b>14.3. Transport hazard class(es)</b>				
4.3	4.3	4.3	4.3	4.3
				
<b>14.4. Packing group</b>				
II	II	II	II	II
<b>14.5. Environmental hazards</b>				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No

No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR)	: W2
Special provisions (ADR)	: 274, 557
Limited quantities (ADR)	: 500g
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P410, IBC07
Mixed packing provisions (ADR)	: MP14

# Nickel Aluminum, Raney/r type non-activated

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Portable tank and bulk container instructions (ADR)	: T3
Portable tank and bulk container special provisions (ADR)	: TP33
Tank code (ADR)	: SGAN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V1
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV23
Hazard identification number (Kemler No.)	: 423
Orange plates	:



Tunnel restriction code (ADR)	: D/E
EAC code	: 4W

### Transport by sea

Special provisions (IMDG)	: 274
Packing instructions (IMDG)	: P410
Special packing provisions (IMDG)	: PP31
IBC packing instructions (IMDG)	: IBC07
IBC special provisions (IMDG)	: B21
Tank instructions (IMDG)	: T3
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-G
EmS-No. (Spillage)	: S-N
Stowage category (IMDG)	: E
Stowage and handling (IMDG)	: SW2, H1
Segregation (IMDG)	: SG26

### Air transport

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y475
PCA limited quantity max net quantity (IATA)	: 5kg
PCA packing instructions (IATA)	: 483
PCA max net quantity (IATA)	: 15kg
CAO packing instructions (IATA)	: 489
CAO max net quantity (IATA)	: 50kg
Special provisions (IATA)	: A3, A803
ERG code (IATA)	: 4W

### Inland waterway transport

Classification code (ADN)	: W2
Special provisions (ADN)	: 274, 557
Limited quantities (ADN)	: 500 g
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Provisions for handling and stowage of the cargo (ADN)	: HA08
Number of blue cones/lights (ADN)	: 0

### Rail transport

Classification code (RID)	: W2
Special provisions (RID)	: 274, 557
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P410, IBC07
Mixed packing provisions (RID)	: MP14
Portable tank and bulk container instructions (RID)	: T3
Portable tank and bulk container special provisions (RID)	: TP33

# Nickel Aluminum, Raney|r type non-activated

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Tank codes for RID tanks (RID)	: SGAN
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W1
Special provisions for carriage - Loading, unloading and handling (RID)	: CW23
Colis express (express parcels) (RID)	: CE10
Hazard identification number (RID)	: 423

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Nickel Aluminum, Raney|r type non-activated is not on the REACH Candidate List

Directive 2012/18/EU (SEVESO III)

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

## SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:	
Carc. 2	Carcinogenicity, Category 2
Flam. Sol. 1	Flammable solids, Category 1
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
Water-react. 3	Substances and Mixtures which, in contact with water, emit flammable gases, Category 3
H228	Flammable solid.
H261	In contact with water releases flammable gases.
H317	May cause an allergic skin reaction.
H351	Suspected of causing cancer.
H372	Causes damage to organs through prolonged or repeated exposure.

SDS EU (REACH Annex II)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*