

Tetrabutylammonium hydroxide 30-hydrate

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 11/27/2012 Revision date: 2/22/2019 Supersedes: 7/25/2018 Version: 2.2

SECTION 4: Identification of the substa	nco/mixture and of the company/undertaking
1.1. Product identifier	nce/mixture and of the company/undertaking
Product form	: Substance
Substance name	: Tetrabutylammonium hydroxide 30-hydrate
IUPAC name	: tetrabutylazanium;hydroxide;triacontahydrate
EC-No.	: 688-230-3
CAS-No.	: 147741-30-8
Product code	: 90026304
Formula	: C16H37NO · 30H2O
Synonyms	: SP00486, tetrabutylazanium hydrate hydroxide
1.2. Relevant identified uses of the substance	e or mixture and uses advised against
1.2.1. Relevant identified uses	
Industrial/Professional use spec	: Industrial For professional use only Laboratory chemicals
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the safety data	sheet
Scafell Organics Lingfield Way	
Yarm Road Business Park	
DL1 4XX Darlington - UK T +44 (0) 1949 823777	
info@scafellorganics.com - www.scafellorganics.com	
1.4. Emergency telephone number	-44 7590 545705
SECTION 2: Hazards identification	
SECTION 2: Hazards identification 2.1. Classification of the substance or mixtu	re
2.1. Classification of the substance or mixtu	
2.1. Classification of the substance or mixtu Classification according to Regulation (EC) No. 12	272/2008 [CLP]
2.1. Classification of the substance or mixtu Classification according to Regulation (EC) No. 12 Skin corrosion/irritation, Category 1B Full text of H statements : see section 16	272/2008 [CLP] H314
2.1. Classification of the substance or mixtu Classification according to Regulation (EC) No. 12 Skin corrosion/irritation, Category 1B	272/2008 [CLP] H314
2.1. Classification of the substance or mixtu Classification according to Regulation (EC) No. 12 Skin corrosion/irritation, Category 1B Full text of H statements : see section 16 Adverse physicochemical, human health and env	272/2008 [CLP] H314
 2.1. Classification of the substance or mixtue Classification according to Regulation (EC) No. 12 Skin corrosion/irritation, Category 1B Full text of H statements : see section 16 Adverse physicochemical, human health and enve No additional information available 2.2. Label elements 	272/2008 [CLP] H314 ironmental effects
2.1. Classification of the substance or mixtu Classification according to Regulation (EC) No. 12 Skin corrosion/irritation, Category 1B Full text of H statements : see section 16 Adverse physicochemical, human health and env No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2	272/2008 [CLP] H314 ironmental effects
 2.1. Classification of the substance or mixtue Classification according to Regulation (EC) No. 12 Skin corrosion/irritation, Category 1B Full text of H statements : see section 16 Adverse physicochemical, human health and enve No additional information available 2.2. Label elements 	272/2008 [CLP] H314 ironmental effects
2.1. Classification of the substance or mixtu Classification according to Regulation (EC) No. 12 Skin corrosion/irritation, Category 1B Full text of H statements : see section 16 Adverse physicochemical, human health and env No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2	272/2008 [CLP] H314 ironmental effects
2.1. Classification of the substance or mixtu Classification according to Regulation (EC) No. 12 Skin corrosion/irritation, Category 1B Full text of H statements : see section 16 Adverse physicochemical, human health and env No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2	272/2008 [CLP] H314 ironmental effects
2.1. Classification of the substance or mixtu Classification according to Regulation (EC) No. 12 Skin corrosion/irritation, Category 1B Full text of H statements : see section 16 Adverse physicochemical, human health and env No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2	E72/2008 [CLP] H314
 2.1. Classification of the substance or mixtue Classification according to Regulation (EC) No. 12 Skin corrosion/irritation, Category 1B Full text of H statements : see section 16 Adverse physicochemical, human health and enve No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2 Hazard pictograms (CLP) 	E72/2008 [CLP] H314 COURT IN THE INPUT INTENTION INTENTIA INTENTIA INTENTION INTENTIA INTENT
2.1. Classification of the substance or mixtue Classification according to Regulation (EC) No. 12 Skin corrosion/irritation, Category 1B Full text of H statements : see section 16 Adverse physicochemical, human health and enve No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2 Hazard pictograms (CLP) Signal word (CLP)	E72/2008 [CLP] H314 COO8 [CLP] GHS05 GHS05 : Danger
 2.1. Classification of the substance or mixtue Classification according to Regulation (EC) No. 12 Skin corrosion/irritation, Category 1B Full text of H statements : see section 16 Adverse physicochemical, human health and envernes No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2 Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP) 	E72/2008 [CLP] H314 H314 H314 H314 H314 H314 H314 - Causes severe skin burns and eye damage.
2.1. Classification of the substance or mixtue Classification according to Regulation (EC) No. 12 Skin corrosion/irritation, Category 1B Full text of H statements : see section 16 Adverse physicochemical, human health and enve No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2 Hazard pictograms (CLP) Signal word (CLP)	E72/2008 [CLP] H314 H314 H314 H314 H314 H314 H314 H314
 2.1. Classification of the substance or mixtue Classification according to Regulation (EC) No. 12 Skin corrosion/irritation, Category 1B Full text of H statements : see section 16 Adverse physicochemical, human health and envernes No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2 Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP) 	H314 ironmental effects 2008 [CLP] : : : : : : : : : : : : :
 2.1. Classification of the substance or mixtue Classification according to Regulation (EC) No. 12 Skin corrosion/irritation, Category 1B Full text of H statements : see section 16 Adverse physicochemical, human health and envernes No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2 Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP) 	P272/2008 [CLP] H314 ironmental effects 2008 [CLP]
 2.1. Classification of the substance or mixtue Classification according to Regulation (EC) No. 12 Skin corrosion/irritation, Category 1B Full text of H statements : see section 16 Adverse physicochemical, human health and envense and additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2 Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP) 	H314 ironmental effects EXOSS [CLP] S GHS05 S Danger H314 - Causes severe skin burns and eye damage. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P303+P361+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 2.1. Classification of the substance or mixtue Classification according to Regulation (EC) No. 12 Skin corrosion/irritation, Category 1B Full text of H statements : see section 16 Adverse physicochemical, human health and envense additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2 Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP) Precautionary statements (CLP) 	272/2008 [CLP] H314 ironmental effects 2008 [CLP] CHS05 CHS05 CHS05 : Danger : H314 - Causes severe skin burns and eye damage. : P280 - Wear protective clothing, eye protection, face protection. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
 2.1. Classification of the substance or mixtue Classification according to Regulation (EC) No. 12 Skin corrosion/irritation, Category 1B Full text of H statements : see section 16 Adverse physicochemical, human health and envernes No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2 Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP) 	272/2008 [CLP] H314 ironmental effects 8008 [CLP] Image: Im

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients		
3.1. Substances		
Name	Product identifier	%
	(CAS-No.) 147741-30-8 (EC-No.) 688-230-3	100

Tetrabutylammonium hydroxide 30-hydrate Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H-statements: see section 16 3.2. Mixtures

Not applicable

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. Do not leave affected person unattended.
First-aid measures after inhalation	 Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. Give oxygen or artificial respiration if necessary.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Do not remove clothing if it sticks to the skin. Rinse skin with water/shower. Immediately call a POISON CENTER/doctor.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/effects	: Causes severe skin burns and eye damage.
Symptoms/effects after inhalation	: Inhalation may cause irritation (cough, short breathing, difficulty in breathing).
Symptoms/effects after skin contact	: Causes severe burns. irritation (itching, redness, blistering).
Symptoms/effects after eye contact	: Causes serious eye damage. Direct contact may result in corneal injury. redness, itching, tears.
Symptoms/effects after ingestion	: Abdominal pain, nausea. Burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

4.3. Indication of any immediate medical attention and special treatment needed Get immediate medical advice/attention.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.	
Unsuitable extinguishing media	: Do not use a heavy water stream.	
5.2. Special hazards arising from the substa	nce or mixture	
Hazardous decomposition products in case of fire	: Carbon oxides (CO, CO2). Nitrogen oxides.	
5.3. Advice for firefighters		
Precautionary measures fire	: Exposure to fire/heat: seal off low-lying areas. Keep container tightly closed and away from heat, sparks and flame.	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. Use extinguishing agent suitable for surrounding fire.	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.	
Other information	: Warn all persons of toxic hazard.	
SECTION 6: Accidental release measure	es	
6.1. Personal precautions, protective equipn		
General measures	: Isolate from fire, if possible, without unnecessary risk. No flames, no sparks. Eliminate all sources of ignition. Avoid dust formation.	
6.1.1. For non-emergency personnel		
Protective equipment	: Wear recommended personal protective equipment.	
Emergency procedures	: Evacuate unnecessary personnel. Mark out the contaminated area with signs and prevent access to unauthorized personnel. Avoid contact with skin, eyes and clothing. Do not breathe dust. Do not touch or walk on the spilled product.	
Measures in case of dust release	: Keep upwind. Ventilate the area thoroughly, especially low lying areas (basements, workpits etc).	
6.1.2. For emergency responders		
Protective equipment	: Equip cleanup crew with proper protection. Use self-contained breathing apparatus and chemically protective clothing.	
Emergency procedures	: Ventilate area. Stop leak if safe to do so.	
6.2. Environmental precautions Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.		
6.3. Methods and material for containment a	· · ·	
Methods for cleaning up	: On land, sweep or shovel into suitable containers. Minimise generation of dust. Store away from other materials.	
6.4. Reference to other sections See Heading 8. Exposure controls and personal prote	ection.	

Tetrabutylammonium hydroxide 30-hydrate Safety Data Sheet

SECTION 7: Handl	ing and s	torage					
7.1. Precautions for							
Precautions for safe han Hygiene measures	dling	Provide local exhaust or general room ventilation. Avoid creating or spreading Take off immediately all contaminated clothing and wash it before reuse. Cont work clothing should not be allowed out of the workplace. Always wash hands handling the product. Wash hands and other exposed areas with mild soap ar before eating, drinking or smoking and when leaving work. Do not eat, drink o when using this product.			euse. Contaminated vash hands after ild soap and water		
7.2. Conditions for s	afe storag	e, includin	ig any incompatibili		Protect fro	m moisture	
Storage conditions			: Keep only in the	original container in a co	ol, well venti	lated place av	way from : Heat
ncompatible products			sources, Direct sunlight. Keep container closed when not in use. : Strong oxidisers.				
ncompatible materials			0	on. Direct sunlight. Mater	al is hygroso	opic. Moistur	e. Water, humidity.
Storage temperature			: 2 - 8 °C	0	,,,	•	
7.3. Specific end use No data available.	e(s)						
SECTION 8: Expose 3.1. Control paramete No additional information	ers	rols/perso	onal protection				
3.2. Exposure contro							
Appropriate engineerir							
landle in accordance wi cupboard.	th good indu	istrial hygien	e and safety procedure	s. Provide local exhaust o	or general roo	om ventilatior	n. Handle in a fume
Personal protective eq	uipment:						
void contact with skin a	nd eyes. We	ear recomme	ended personal protectiv	ve equipment.			
Materials for protectiv	e clothing:						
Use chemically protectiv	e clothing						
Hand protection:							
The protective gloves to hands after handling the		ist comply w	ith the specifications of	the regulation 2016/425	and the resul	tant standard	EN 374. Always was
Туре	Material		Permeation	Thickness (mm)	Penetrati	on	Standard
	Nitrile rubb	er (NBR)	6 (> 480 minutes)	0.11mm minimum			EN 374
Eve protection:	1		1	1			1
			able in the immediate vie	cinity of any potential exp	osure. Use e	ye protection	according to EN 166
Туре		Use		Characteristics		Standard	
Safety glasses, Face sh	ield			With side shields		EN 166	
Skin and body protect							
Emergency safety show	ers should b	e available i	in the immediate vicinity	/ of any potential exposur	e		
Гуре				Standard			
Total impervious protective suits, gloves, and boots must be worn to prevent any contact with the product		EN ISO 13982					
Respiratory protectior	1:						
Keep self contained bre protection equipment is			available for emergend	y use. Where exposure th	rough inhala	ation may occ	ur from use, respirat
Device		Filter type		Condition		Standard	

Device	Filter type	Condition	Standard
Respiratory protective device with a particle filter	Туре РЗ	Dust protection, Protection for Solid particles	EN 14387

Environmental exposure controls:

Prevent entry to sewers and public waters. Avoid release to the environment.

Tetrabutylammonium hydroxide 30-hydrate

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Other information:

Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

SECTION 9: Physical and chemical p	
9.1. Information on basic physical and cl	
Physical state	: Solid
Appearance	: Crystalline solid.
Molecular mass	: 799.93 g/mol
Colour	: Colourless.
Odour	: No data available
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: 27 - 30 °C
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
The product is non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability
Stable under recommended handling and storage conditions (see section 7).
10.3. Possibility of hazardous reactions
No dangerous reactions known under normal conditions of use.
10.4. Conditions to avoid
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect from sunlight. Material is hygroscopic.
Protect from moisture. Water, humidity.
10.5. Incompatible materials
Strong oxidizers.
10.6. Hazardous decomposition products
Carbon oxides (CO, CO2). Nitrogen oxides.
SECTION 11: Toxicological information
11.1. Information on toxicological effects
Acute toxicity (oral) : Not classified

Additional information	: Based on available data, the classification criteria are not met	
Germ cell mutagenicity	: Not classified	
Additional information	: Based on available data, the classification criteria are not met	
Respiratory or skin sensitisation	: Not classified	
Serious eye damage/irritation	: Serious eye damage, category 1, implicit	
Skin corrosion/irritation	: Causes severe skin burns and eye damage.	
Acute toxicity (inhalation)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (oral)		

Tetrabutylammonium hydroxide 30-hydrate Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information		
12.1. Toxicity Acute aquatic toxicity :	Not classified	
Chronic aquatic toxicity :	Not classified	
12.2. Persistence and degradability		
Tetrabutylammonium hydroxide 30-hydrate (1	47741-30-8)	
Persistence and degradability	No data available.	
12.3. Bioaccumulative potential		
Tetrabutylammonium hydroxide 30-hydrate (1	47741-30-8)	
Bioaccumulative potential	No bioaccumulation data available.	
12.4. Mobility in soil		
No additional information available 12.5. Results of PBT and vPvB assessment		
Tetrabutylammonium hydroxide 30-hydrate (147741-30-8)		
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII		
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		
12.6. Other adverse effects		
Additional information :	Avoid release to the environment.	

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number				
3263	3263	3263	3263	3263
14.2. UN proper shippin	g name			
CORROSIVE SOLID, BASIC, ORGANIC, N.O.S.	CORROSIVE SOLID, BASIC, ORGANIC, N.O.S.	Corrosive solid, basic, organic, n.o.s.	CORROSIVE SOLID, BASIC, ORGANIC, N.O.S.	CORROSIVE SOLID, BASIC, ORGANIC, N.O.S.
Transport document description				
UN 3263 CORROSIVE SOLID, BASIC, ORGANIC, N.O.S. (Tetrabutylammonium Hydroxide 30-Hydrate), 8, II, (E)	UN 3263 CORROSIVE SOLID, BASIC, ORGANIC, N.O.S. (Tetrabutylammonium Hydroxide 30-Hydrate), 8, II	UN 3263 Corrosive solid, basic, organic, n.o.s. (Tetrabutylammonium Hydroxide 30-Hydrate), 8, II	UN 3263 CORROSIVE SOLID, BASIC, ORGANIC, N.O.S. (Tetrabutylammonium Hydroxide 30-Hydrate), 8, II	UN 3263 CORROSIVE SOLID, BASIC, ORGANIC, N.O.S. (Tetrabutylammonium Hydroxide 30-Hydrate), 8, II

Tetrabutylammonium hydroxide 30-hydrate Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.3. Transport hazard o	class(es)			
8	8	8	8	8
			8	8
14.4. Packing group				
II	II	II	II	II
14.5. Environmental haz	ards			
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary informatio	n available			
14.6. Special precautions	s for user			
Overland transport				
Classification code (ADR)		28		
Special provisions (ADR)	:2	274		
Limited quantities (ADR)	: '	lkg		
Excepted quantities (ADR)	: 6	2		
Packing instructions (ADR)		2002, IBC08		
Special packing provisions (A	,	34		
Mixed packing provisions (AD	R) : I	MP10		
Portable tank and bulk contair (ADR)	ner instructions	ГЗ		
Portable tank and bulk contair (ADR)	ner special provisions : ⁻	IP33		
Tank code (ADR)	: 5	SGAN, L4BN		
Vehicle for tank carriage	:/	AT		
Transport category (ADR)	: 2	2		
Special provisions for carriage - Packages (ADR)		/11		
Hazard identification number ((Kemler No.) : 8	30		
Orange plates	:	80 3263		
Tunnel restriction code (ADR)	: 1	Ξ		
EAC code	: 2	2X		
Transport by sea				
Special provisions (IMDG)	:2	274		
Packing instructions (IMDG)	: F	2002		
IBC packing instructions (IMD	G) : I	BC08		
IBC special provisions (IMDG) : E	321, B4		
Tank instructions (IMDG)	:-	ГЗ		
Tank special provisions (IMDO	G) : -	ГР33		
EmS-No. (Fire)	: 1			
EmS-No. (Spillage)	: 5	5-В		
Stowage category (IMDG)	: 6	3		
Segregation (IMDG)	: 9	SG35		
Properties and observations (IMDG) : F	Reacts violently with acids. Caus	es burns to skin, eyes and mu	ucous membranes.
Air transport				
PCA Excepted quantities (IAT	·A) : F	2		
PCA Limited quantities (IATA)	,	/ 844		
PCA limited quantity max net		5kg		
PCA packing instructions (IAT		359		
PCA max net quantity (IATA)		15kg		
CAO packing instructions (IAT		363		

Tetrabutylammonium hydroxide 30-hydrate

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	CAO max net quantity (IATA)	: 50kg
	Special provisions (IATA)	: A3, A803
	ERG code (IATA)	: 8L
	Inland waterway transport	
	Classification code (ADN)	: C8
	Special provisions (ADN)	: 274
	Limited quantities (ADN)	: 1 kg
	Excepted quantities (ADN)	: E2
	Equipment required (ADN)	: PP, EP
	Number of blue cones/lights (ADN)	: 0
	Rail transport	
	Classification code (RID)	: C8
	Special provisions (RID)	: 274
	Excepted quantities (RID)	: E2
	Packing instructions (RID)	: P002, IBC08
	Special packing provisions (RID)	: B4
	Mixed packing provisions (RID)	: MP10
	Portable tank and bulk container instructions (RID)	: T3
	Portable tank and bulk container special provisions (RID)	: TP33
	Tank codes for RID tanks (RID)	: SGAN, L4BN
	Transport category (RID)	: 2
	Special provisions for carriage – Packages (RID)	: W11
	Colis express (express parcels) (RID)	: CE10
	Hazard identification number (RID)	: 80
	14.7. Transport in bulk according to Annex II	of Marpol and the IBC

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Tetrabutylammonium hydroxide 30-hydrate is not on the REACH Candidate List Tetrabutylammonium hydroxide 30-hydrate is not on the REACH Annex XIV List Directive 2012/18/EU (SEVESO III)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

SECTION 16: Other information				
Data sources :	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.			
Other information :	: None.			
Full text of H- and EUH-statements:				
Skin Corr. 1B	Skin corrosion/irritation, Category 1B			

Code

SDS EU (REACH Annex II)

H314

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Causes severe skin burns and eye damage.