

(-)-Camphanic acid chloride Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 10/2/2019 Version: 1.0

SECTION 1: Identification of the substant	nce/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Substance
Substance name	: (-)-Camphanic acid chloride
IUPAC name	: (1S,4R)-4,7,7-trimethyl-3-oxo-2-oxabicyclo[2.2.1]heptane-1-carbonyl chloride
EC-No.	: 254-552-4
CAS-No.	: 39637-74-6
Product code	: 46335647
Formula	: C10H13ClO3
Product group	: Raw material
1.2. Relevant identified uses of the substance	
1.2.1. Relevant identified uses	Ŭ
Main use category	: Laboratory use,Industrial use,Professional use
Industrial/Professional use spec	: For professional use only
Use of the substance/mixture	: For analytical purposes
	Scientific research and development
	Not for human consumption or veterinary purposes.
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the safety data	sheet
Supplier	
Scafell Organics	
Molekula Ltd	
Lingfield Way Darlington - England	
T +44 (0) 1949 823777 / +44 (0) 7590 545705	
info@molekula.com / kbowen@molekula.com - www.	molekula.com
1.4. Emergency telephone number	
Emergency number : +	•44 (0) 7590 545705
SECTION 2: Hazards identification 2.1. Classification of the substance or mixtu	
Classification according to Regulation (EC) No. 12	272/2008 [CLP]
Skin corrosion/irritation, Category 1C	H314
Full text of H statements : see section 16	
Adverse physicochemical, human health and envi	ironmental effects
No additional information available	
2.2. Label elements	
Labelling according to Regulation (EC) No. 1272/2	2008 ICL P1
Hazard pictograms (CLP)	
	V
	GHS05
Signal word (CLP)	: Danger
Hazard statements (CLP)	: H314 - Causes severe skin burns and eye damage.
Precautionary statements (CLP)	: P280 - Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
2.3. Other hazards	

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients			
3.1. Substances			
Name	Product identifier	%	
(-)-Camphanic acid chloride (CAS-No.) 39637-74-6 100 (CAS-No.) 254-552-4			
Full text of H-statements: see section 16			

#### Full text of H-statements: see section 16 3.2. Mixtures

Not applicable

SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general	: If possible show this sheet, if not available show packaging or label. Never give anything by mouth to an unconscious person. Do not leave affected person unattended.			
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Give oxygen or artificial respiration if necessary. If breathing difficulties persist : Get medical advice/attention.			
First-aid measures after skin contact	: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Do not remove clothing if it sticks to the skin. If irritation persists, consult a doctor.			
First-aid measures after eye contact	: Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.			
First-aid measures after ingestion	: Rinse mouth out with water. Do not induce vomiting. Get medical advice/attention.			
4.2. Most important symptoms and effects, I	both acute and delayed			
Symptoms/effects after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea. Burns or irritation of the linings of the mouth, throat, and gastrointestinal tract. May be harmful if inhaled.			
Symptoms/effects after skin contact	: Causes severe burns. May produce skin irritation, blistering, ulcers, and deep scarring. Cracking of the skin. Redness, pain.			
Symptoms/effects after eye contact	: Causes serious eye burns. Blurred vision. redness, itching, tears. stinging. More severe symptoms are also possible.			
Symptoms/effects after ingestion	: Burns or irritation of the linings of the mouth, throat, and gastrointestinal tract. Symptoms of ingestion include drowsiness, weakness, headache, dizziness, nausea, vomiting. More severe symptoms are also possible.			

4.3. Indication of any immediate medical attention and special treatment needed
May cause severe chemical burns to skin and cornea. Suitable first-aid treatment should be immediately available. Seek medical advice before using product.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the substa	ance or mixture
Hazardous decomposition products in case of fire	: Carbon oxides (CO, CO2). Hydrogen chloride gas.
5.3. Advice for firefighters	
Precautionary measures fire	: Keep container tightly closed and away from heat, sparks and flame. Keep away from combustible materials.
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	: Warn all persons of toxic hazard.

SECTION 6: Accidental release measures				
6.1. Personal precautions, protective equipment and emergency procedures				
General measures	: Isolate from fire, if possible, without unnecessary risk. Avoid dust formation. No flames, no sparks. Eliminate all sources of ignition.			
6.1.1. For non-emergency personnel				
Protective equipment	: Wear recommended personal protective equipment.			
Emergency procedures	: Evacuate unnecessary personnel. Mark out the contaminated area with signs and prevent access to unauthorized personnel. Do not touch or walk on the spilled product. Avoid contact with skin, eyes and clothing.			
Measures in case of dust release	: Keep upwind. Avoid creating or spreading dust. Ventilate the area thoroughly, especially low lying areas (basements, workpits etc).			

# (-)-Camphanic acid chloride Safety Data Sheet

6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection. Use self-contained breathing apparatus and chemically protective clothing.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public wate	rs. Notify authorities if product enters sewers or public waters.
6.3. Methods and material for cor	ntainment and cleaning up
Methods for cleaning up	: On land, sweep or shovel into suitable containers. Shovel or sweep up and put in a closed container for disposal.

**6.4. Reference to other sections** See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Avoid creating or spreading dust. Provide local exhaust or general room ventilation.
Hygiene measures	: Take off immediately all contaminated clothing and wash it before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, including a	ny incompatibilities
Technical measures	: Ensure adequate ventilation, especially in confined areas.
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Heat sources, Direct sunlight. Keep container closed when not in use. Moisture sensitive. Store contents under inert gas.
Incompatible products	: Strong oxidizing agents. Strong bases.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources. Moisture sensitive. Water, humidity.
Storage temperature	: 2 - 8 °C
Heat and ignition sources	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Storage area	: Store in dry protected location to prevent any moisture contact.
7.3. Specific end use(s)	

For analytical purposes. Scientific research and development. Not for human consumption or veterinary purposes.

SECTION 8: Expo		rols/perso	onal protection				
8.1. Control parameters No additional information							
.2. Exposure cont							
ppropriate engineer							
andle in accordance	with good indu	strial hygien	e and safety procedure	es.			
ersonal protective e	quipment:						
void all unnecessary	exposure.						
laterials for protect	ive clothing:						
Near suitable protecti	ve clothing, gl	oves and eye	e/face protection				
Hand protection:							
The protective gloves	to be used mu	ust comply w	th the specifications o	f the regulation 2016/425	and the resul	tant standard	I EN 374
Гуре	Material		Permeation	Thickness (mm)	Penetrati	on	Standard
Disposable gloves	s Butyl rubber		6 (> 480 minutes)	0.3			EN 374
Eye protection:							
Emergency eye wash designed to protect ag			ble in the immediate vi	icinity of any potential exp	osure. Use e	ye protection	according to EN 166
Гуре		Use		Characteristics		Standard	
Safety goggles, Face shield Fine dust, I		Just	tightly fitting safety goggles, With E side shields		EN 166		
Skin and body prote	ction:						
Emergency safety sho clothing readily availal			n the immediate vicinit	y of any potential exposu	re. Keep suita	able chemical	ly resistant protective

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Туре		Standard	
Total impervious protective suits, gloves, and boots must be worn to prevent any contact with the product		EN ISO 13982	
Respiratory protection:			
Keep self contained breathing apparatus readily available for emergency use. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended			
Device	Filter type	Condition	Standard
Respiratory protective device with a particle filter		Dust protection	EN 14387

#### Other information:

Do not eat, drink or smoke during use.

OFOTION & Division and showing by		
SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties		
Physical state	: Solid	
Appearance	: Crystalline powder.	
Molecular mass	: 216.66 g/mol	
Colour	: Off-white. Beige.	
Odour	: No data available.	
Odour threshold	: No data available	
pH	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: 71 - 73 °C lit.	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Non flammable.	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: No data available	
Solubility	: No data available	
Log Pow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
Explosive limits	: No data available	
9.2. Other information		
No additional information available		

SECTION 10: Stability and reactivity
10.1. Reactivity
The product is non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability
Stable under recommended handling and storage conditions (see section 7).
10.3. Possibility of hazardous reactions
No dangerous reactions known under normal conditions of use.
10.4. Conditions to avoid
Protect from sunlight. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Moisture. Water, humidity.
10.5. Incompatible materials
Strong oxidizers, Strong bases,

#### **10.6. Hazardous decomposition products**

No hazardous decomposition products known at room temperature. Thermal decomposition generates : Carbon oxides (CO, CO2). Hydrogen chloride gas.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

<b>SECTION 11: Toxicological information</b>	
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Additional information	: Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Serious eye damage, category 1, implicit
Additional information	: Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information		
12.1. Toxicity		
Acute aquatic toxicity :	Not classified	
Chronic aquatic toxicity :	Not classified	
12.2. Persistence and degradability		
(-)-Camphanic acid chloride (39637-74-6)		
Persistence and degradability	No data available.	
12.3. Bioaccumulative potential		
(-)-Camphanic acid chloride (39637-74-6)		
Bioaccumulative potential	No data available.	
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
(-)-Camphanic acid chloride (39637-74-6)		
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII		
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		
12.6. Other adverse effects		
Additional information :	Avoid release to the environment.	

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information				
In accordance with ADR / RID / IMDG / IATA / ADN				
ADR IMDG IATA ADN RID				RID
14.1. UN number				
3261	3261	3261	3261	3261

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.2. UN proper shippin	14.2. UN proper shipping name				
CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.	Corrosive solid, acidic, organic, n.o.s.	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.	
Transport document descr	iption		` `		
UN 3261 CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. ((-)- Camphanic acid chloride), 8, II, (E)	UN 3261 CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. ((-)- Camphanic acid chloride), 8, II	UN 3261 Corrosive solid, acidic, organic, n.o.s. ((-)- Camphanic acid chloride), 8, Il	UN 3261 CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. ((-)- Camphanic acid chloride), 8, II	UN 3261 CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. ((-)- Camphanic acid chloride), 8, II	
14.3. Transport hazard o	class(es)	1	1		
8	8	8	8	8	
8	8	8	8		
14.4. Packing group		1	1		
ll	II	II	II	II	
14.5. Environmental haz	ards		1	1	
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No	
No supplementary informatio	n available		1		
14.6. Special precautions	s for user				
Overland transport					
Classification code (ADR)	: C4				
Special provisions (ADR)	: 27				
Limited quantities (ADR)	: 1k				
Excepted quantities (ADR)					
Packing instructions (ADR)		P002, IBC08			
Special packing provisions (A					
	Vixed packing provisions (ADR) : MP10 Portable tank and bulk container instructions : T3				
Portable tank and bulk contain (ADR)	ner special provisions :TF	233			
Tank code (ADR)	: SC	GAN, L4BN			
Vehicle for tank carriage	: A1	F			
Transport category (ADR)		: 2			
Special provisions for carriage					
Hazard identification number	(Kemler No.) : 80				
Orange plates		80 3261			
Tunnel restriction code (ADR)	) : E				
EAC code	: 2X				
Transport by sea					
		: 274			
c ( )		: P002			
		: IBC08			
		: B21, B4			
		: T3			
Tank special provisions (IMD)		: TP33			
EmS-No. (Fire) EmS-No. (Spillage)		: F-A : S-B			
Stowage category (IMDG)	: B				

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Properties and observations (IMDG)	: Causes burns to skin, eyes and mucous membranes.
Air transport	
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y844
PCA limited quantity max net quantity (IATA)	: 5kg
PCA packing instructions (IATA)	: 859
PCA max net quantity (IATA)	: 15kg
CAO packing instructions (IATA)	: 863
CAO max net quantity (IATA)	: 50kg
Special provisions (IATA)	: A3, A803
ERG code (IATA)	: 8L
Inland waterway transport	
Classification code (ADN)	: C4
Special provisions (ADN)	: 274
Limited quantities (ADN)	: 1 kg
Excepted quantities (ADN)	: E2
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0
Rail transport	
Classification code (RID)	: C4
Special provisions (RID)	: 274
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P002, IBC08
Special packing provisions (RID)	: B4
Mixed packing provisions (RID)	: MP10
Portable tank and bulk container instructions (RID)	: T3
Portable tank and bulk container special provisions (RID)	: TP33
Tank codes for RID tanks (RID)	: SGAN, L4BN
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W11
Colis express (express parcels) (RID)	: CE10

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable

### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

: 80

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions (-)-Camphanic acid chloride is not on the REACH Candidate List Directive 2012/18/EU (SEVESO III)

#### 15.1.2. National regulations

No additional information available

Hazard identification number (RID)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

SECTION 16: Other information		
Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.	
Other information	: None.	
Full text of H and FIIH attacements:		

	Full text of H- and EUH-statements:	
	Skin Corr. 1C	Skin corrosion/irritation, Category 1C
H314 Causes severe skin burns and eye damage.		Causes severe skin burns and eye damage.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.