

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 10/18/2019 Version: 1.0

1.1. Product identifier         Product form       Substance         Product form       Substance         Substance name       (H/-) trans-Nerolidol, 95%         UPAC name       ::(H/-) trans-Nerolidol, 95%         UPAC name       ::(E) 3, 711-11/methydodeca-1, 6, 10-trien-3-ol         EC-No.       ::256-053-4         CAS-No.       ::40716-66-3         Product code       ::3728448         Formula       :C151260         Product forup       ::Raw material         1.2. Relevant identified uses       Stabstance or mixture and uses advised against         1.2.1. Relevant identified uses       :For professional use only         Main use category       ::Laboratory use.Industrial use.Professional use         Industrial/Professional use spec       :For professional use only         Use of the substance/mixture       :Scientific research and development         No additional information available       :Scientific research and development         1.3. Datais of the supplier of the safety data sheet       Scientific research and development         Scientific research and development       :How on the safety of	SECTION 1: Identification of the substa	nce/mixture and of the company/undertaking
Subiano annee : (4/-) Ariano-Neroldol, 95% LUPAC name : (6E)-3,7,11-irimatiyidodae-1,6,10-irien-3-ol EC-No. : 225-035-4 CAS-No. : 40716-66-3 Product code : 3728494 Formula : 01918-60 Product group : Raw material <b>12. Relevant identified uses of the substance or mixture and uses advised against</b> <b>12. Relevant identified uses of the substance or mixture and uses advised against</b> <b>12. Relevant identified uses</b> Main use category : Laboratory use industrial use, Professional use Thotastial/Professional use spec : For professional use only Use of the substance/mixture : For analytical purposes Scientific research and development No. for human consumption or veterinary purposes. <b>12. Uses advised against</b> <b>13. Dataits of the substance</b> <b>13. Dataits of the substance</b> <b>14. Energency telephone number</b> <b>21. Classification (Or J590 545705</b> <b>14. Energency telephone number</b> <b>21. Classification of the substance or mixture</b> <b>21. Classification and the substance or mixture</b> <b>22. Label oneonts</b> <b>23. Label oneonts</b> <b>24. Classification and telefones</b> No advision/infitudon, Category 2 H315 Serious eve damage/sev infitudio, Category 3 H315 Serious eve damage/sev infitudio, Category 3 H315 Serious eve damage/sev infitudio, Category 3 H315 Serious eve damage/sev infitudio, Category 5 H315 Serious eve damage/sev infitudio, Category 5 H315 Serious dot H Battements		
ILIPAC name : (EF.3.7.11-timethyldodeca-1.6.10-time-3-ol EC-No. : 255-053-4 CAS-NO. : 255-053-4 CAS-NO. : 255-053-4 CAS-NO. : 255-053-4 CAS-NO. : 252-053-4 Product ode : 37224948 Fromula : C15F2E0 - Product group : Raw material <b>1.2. Relevant identified uses of the substance or mixture and uses advised against</b> <b>1.2. Relevant identified uses of the substance or mixture and uses advised against</b> <b>1.2. Relevant identified uses of the substance or mixture and uses advised against</b> <b>1.2. Relevant identified uses of the substance or mixture and uses advised against</b> <b>1.3. Relevant identified uses of the substance or mixture and uses advised against</b> <b>1.4. Encode against</b> <b>1.4. Encode against</b> <b>1.4. Encode on 1</b> forwards and adde <b>2.1. Classified to find substance or mixture</b> <b>2.1. Classified to find substance or mixture</b> <b>3.1. Statist of the substance or mixture</b> <b>3.2. Uses advised against</b> <b>1.3. Details of the substance or mixture</b> <b>3.3. Details of the substance or mixture</b> <b>3.3. Details of the substance or mixture</b> <b>3.4. Encogency telephone number</b> <b>3.4. Encogency telephone number</b> <b>3.4. Classification of the substance or mixture</b> <b>3.5. Cellot of the substance or mixture</b> <b>3.1. Classification according to Regulation (EC) No. 12722008 [CLP]</b> <b>3.1. Classification according to Regulation (EC) No. 12722008 [CLP]</b> <b>3.2. Label olemonts</b> <b>3.2. Label olemonts</b> <b>3.2. Label olemonts</b> <b>3.2. Label olemonts</b> <b>3.2. Label olemonts</b> <b>3.3.</b> Advise application (EC) No. 12722008 [CLP] Hazard statements (SCP) : : : : : : : : : : : : : : : : : : :	Product form	: Substance
EC-No. : 265-05.4 CAS-No. : 40716-66.3 Product code : 37284948 Formula : C15H280 Formula : Formula :	Substance name	: (+/-)-trans-Nerolidol, 95%
CAS-No.       : 40716-66-3         Product code       : 3724448         Formula       : C151420         Product group       : Raw material         12.1. Relevant identified uses of the substance or mixture and uses advised against       1         12.1. Relevant identified uses of the substance or mixture and uses advised against       1         12.1. Relevant identified uses of the substance or mixture and uses advised against       1         Naw category       : Laboratory use.industrial use.Professional use only only use.industrial use.Professional use only use.industrial use.industrial use.industrial use.industrial use	IUPAC name	: (6E)-3,7,11-trimethyldodeca-1,6,10-trien-3-ol
Product code : 37284948 Formula : C15H28O Formula : C15H28O 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2. Relevant identified uses spec : For professional use, Professional use IndustrialProfessional use spec : For professional use only Use of the substance/mixture : For analytical purposes Sateritific research and development : Not for human consumption or veterinary purposes. 1.2. Uses advised against No additional information available 1.3. Details of the supplier of the satety data sheet Supplier Safell Organics Molekula Ltd Lingfarled Way Darington - England 1.4. Cherry (1) 1949 823777 / +44 (0) 7590 545705 Emergency tolephone number Emergency number : +444 (0) 7590 545705 Effection of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Shin corosion/inflation, Category 2 H319 Specific target organ toxicly — Single exposure, Category 3, H315 Serious eye damage/eye initiation Full text of H statements : see section 16 Adverse physicochemical, human health and onvironmental effects No additional information available 2.1. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard biteographic (CLP) : Warning Hazard sitements (CLP) : Warning Hazard sitements (CLP) : Warning Hazard sitements (CLP) : Warning Hazard sitements (CLP) : Pati - Avoid breathing dust/funeques/mixtupours/spray. Pation - Warning arrows (CLP) : Pation - Category 2 H319 Signal word (CLP) : Pation - Category 2 H319 Signal word (CLP) : Warning Hazard sitements (CLP) : Pation - Category 3 Edition - Category 2 Signal word (CLP) : Warning Hazard sitements (CLP) : Pation - Category 3 Signal word (CLP) : Pation - Pation - Category 3 Signal word (CLP) : Pation - Pation - Category 3 Signal word (CLP) : Pation - Pation - Category 3 Signal wo	EC-No.	: 255-053-4
Formula       : C15H280         Product group       :: Raw material         12. Relevant identified uses of the substance or mixture and uses advised against         12.1. Relevant identified uses       :: Laboratory use, industrial use, Professional use         Main use category       :: Laboratory use, industrial use, Professional use         Uses of the substance/mixture       : For professional use only         Scientific research and development       Not for human consumption or veterinary purposes.         No additional information available       : Scientific research and development         No additional information available       : Scientific research and development         Supplier       : Scientific research and development         Indegmoletuk corr       : Att (o) risos         Propisition       : Scientific research and development         Indegmoletuk corr       : Att (o) risos         Scientific regender       : Scientific research and development         Indegmoletuk corr       : Att (o) risos 545705         Scientific regender research and development mutber       : Att (o) risos basing corr mixture         Scientific regender regender research and development mutber       : Att (o) risos basing corr mixture         Scientific regender regender research and development mutber       : Att (o) risos basing corr mixture         Scientint research and deve	CAS-No.	: 40716-66-3
Product group : Raw material 1.2. Relovant identified uses of the substance or mixture and uses advised against 1.2.1. Relovant identified uses Main use category : Laboratory use.Industrial use.Professional use IndustrialProfessional use spee: For professional use only Use of the substance/mixture : For analytical purposes Scientific research and development Net for human consumption or veterinary purposes. 1.2. Uses advised against Na additonal information available 1.3. Details of the supplier of the safety data sheet Supplier Scafell Organics Molekula Loom - www.molekula.com 1.4. Emorgency tolephone number : +44 (0) 7590 545705 Info@molekula.com - www.molekula.com 1.4. Emorgency tolephone number : +44 (0) 7590 545705 Exercice year : +44 (0) 7590 545705 Sercice year infation. 1.4. Emorgency tolephone number : +44 (0) 7590 545705 Sercice year infation. 1.4. Emorgency tolephone number : +44 (0) 7590 545705 Sercice year infation. 1.4. Emorgency tolephone number : +44 (0) 7590 545705 Sercice year infation. 1.4. Emorgency tolephone number : +44 (0) 7590 545705 Sercice year infation. 1.4. Emorgency tolephone number : +44 (0) 7590 545705 Sercice year infation. 1.4. Emorgency tolephone number : +44 (0) 7590 545705 Sercice year infation. 1.4. Emorgency tolephone number : +44 (0) 7590 545705 Sercice year infation. 1.4. Emorgency tolephone number : +44 (0) 7590 545705 Sercice year infation. 1.4. Emorgency tolephone number : +44 (0) 7590 545705 Sercice year infation. 1.4. Emorgency tolephone number : +44 (0) 7590 545705 Sercice year infation. 1.4. Emorgency tolephone number : +44 (0) 7590 545705 Sercice year infation. 1.4. Emorgency tolephone number : - +44 (0) 7590 545705 Sercice year infation. 1.4. Emorgency tolephone number : - +44 (0) 7590 545705 Sercice year infation. 1.4. Emorgency tolephone number : - +44 (0) 7590 545705 Sercice year infation. 2.4. Emorgency tolephone number : - +44 (0) 7590 545705 Sercice year infation. 2.4. Emorgency tolephone infation. 3.5. Emorgency tolephone infation. 3.5. Emorgency tolephone	Product code	: 37284948
1.2. Relevant identified uses of the substance or mixture and uses advised against         1.2.1. Relevant identified uses         Main use category       : Laboratory use.Industrial use.Professional use         industrial/Professional use spec       : For professional use only         Use of the substance/mixture       : For analytical purposes         Scientific research and development       Not for human consumption or veterinary purposes.         1.2. Uses advised against       No additional information available         1.3. Datalis of the supplier of the safety data sheet       Supplier         Scafell Organics       Molekula Ltd         Ingified Way       Darington- England         7.4.4 (0) 1984 232777 / +44 (0) 7590 545705       Info@molekula.com         1.4.Emergency telephone number       : +44 (0) 7590 545705         SECTION 21 Hazards Identification       Z.1. Classification of the substance or mixture         Classification of the substance or mixture       Classification according to Regulation (EC) No. 12722008 (CLP)         Skin corresion/intation, Category 2       H315         Serious eye damage/eye irritation, Category 2       H315         Serious eye damage/eye irritation, Category 2       H316         Vator H statements : see section 16       Adverse physicochemical, human health and environmental effects         No additional information available	Formula	: C15H26O
1.2. Relevant identified uses of the substance or mixture and uses advised against         1.2.1. Relevant identified uses         Main use category       : Laboratory use Industrial use, Professional use         Industrial/Professional use spec       : For professional use only         Use of the substance/mixture       : For analytical purposes         Scientific research and development       Not for human consumption or veterinary purposes.         1.2. Uses advised against       No additional information available         1.3. Details of the supplier of the safety data sheet       Scientific research and development         Scientific Togenics       Molekula Ltd         Unglief Way       Darington - England         7.4.4 (0) 198 22777 1 +44 (0) 7590 545705       Info@molekula.com         Emergency telephone number         Energency telephone number       : 444 (0) 7590 545705         Scientific action         Calculation (EC) No. 1272/2008 [CLP]         Scientific action         Control of the substance or mixture         Classification according to Regulation (EC) No. 1272/2008 [CLP]         Scientific action according to Regulation (EC) No. 1272/2008 [CLP]         Scientific action according to Regulation (EC) No. 1272/2008 [CLP]         Scientific action according to R	Product group	: Raw material
Main use category :: Laboratory use, Industrial use, Professional use industrial Professional use apec :: For professional use only :: See of the substance/mixture :: For analytical purposes : Scientific research and development : Not for human consumption or veterinary purposes.  1.2.2. Uses advised against :: See advised against :: So the substance of the same statement information available :: See advised against :: See advised advised :: See advised ::	- ·	ce or mixture and uses advised against
Main use category :: Laboratory use, Industrial use, Professional use industrial Professional use apec :: For professional use only :: See of the substance/mixture :: For analytical purposes : Scientific research and development : Not for human consumption or veterinary purposes.  1.2.2. Uses advised against No additional information available  1.3. Details of the supplier of the safety data sheet Supplier Scafell Organics Molecula Ld Lingfield Way Darlington - England T +44 (0) 7590 545705 Info@molekula.com + www.molekula.com I.4. Emergency telephone number Emergency number :: +44 (0) 7590 545705 SECTION 2: Hazards identification 2.1. Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corrosion/firitation, Category 2 H315 Serious ey damage/eye imitation, Category 2 H315 Serious eye damage/eye imitation available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) :: Waming Lazard statements (CLP) :: H315 - Causes skin iritation, H336 - Causes serious eye initation, H337 - Causes serious eye initation, H337 - Wa		
Industrial/Professional use spec :: For professional use only Use of the substance/mixture :: For analytical purposes Scientific research and development Not for human consumption or veterinary purposes. <b>1.2.2. Uses advised againt</b> No additional information available <b>1.3. Details of the supplier of the safety data sheet</b> <b>Supplier</b> Scafell Organics Molekula Ltd Lingfield Way Darlington - England T +44 (0) 17590 545705 info@molekula.com / kbowen@molekula.com <b>1.4. Emergency telephone number</b> <b>2.1. Classification of the substance or mixture</b> <b>Classification according to Regulation (EC) No. 1272/2008 [CLP]</b> Skin corrosion/inflation, Category 2 H315 Specific target organ toxicly Single exposure, Category 3, H335 Respiratory tract inflation <b>2.1. Classification according to Regulation (EC) No. 1272/2008 [CLP]</b> Skin corrosion/inflation, Category 2 H316 Specific target organ toxicly Single exposure, Category 3, H335 Respiratory tract inflation <b>2.1. Classification according to Regulation (EC) No. 1272/2008 [CLP]</b> Skin corrosion/inflation, Category 2 H316 Specific target organ toxicly Single exposure, Category 3, H335 Respiratory tract inflation <b>2.1. Classification available</b> <b>2.1. Categories (CLP)</b> Lit Lext of H statements: see section 16 <b>2.2. Label elements</b> <b>2.3. Label elements</b> Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) .:: GIS07 Signal word (CLP) Hazard statements (CLP) :: Warning Hazard Statements (CLP) :: Warning		· Laboratory use Industrial use Professional use
Use of the substance/mixture       : for analytical purposes Scientific research and development Not for human consumption or veterinary purposes.         12.2. Uses advised against         No additonal information available         13.1 Details of the supplier of the safety data sheet         Scafel Organics Molekula LU Lingfield Way Darlington - England T +44 (0) 1590 545705         14.6 Lengrency telephone number Emergency number         21.1 Classification of the substance or mixture         21.1 Classification of Regulation (EC) No. 1272/2008 [CLP]         Steriou of the substance or mixture         Classification according to Regulation (Ce) No. 1272/2008 [CLP]         Steriou sey damage/eye initiation, Category 2       H315         Serious eye damage/eye initiation, Category 2       H315         Specific target organ toxicity — Single exposure, Category 3, H335       H335         Respiratory tract initiation       Fastements : see section 16         22.1 Label elements       Edesory         23.1 Label elements       GRS07         Classification according to Regulation (EC) No. 1272/2008 [CLP]         No according to Regulation (EC) No. 1272/2008 [CLP]         Hazard pictograms (CLP)       : GRS07         Grasor       : GRS07         Signal word (CLP)       : H315 - Causes sexin initiation. H319 - Causes serious eye initiation. H319 - Causes serious eye initiation. H319 - Caus		•
Scientific research and development Not for human consumption or veterinary purposes.	•	
No additional information available  1.3. Details of the supplier of the safety data sheet Supplier Scafell Organics Molekula Ltd Lingfield Way Darlington - England T +44 (0) 1949 823777 / +44 (0) 7590 545705 Info@molekula.com / kbowen@molekula.com - www.molekula.com 1.4. Emergency telephone number Emergency number : +44 (0) 7590 545705  SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corrosion/iritiation, Category 2 H315 Serious eye damage/eye iritiation, Category 3, H335 Respiratory traci iritiation Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) GHS07 Signal word (CLP) EXPRONCE Serious exercise with iritiation. H315 - Causes serious eye iritiation, H315 - Causes Serious eye iritia		Scientific research and development
No additional information available  1.3. Details of the supplier of the safety data sheet Supplier Scafell Organics Molekula Ltd Lingfield Way Darlington - England T +44 (0) 1949 823777 / +44 (0) 7590 545705 Info@molekula.com / kbowen@molekula.com - www.molekula.com 1.4. Emergency telephone number Emergency number : +44 (0) 7590 545705  SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corrosion/iritiation, Category 2 H315 Serious eye damage/eye iritiation, Category 3, H335 Respiratory traci iritiation Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) GHS07 Signal word (CLP) EXPRONCE Serious exercise with iritiation. H315 - Causes serious eye iritiation, H315 - Causes Serious eye iritia	1.2.2. Uses advised against	
Supplier         Scafel Organics         Molekula Ltd         Lingfield Way         Parlington - England         T+44 (0) 1949 823777 /+44 (0) 7590 545705         Info@molekula.com / kbowen@molekula.com         T+44 (0) 1949 823777 /+44 (0) 7590 545705         Info@molekula.com / kbowen@molekula.com         14. Emergency telephone number         Emergency number         2.1. Classification of the substance or mixture         Classification according to Regulation (EC) No. 1272/2008 [CLP]         Strin corrosion/Inritation, Category 2       H315         Serious eye damage/eye initation, Category 2       H319         Specific target organ toxicity — Single exposure, Category 3,       H335         Respiratory tract irritation       Full text of H statements : see section 16         Adverse physicochemical, human health and environmental effects       No additional information available         2.2. Label elements       Edelong according to Regulation (EC) No. 1272/2008 [CLP]         Hazard pictograms (CLP)       : Warning         Hazard statements (CLP)       : Warning         Hazard statements (CLP)       : H315 - Causes skin irritation.         H319 - Causes serious eye irritation.       H335 - May cause respiratory irritation.         H32 - Xause serinous eye irrotection, H335 - May cause respiratory irrit	•	
Supplier         Scafel Organics         Molekula Ltd         Lingfield Way         Parlington - England         T+44 (0) 1949 823777 /+44 (0) 7590 545705         Info@molekula.com / kbowen@molekula.com         14. Emergency telephone number         Emergency number         : +44 (0) 7590 545705         Ster         Classification of the substance or mixture         Classification of the substance or mixture         Classification according to Regulation (EC) No. 1272/2008 [CLP]         Sterious eye damage/eye initation, Category 2       H315         Serious eye damage/eye initation, Category 2       H319         Specific target organ toxicity — Single exposure, Category 3, H335       H335         Respiratory tract initation       Full text of H statements : see section 16         Vattor H statements : see section 16       Statements         Labelling according to Regulation (EC) No. 1272/2008 [CLP]         Hazard pictograms (CLP)       EWenning         Karard pictograms (CLP)       EWenning         Signal word (CLP)       EWenning         Hazard statements (CLP)       EWenning         Hazard statements (CLP)       EWenning         Hazard statements (CLP)       EWenning         H315 - Causes skin inititation. </td <td>1.3. Details of the supplier of the safety data</td> <td>a sheet</td>	1.3. Details of the supplier of the safety data	a sheet
Scafell Organics Molekula Ltd Lingfield Way Darlington - England 1.44. (0) 1949 823777 / 144 (0) 7590 545705 Info@molekula.com / kbowen@molekula.com - www.molekula.com 1.4. Emergency telephone number Emergency number : +44 (0) 7590 545705 SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Specific target organ toxicity — Single exposure, Category 3, H335 Respiratory tract irritation Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labeling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Signal word (CLP) : Hazard pictograms (CLP) : Hazard statements (CLP) : H315 - Causes skin irritation. H335 - May cause respiratory irritation. Precautionary statements (CLP) : P201 - Avoid breakting dust/fume/gas/mist/vapours/spray. P201 - Vear protective gloves/protective clothing/eye protection/face protection.		
Lingfield Way Darlington - England T +44 (0) 1949 823777 / +44 (0) 7590 545705 info@molekula.com - www.molekula.com <b>14. Emergency telephone number</b> Emergency number : +44 (0) 7590 545705 <b>SECTION 2: Hazard's identification</b> <b>2:1. Classification of the substance or mixture</b> <b>Classification according to Regulation (EC) No. 1272/2008 [CLP]</b> Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Specific target organ toxicity — Single exposure, Category 3, H335 Respiratory tract irritation Full text of H statements : see section 16 <b>Adverse physicochemical, human health and environmental effects</b> No additional information available <b>2:2. Label elements</b> <b>Labeling according to Regulation (EC) No. 1272/2008 [CLP]</b> Hazard pictograms (CLP) : Warning Hazard pictograms (CLP) : Warning Hazard statements (CLP) : H315 - Causes skin irritation. H335 - May cause respiratory. Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P261 - Woid breathing dust/fume/gas/mist/vapours/spray. P260 - Wear protective gioves/protective clothing/eye protection/face protection.	Scafell Organics	
Darlington - Éngland T +44 (0) 1949 823777 / +44 (0) 7590 545705 Indogmolekula.com / kbowen@molekula.com 1.4. Emergency telephone number Emergency number : +44 (0) 7590 545705 SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification acording to Regulation (EC) No. 1272/2008 [CLP] Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Specific target organ toxicity — Single exposure, Category 3, H335 Respiratory tract irritation Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Warning Hazard pictograms (CLP) : Warning Hazard statements (CLP) : Warning Hazard statements (CLP) : P281 - Avoid breathing dus/fume/gas/mist/vapours/spray Precautionary statements (CLP) : P281 - Avoid breathing dus/fume/gas/mist/vapours/spray P280 - Wear protective gloves/protective clothing/eye protection/face protection.		
T +44 (i) 1949 523777 / +44 (i) 7590 545705 Info@molekula.com / kbowen@molekula.com - www.molekula.com T.4. Emergency telephone number Emergency number : +44 (i) 7590 545705 SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Specific target organ toxicity — Single exposure, Category 3, H335 Respiratory fract irritation Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Warning Hazard pictograms (CLP) : Warning Hazard statements (CLP) : Warning Hazard statements (CLP) : P261 - Avoid breathing dust/frume/gas/mist/vapours/spray. Precautionary statements (CLP) : P261 - Avoid breathing dust/frume/gas/mist/vapours/spray. P280 - Wear protective gloves/protective clothing/eye protection/face protection.		
Info@molekula.com / kbowen@molekula.com - www.molekula.com  1.4. Emergency telephone number Emergency number : +44 (0) 7590 545705  SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corrosion/irritation, Category 2 H319 Specific target organ toxicity — Single exposure, Category 3, H335 Respiratory tract irritation Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Warning Hazard statements (CLP) : Warning Hazard statements (CLP) : P280. Wave respiratory irritation. H335 - May cause respiratory irritation. Precautionary statements (CLP) : P280. Wear protective gloves/protective clothing/eye protection/face protection.		
Emergency number : +44 (0) 7590 545705 SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Specific target organ toxicity — Single exposure, Category 3, H335 Respiratory tract irritation Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labeling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) King GHS07 Signal word (CLP) Hazard statements (CLP) Precautionary statements (CLP) Precautionary statements (CLP)		. <u>molekula.com</u>
SECTION 2: Hazards identification         2.1. Classification of the substance or mixture         Classification according to Regulation (EC) No. 1272/2008 [CLP]         Skin corrosion/irritation, Category 2       H315         Serious eye damage/eye irritation, Category 2       H319         Specific target organ toxicity — Single exposure, Category 3, H335       H335         Respiratory tract irritation       Full text of H statements : see section 16         Adverse physicochemical, human health and environmental effects       No additional information available         2.2. Label elements       Labelling according to Regulation (EC) No. 1272/2008 [CLP]         Hazard pictograms (CLP)       :         Hazard statements (CLP)       :         Hazard statements (CLP)       :         Precautionary statements (CLP)       :         Precautionary statements (CLP)       :         Precautionary statements (CLP)       :         Page - Navia Disprotective gloves/protective clothing/eye protection/face protection.	1.4. Emergency telephone number	
2.1. Classification of the substance or mixture         Classification according to Regulation (EC) No. 1272/2008 [CLP]         Skin corrosion/irritation, Category 2       H315         Serious eye damage/eye irritation, Category 2       H319         Specific target organ toxicity — Single exposure, Category 3, H335       H335         Respiratory tract irritation       Full text of H statements : see section 16         Adverse physicochemical, human health and environmental effects       No additional information available         2.2. Label elements	Emergency number : ·	+44 (0) 7590 545705
2.1. Classification of the substance or mixture         Classification according to Regulation (EC) No. 1272/2008 [CLP]         Skin corrosion/irritation, Category 2       H315         Serious eye damage/eye irritation, Category 2       H319         Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation       H335         Full text of H statements : see section 16       Adverse physicochemical, human health and environmental effects         No additional information available       Z.2. Label elements         Z.2. Label elements       GHS07         Signal word (CLP)       : Warning         Hazard statements (CLP)       : H315 - Causes skin irritation. H335 - Rayes relows eye irritation. H335 - Nay cause respiratory irritation. H335 - Nay cause respiratory irritation.         Precautionary statements (CLP)       : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P260 - Wear protective gloves/protective clothing/eye protection/face protection.		
Classification according to Regulation (EC) No. 1272/2008 [CLP]         Skin corrosion/irritation, Category 2       H315         Serious eye damage/eye irritation, Category 2       H319         Specific target organ toxicity — Single exposure, Category 3, H335       H335         Respiratory tract irritation       Full text of H statements : see section 16         Adverse physicochemical, human health and environmental effects       No additional information available         2.2. Label elements       Eabelling according to Regulation (EC) No. 1272/2008 [CLP]         Hazard pictograms (CLP)       :         GHS07       :         Signal word (CLP)       :         Hazard statements (CLP)       :         Precautionary statements (CL		
Skin corrosion/irritation, Category 2       H315         Serious eye damage/eye irritation, Category 2       H319         Specific target organ toxicity — Single exposure, Category 3, H335       H335         Respiratory tract irritation       Full text of H statements : see section 16         Adverse physicochemical, human health and environmental effects       No additional information available         2.2. Label elements       Eabelling according to Regulation (EC) No. 1272/2008 [CLP]         Hazard pictograms (CLP)       :         GHS07       Signal word (CLP)         Hazard statements (CLP)       : H315 - Causes skin irritation. H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.         Precautionary statements (CLP)       : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P280 - Wear protective gloves/protective clothing/eye protection/face protection.	2.1. Classification of the substance or mixtu	Ire
Serious eye damage/eye irritation, Category 2 Specific target organ toxicity — Single exposure, Category 3, H335 Respiratory tract irritation Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP) Hazard statements (CLP) Precautionary statements (CLP) Hazard Statements (CLP) Precautionary statements (CLP) Hazard Statements (CLP) Hazard Statements (CLP) Hazard Statements (CLP) Hazard Statements (CLP) Hazard Statements (CLP) No additional information available Hazard Statements (CLP) Hazard Statements (CLP) Haza	Classification according to Regulation (EC) No. 1	272/2008 [CLP]
Specific target organ toxicity — Single exposure, Category 3, H335       H335         Respiratory tract irritation       Full text of H statements : see section 16         Adverse physicochemical, human health and environmental effects       No additional information available         2.2. Label elements       Eabelling according to Regulation (EC) No. 1272/2008 [CLP]         Hazard pictograms (CLP)       :         GHS07         Signal word (CLP)       :         Hazard statements (CLP)       : H315 - Causes skin irritation. H335 - May cause respiratory irritation. H335 - May cause respiratory irritation.         Precautionary statements (CLP)       : P261 - Avoid breathing dust/tume/gas/mist/vapours/spray. P280 - Wear protective gloves/protective clothing/eye protection/face protection.	Skin corrosion/irritation, Category 2	H315
Respiratory tract irritation         Full text of H statements : see section 16         Adverse physicochemical, human health and environmental effects         No additional information available         2.2. Label elements         Labelling according to Regulation (EC) No. 1272/2008 [CLP]         Hazard pictograms (CLP)         Image: Signal word (CLP)         Hazard statements (CLP)         Image: Hazard statem	Serious eye damage/eye irritation, Category 2	H319
Full text of H statements : see section 16         Adverse physicochemical, human health and environmental effects         No additional information available         2.2. Label elements         Labelling according to Regulation (EC) No. 1272/2008 [CLP]         Hazard pictograms (CLP)         Image: GHS07         Signal word (CLP)         Hazard statements (CLP)         Image: Hazard statements (CLP)         Image: Hazard statements (CLP)         Image: Hazard statements (CLP)         Hazard statements (CLP)         Image: Hazard statements (CLP)	Specific target organ toxicity — Single exposure, Cat	tegory 3, H335
Adverse physicochemical, human health and environmental effects         No additional information available         2.2. Label elements         Labeling according to Regulation (EC) No. 1272/2008 [CLP]         Hazard pictograms (CLP)         GHS07         Signal word (CLP)         Hazard statements (CLP)         Hazard statements (CLP)         Precautionary statements (CLP)         Precautionary statements (CLP)         Hazard Statements (CLP)         Hazard Statements (CLP)         Signal word (CLP)         Hazard Statements (CLP) </td <td></td> <td></td>		
No additional information available         2.2. Label elements         Labelling according to Regulation (EC) No. 1272/2008 [CLP]         Hazard pictograms (CLP)       :         GHS07       :         Signal word (CLP)       :         Hazard statements (CLP)       :         Hazard statements (CLP)       :         Hazard statements (CLP)       :         Precautionary statements (CLP)       :         P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.         P280 - Wear protective gloves/protective clothing/eye protection/face protection.	Full text of H statements : see section 16	
2.2. Label elements         Labelling according to Regulation (EC) No. 1272/2008 [CLP]         Hazard pictograms (CLP)       :         GHS07         Signal word (CLP)       : Warning         Hazard statements (CLP)       : H315 - Causes skin irritation.         H319 - Causes serious eye irritation.         H335 - May cause respiratory irritation.         Precautionary statements (CLP)       : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.         P280 - Wear protective gloves/protective clothing/eye protection/face protection.	Adverse physicochemical, human health and env	vironmental effects
Labelling according to Regulation (EC) No. 1272/2008 [CLP]         Hazard pictograms (CLP)         GHS07         Signal word (CLP)         Hazard statements (CLP)         Hazard statements (CLP)         Precautionary statements (CLP)         Page - Wear protective gloves/protective clothing/eye protection/face protection.	No additional information available	
Hazard pictograms (CLP)       :         GHS07         Signal word (CLP)       : Warning         Hazard statements (CLP)       : H315 - Causes skin irritation.         H319 - Causes serious eye irritation.         H335 - May cause respiratory irritation.         H335 - May cause respiratory irritation.         Precautionary statements (CLP)       : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.         P280 - Wear protective gloves/protective clothing/eye protection/face protection.	2.2. Label elements	
Hazard pictograms (CLP)       :         GHS07         Signal word (CLP)       : Warning         Hazard statements (CLP)       : H315 - Causes skin irritation.         H319 - Causes serious eye irritation.         H335 - May cause respiratory irritation.         H335 - May cause respiratory irritation.         Precautionary statements (CLP)       : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.         P280 - Wear protective gloves/protective clothing/eye protection/face protection.	Labelling according to Regulation (EC) No. 1272/	2008 [CLP]
Signal word (CLP)       : Warning         Hazard statements (CLP)       : H315 - Causes skin irritation. H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.         Precautionary statements (CLP)       : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P280 - Wear protective gloves/protective clothing/eye protection/face protection.		
Signal word (CLP)       : Warning         Hazard statements (CLP)       : H315 - Causes skin irritation. H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.         Precautionary statements (CLP)       : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P280 - Wear protective gloves/protective clothing/eye protection/face protection.		
Signal word (CLP)       : Warning         Hazard statements (CLP)       : H315 - Causes skin irritation. H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.         Precautionary statements (CLP)       : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P280 - Wear protective gloves/protective clothing/eye protection/face protection.		
Signal word (CLP)       : Warning         Hazard statements (CLP)       : H315 - Causes skin irritation. H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.         Precautionary statements (CLP)       : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P280 - Wear protective gloves/protective clothing/eye protection/face protection.		
Signal word (CLP)       : Warning         Hazard statements (CLP)       : H315 - Causes skin irritation. H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.         Precautionary statements (CLP)       : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P280 - Wear protective gloves/protective clothing/eye protection/face protection.		
Hazard statements (CLP)       : H315 - Causes skin irritation.         H319 - Causes serious eye irritation.       H335 - May cause respiratory irritation.         Precautionary statements (CLP)       : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.         P280 - Wear protective gloves/protective clothing/eye protection/face protection.		
H319 - Causes serious eye irritation.         H335 - May cause respiratory irritation.         Precautionary statements (CLP)       : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.         P280 - Wear protective gloves/protective clothing/eye protection/face protection.	,	5
P280 - Wear protective gloves/protective clothing/eye protection/face protection.	Hazard statements (CLP)	H319 - Causes serious eye irritation.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.	Precautionary statements (CLP)	
contact lenses, if present and easy to do. Continue rinsing.		P280 - Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
2.3. Other hazards	2.3. Other hazards	

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients			
3.1. Substances			
Name	Product identifier	%	
(+/-)-trans-Nerolidol, 95%	(CAS-No.) 40716-66-3 (EC-No.) 255-053-4	100	
Full text of H-statements: see section 16			

## Full text of H-statements: see section 16 3.2. Mixtures

Not applicable

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: If possible show this sheet, if not available show packaging or label. Never give anything by mouth to an unconscious person. Do not leave affected person unattended.
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Give oxygen or artificial respiration if necessary. If breathing difficulties persist : Get medical advice/attention.
First-aid measures after skin contact	: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Do not remove clothing if it sticks to the skin. If irritation persists, consult a doctor.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth out with water. Do not induce vomiting. Get medical advice/attention.
4.2. Most important symptoms and effects,	both acute and delayed
Symptoms/effects after inhalation	: Irritation to throat. Cough. Burning sensation. Headache.
Symptoms/effects after skin contact	: Causes skin irritation. Itching. Redness, pain.
Symptoms/effects after eye contact	: Causes serious eye irritation. redness, itching, tears. stinging.
Symptoms/effects after ingestion	: May cause irritation to the digestive tract. Abdominal pain, nausea.
4.3. Indication of any immediate medical att	ention and special treatment needed

Get immediate medical advice/attention.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the substa	ance or mixture
Hazardous decomposition products in case of fire	: Carbon oxides (CO, CO2).
5.3. Advice for firefighters	
Precautionary measures fire	: Keep container tightly closed and away from heat, sparks and flame. Keep away from combustible materials.
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	: Warn all persons of toxic hazard.

<b>SECTION 6: Accidental release measur</b>	es
6.1. Personal precautions, protective equip	ment and emergency procedures
General measures	: Isolate from fire, if possible, without unnecessary risk. Do not breathe gas, fumes, vapour or spray. No flames, no sparks. Eliminate all sources of ignition.
6.1.1. For non-emergency personnel	
Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Evacuate unnecessary personnel. Mark out the contaminated area with signs and prevent access to unauthorized personnel. Do not touch or walk on the spilled product. Avoid contact with skin, eyes and clothing.
Measures in case of dust release	: Shelter from vapours by keeping upwind. Ventilate the area thoroughly, especially low lying areas (basements, workpits etc).
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection. Use self-contained breathing apparatus and chemically protective clothing.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Drevent entry to severe and public waters. Notify ou	theritigs if liquid enters covers or public waters

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.3. Methods and material for containment	nt and cleaning up
For containment	: Collect spillage. Contain the spilled material by bunding.
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Try to stop release if without risk.
6.4. Reference to other sections	
See Heading 8. Exposure controls and personal protection.	
SECTION 7: Handling and storage	

7.1. Precautions for safe handling	
Precautions for safe handling	: Avoid formation of vapours. Provide local exhaust or general room ventilation.
Hygiene measures	: Take off immediately all contaminated clothing and wash it before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, including an	y incompatibilities
Technical measures	: Ensure adequate ventilation, especially in confined areas.
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Heat sources, Direct sunlight. Keep container closed when not in use. Air sensitive. Store contents under inert gas.
Incompatible products	: Strong oxidizing agents.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources. Air contact.
Heat and ignition sources	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Storage area	: Store below 20 °C. Store in a dry place. Store in a closed container.

**7.3. Specific end use(s)** For analytical purposes. Scientific research and development. Not for human consumption or veterinary purposes.

SECTION 8: Expos	sure cont	rols/nerse	nal protection				
8.1. Control paramet		rois/perse					
No additional information	n available						
8.2. Exposure contro							
Appropriate engineerin	-						
Handle in accordance wi	ith good indu	ustrial hygien	e and safety procedures	. Floors should be imper-	/ious, resista	ant to liquids a	and easy to clean.
Personal protective eq	•						
Avoid all unnecessary ex	cposure.						
Materials for protectiv	e clothing:						
Wear suitable protective	e clothing, gl	oves and eye	e/face protection				
Hand protection:							
The protective gloves to	be used mi	ust comply w	ith the specifications of t	he regulation 2016/425 a	nd the resul	tant standard	EN 374
Туре	Material		Permeation	Thickness (mm)	Penetratio	Penetration Standard	
Disposable gloves	Nitrile rubb	er (NBR)	6 (> 480 minutes)	0.11			EN 374
Eye protection:							
Emergency eye wash fo designed to protect aga			ble in the immediate vici	nity of any potential expo	sure. Use e	ye protection	according to EN 166,
Туре		Use		Characteristics		Standard	
Safety goggles	Droplet, vapours			With side shields EN 166			
Skin and body protect	ion:						
Emergency safety show clothing readily available			n the immediate vicinity	of any potential exposure	e. Keep suita	ble chemicall	y resistant protective
Туре			Standard				
Protective clothing (with elasticated cuffs and closed neck) EN 14605							
Respiratory protectior	ו:						
Keen self contained bre	athing anna	ratus readily	available for emergency	use Where exposure th	rough inhala	tion may occu	ir from use respirator

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Device	Filter type	Condition	Standard
Respiratory protective device with a particle filter	ABEK	Protection for Liquid particles, Vapour protection	EN 14387

## Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical	
9.1. Information on basic physical and c	
Physical state	: Liquid
Appearance	: Oily. Clear.
Molecular mass	: 222.37 g/mol
Colour	: light yellow. Colourless.
Odour	: No data available.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: 145 - 146 °C lit.
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 113 °C closed cup.
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0.876 g/cm3
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	

9.2. Other information No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
The product is non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability
Stable under recommended handling and storage conditions (see section 7).
10.3. Possibility of hazardous reactions
No dangerous reactions known under normal conditions of use.
10.4. Conditions to avoid
Protect from sunlight. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Air contact.
10.5. Incompatible materials
Strong oxidizers.
10.6. Hazardous decomposition products
No hazardous decomposition products known at room temperature. Thermal decomposition generates : Carbon oxides (CO, CO2).

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Additional information	: Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Causes serious eye irritation.
Additional information	: Based on available data, the classification criteria are not met

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: May cause respiratory irritation.
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information				
12.1. Toxicity				
Acute aquatic toxicity :	city : Not classified			
Chronic aquatic toxicity :	Not classified			
12.2. Persistence and degradability				
(+/-)-trans-Nerolidol, 95% (40716-66-3)				
Persistence and degradability	No data available.			
12.3. Bioaccumulative potential				
(+/-)-trans-Nerolidol, 95% (40716-66-3)				
Bioaccumulative potential	No data available.			
12.4. Mobility in soil				
No additional information available				
12.5. Results of PBT and vPvB assessment				
(+/-)-trans-Nerolidol, 95% (40716-66-3)				
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII				
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII				
40.C. Other advance officiate				
12.6. Other adverse effects				

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.

<b>SECTION 14: Transpo</b>						
In accordance with ADR / RID / IMDG / IATA / ADN						
ADR	IMDG	ΙΑΤΑ	ADN	RID		
14.1. UN number						
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
14.2. UN proper shipping name						
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
14.3. Transport hazard class(es)						
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		
14.4. Packing group						
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated		

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.5. Environmental haz	ards			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary informatio	n available			
4.6. Special precautions	s for user			
Overland transport				
Not regulated				
Fransport by sea				
Not regulated Air transport				
lot regulated				
nland waterway transport				
Not regulated				
Rail transport				
Not regulated				
	ccording to Annex II of M	arpol and the IBC Code		
Not applicable				
SECTION 15: Regulato	ory information			
5.1. Safety, health and e	environmental regulations	s/legislation specific for	the substance or mixture	)
5.1.1. EU-Regulations				
No REACH Annex XVII restric	tions			
	ot on the REACH Candidate L	ist		
Directive 2012/18/EU (SEVES	SO III)			
15.1.2. National regulations				
No additional information avai				
15.2. Chemical safety as to chemical safety assessme	sessment ent has been carried out for the	substance or the mixture by	the supplier	
SECTION 16: Other inf	formation			
Data sources			OPEAN PARLIAMENT AND	
			ackaging of substances and m C, and amending Regulation (I	
Other information	: None.			,
Full text of H- and EUH-sta	itements:			
Eye Irrit. 2	Serious eye damad	ge/eye irritation, Category 2		
Skin Irrit. 2	Skin corrosion/irrita			
STOT SE 3			, Category 3, Respiratory trac	t irritation
H315	Causes skin irritati		, - <u> </u>	
H319	Causes serious ey			
H335	May cause respirat			
11000				

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.