

SAFETY DATA SHEET

Guanidine nitrate

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking			
1.1. Product identifier			
Product name	Guanidine nitrate		
Product number	62000611		
CAS number	506-93-4		
EC number	208-060-1		
1.2. Relevant identified uses	of the substance or mixture and uses advised against		
Identified uses	For research purposes only.		
Uses advised against	No specific uses advised against are identified.		
1.3. Details of the supplier of	the safety data sheet		
Supplier	Molekula Ltd. Lingfield Way, Darlington, DL1 4XX, United Kingdom +44 (0) 3302000333 info@molekula.com		
1.4. Emergency telephone nu	Imber		
+44 (0) 1380 725952			
SECTION 2: Hazards identified	SECTION 2: Hazards identification		
2.1. Classification of the subs	tance or mixture		
Classification (EC 1272/2008	<u>)</u>		
Classification (EC 1272/2008 Physical hazards) Ox. Sol. 3 - H272		
Classification (EC 1272/2008 Physical hazards Health hazards) Ox. Sol. 3 - H272 Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335		
Classification (EC 1272/2008 Physical hazards Health hazards Environmental hazards) Ox. Sol. 3 - H272		
Classification (EC 1272/2008 Physical hazards Health hazards Environmental hazards 2.2. Label elements) Ox. Sol. 3 - H272 Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335 Aquatic Chronic 3 - H412		
Classification (EC 1272/2008 Physical hazards Health hazards Environmental hazards <u>2.2. Label elements</u> EC number) Ox. Sol. 3 - H272 Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335		
Classification (EC 1272/2008 Physical hazards Health hazards Environmental hazards 2.2. Label elements) Ox. Sol. 3 - H272 Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335 Aquatic Chronic 3 - H412		

Hazard statements	H272 May intensify fire; oxidiser. H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P220 Keep away from combustible materials. P264 Wash contaminated skin thoroughly after handling. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P330 Rinse mouth. P337+P313 If eye irritation persists: Get medical advice/ attention. P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish. P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

SECTION 3: Composition/information on ingredients	
3.1. Substances	
Product name	Guanidine nitrate
CAS number	506-93-4
EC number	208-060-1
Chemical formula	NH2C(=NH)NH2 · HNO3
SECTION 4: First aid measures	

4.1. Description of first aid measures

General information	Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms are severe or persist.
Ingestion	Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Never give anything by mouth to an unconscious person. Place unconscious person on their side in the recovery position and ensure breathing can take place. Keep affected person under observation. Get medical attention if symptoms are severe or persist.
Skin contact	Rinse with water.
Eye contact	Rinse with water. Do not rub eye. Remove any contact lenses and open eyelids wide apart. Get medical attention if any discomfort continues.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.
4.2. Most important sympto	oms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	A single exposure may cause the following adverse effects: Temporary irritation.	
Ingestion	May cause discomfort if swallowed. Stomach pain. Nausea, vomiting.	
Skin contact	Prolonged contact may cause dryness of the skin.	
Eye contact	Irritating to eyes.	
4.3. Indication of any immediate medical attention and special treatment needed		
Notes for the doctor	Treat symptomatically.	
SECTION 5: Firefighting meas	sures	
5.1. Extinguishing media		
Suitable extinguishing media	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire- extinguishing media suitable for the surrounding fire.	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
5.2. Special hazards arising fro	om the substance or mixture	
Specific hazards	May cause or intensify fire; oxidiser. This product is toxic.	
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours. Carbon dioxide (CO2). Carbon monoxide (CO). Oxides of nitrogen.	
5.3. Advice for firefighters		
Protective actions during firefighting	Avoid breathing fire gases or vapours. Evacuate area. May cause or intensify fire; oxidiser. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.	
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	
SECTION 6: Accidental releas	e measures	
6.1. Personal precautions, pro	tective equipment and emergency procedures	

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning upWear protective clothing as described in Section 8 of this safety data sheet. Clear up spills
immediately and dispose of waste safely. Do not use sawdust or other combustible material.
Provide adequate ventilation. Collect spillage with a shovel and broom, or similar and reuse, if
possible. Collect and place in suitable waste disposal containers and seal securely. Flush
contaminated area with plenty of water. Wash thoroughly after dealing with a spillage.
Dangerous for the environment. Do not empty into drains. For waste disposal, see Section 13.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Keep container tightly sealed when not in use. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage	e, including any incompatibilities
Storage precautions	Store away from incompatible materials (see Section 10). Keep away from flammable and combustible materials. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage.
Storage class	Oxidiser storage.
7.3. Specific end use(s)	

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control paran	neters
STEL	
TWA	

8.2. Exposure controls

Protective equipment



Appropriate engineering controls	Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients.
Eye/face protection	Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full- face respirator may be required instead.
Hand protection	No specific hand protection recommended. Avoid contact with skin.
Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact.
Hygiene measures	Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.

Respiratory protection	Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with European Standard EN14387. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140.
Environmental exposure controls	Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties	
Appearance	Powder.
Colour	White.
Odour	Odourless.
Odour threshold	No information available.
рН	pH (diluted solution): 5.5
Melting point	213-215°C/415.4-419°F
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapour pressure	No information available.
Vapour density	No information available.
Relative density	1.436
Solubility(ies)	Soluble in the following materials: Alcohols. Insoluble in the following materials: Ether. Benzene Acetone.
Partition coefficient	No information available.
Auto-ignition temperature	No information available.
Decomposition Temperature	No information available.
9.2. Other information	
Molecular weight	122.08
SECTION 10: Stability and reactivity	
10.1. Reactivity	
Reactivity	See the other subsections of this section for further details.
10.2. Chemical stability	

Stability

Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Risk of explosion with: Halogenated hydrocarbons. Potassium. nitrates Sulphur. Risk of ignition or formation of inflammable gases or vapours with: Acids. Alkalis. Exothermic reaction with: Acids. Alkalis.
10.4. Conditions to avoid	
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
10.5. Incompatible materials	
Materials to avoid	Reducing agents. Flammable/combustible materials. Hydrocarbons. Organic cyanides (nitriles). Esters. Some metals.
10.6. Hazardous decompositio	on products

Hazardous decomposition	Does not decompose when used and stored as recommended. Thermal decomposition or
products	combustion products may include the following substances: Toxic gases or vapours. Carbon
	dioxide (CO2). Carbon monoxide (CO). Oxides of nitrogen.

SECTION 11: Toxicological information

11.1. Information on toxicological effects	
Acute toxicity - oral	
Summary	Harmful if swallowed.
Acute toxicity oral (LD₅₀ mg/kg)	730.0
Species	Rat
ATE oral (mg/kg)	730.0
Acute toxicity - dermal Summary	Based on available data the classification criteria are not met.
Acute toxicity dermal (LD₅₀ mg/kg)	2,000.0
Species	Rabbit
Acute toxicity - inhalation	
Summary	Based on available data the classification criteria are not met.
Acute toxicity inhalation (LC₅₀ dust/mist mg/l)	0.853
Species	Rat
Skin corrosion/irritation Summary	Based on available data the classification criteria are not met.
Serious eye damage/irritation Summary	Causes serious eye irritation.
Respiratory sensitisation Summary	Based on available data the classification criteria are not met.

Skin sensitisation		
Summary	Based on available data the classification criteria are not met.	
Germ cell mutagenicity		
Summary	Based on available data the classification criteria are not met.	
Carcinogenicity		
Summary	Based on available data the classification criteria are not met.	
IARC carcinogenicity	None of the ingredients are listed or exempt.	
Reproductive toxicity		
Summary	Based on available data the classification criteria are not met.	
Specific target organ toxicity -	single exposure Based on available data the classification criteria are not met.	
Summary		
Specific target organ toxicity -	repeated exposure Based on available data the classification criteria are not met.	
Summary	based on available data the classification chiena are not met.	
Aspiration hazard Summary	Not relevant. Solid.	
Summary		
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	A single exposure may cause the following adverse effects: Temporary irritation.	
Ingestion	May cause discomfort if swallowed. Stomach pain. Nausea, vomiting.	
Skin contact	Prolonged contact may cause dryness of the skin.	
Eye contact	Irritating to eyes.	
Route of exposure	Ingestion Inhalation Skin and/or eye contact	
Target organs	No specific target organs known.	
SECTION 12: Ecological infor	mation	
12.1. Toxicity		
Acute aquatic toxicity		
Summary	Based on available data the classification criteria are not met.	
Chronic aquatic toxicity		
Summary	Harmful to aquatic life with long lasting effects.	
12.2. Persistence and degrad	12.2. Persistence and degradability	
Persistence and degradability	The degradability of the product is not known.	
12.3. Bioaccumulative potential		
Bioaccumulative potential	No data available on bioaccumulation.	
Partition coefficient	No information available.	
12.4. Mobility in soil		
Mobility	No data available.	
12.5. Results of PBT and vPvB assessment		

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations 13.1. Waste treatment methods	
Disposal methods	Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Incineration or landfill should only be considered when recycling is not feasible.

SECTION 14: Transport information

14.1. UN number		
UN No. (ADR/RID)	1467	
UN No. (IMDG)	1467	
UN No. (ICAO)	1467	
UN No. (ADN)	1467	
14.2. UN proper shipping name		
Proper shipping name (ADR/RID)	GUANIDINE NITRATE	
Proper shipping name (IMDG)	GUANIDINE NITRATE	
Proper shipping name (ICAO)	GUANIDINE NITRATE	
Proper shipping name (ADN)	GUANIDINE NITRATE	
14.3. Transport hazard class(es)		
ADR/RID class	5.1	
ADR/RID classification code	O2	
ADR/RID label	5.1	
IMDG class	5.1	
ICAO class/division	5.1	
ADN class	5.1	
Transport labels		

5.1

<u>14.4. Packing group</u> ADR/RID packing group

Ш

IMDG packing group	Ш
ICAO packing group	111

ADN packing group

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

Ш

14.6. Special precautions for user

EmS	F-A, S-Q
ADR transport category	3
Emergency Action Code	1Z
Hazard Identification Number (ADR/RID)	50
Tunnel restriction code	(E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Health and Safety at Work etc. Act 1974 (as amended). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits.
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Regulation (EU) No 2015/830 of 28 May 2015. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16
	December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

Inventories

EU - EINECS/ELINCS None of the ingredients are listed or exempt.

US - TSCA Present.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways. RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail. IATA: International Air Transport Association. ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air. IMDG: International Maritime Dangerous Goods. CAS: Chemical Abstracts Service. ATE: Acute Toxicity Estimate. LC₅₀: Lethal Concentration to 50 % of a test population. LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose). EC₅₀: 50% of maximal Effective Concentration. PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative.
Classification abbreviations and acronyms	Ox. Sol. = Oxidising solid Acute Tox. = Acute toxicity Eye Irrit. = Eye irritation Aquatic Chronic = Hazardous to the aquatic environment (chronic)
Classification procedures according to Regulation (EC) 1272/2008	Acute Tox. 4 - H302: Eye Irrit. 2 - H319: : Expert judgement. Aquatic Chronic 3 - H412: : Expert judgement. Ox. Sol. 3 - H272: : Expert judgement.
Training advice	Only trained personnel should use this material.
Revision date	09/07/2021
Revision	1
SDS number	256
Hazard statements in full	 H272 May intensify fire; oxidiser. H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.