

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 7/2/2020 Version: 1.0

SECTION 1: Identification of the substance/instrume and of the company/undertaking 1.1. Product Identifier Product form Substance name EDIviendial isolation additional interferance is addition disclum disolum sate EC-No Substance name CONSULT 2023-9 Product code Substance name CONSULT 2023-9 Product code CONSULT 2023-9 Product 2023-9 Product code CONSULT 2023-9 Product 2023-9 Product code CONSULT 2023-9 Product 2023-9 P			
Product form i Substance i Substance i Substance anne i Substance i Strytenediaminetertacelic acid calcium disodium salt i C-No. i Substance interfaces i CAS-No. i C23-39 CAS-No. i C23-29 CAS-No.		stance/mixture and of the company/undertaking	
Substance name : E thylenediaminetetrascetic add calclum disodium salt ECNo. : 200-529-9 CAS-NO. : 52-33-9 Product code : 14243311 Formula : 120412CaN2Na2OB Product opup : Rum materia 12. Relovant identified uses of the substance or mixture and uses advised against 13. Relovant identified uses of the substance or mixture and uses advised against 13. Relovant identified uses of the substance or mixture and uses advised against 13. Relovant identified uses Main use category : Laboratory use, industrial use, Professional use Industrial/Professional use parts Main use category : Laboratory use, industrial use, Professional use Main use category : Comparison use only Use of the substance/mixture : For matylical purposes 13. Details of the supplier of the safety data sheet Supplier Scafetil Cragnics Molekula LD Capatile Way Darlington - England 14. Emergency number 14. Emergency number 15. Scafetil Cragnics 15. Scafetil Cragnics 15. Scafetil Cragnics 16. Scafetil Cragnics 17. Scafetil Cragnics 17. Scafetil Cragnics 17. Scafetil Cragnics 18. Emergency number 19. Emergency number 19. Emergency number 19. Emergency number 19. Exercise idouting (EQ) No. 1272/2008 [CLP] Sin correscion/mitalion, Category 2 H315 Seroine JCAL 19. Emergency number 19. Exercise in Scafetil Cragnics No additional information available 20. Labol of ments 20. Labol of substance or mixture 21. Labol of substance 3. Scafetilion 3. Scafetilio		· Substance	
EC-No. : 200 628-9 CAS-No. : 62-33-9 Product code : 14243311 Formula : C101112CaA2Na2O8 Product group : Raw material 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2. Relevant identified uses 1.2. Selevant identified uses 1.2. Selevant identified uses 1.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet Selevatifier mesarch and development Not for human consumption or veterinary purposes. 1.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet Supplier Selevatifier mesarch and development Not for human consumption or veterinary purposes. 1.2. Class if cals Supplier 1.4. Emergency telephone number 1.4. Emergency telephone number 1.5. Selva telephone number 2.1. Ebel ideation 1.4. Emergency number 2.1. Ebel ideation 3. Betail Selva telephone 3. Betai			
CAS-No. : : 2-3.9.4 Product code : : 14243311 Formula : : C10H12CAN2Na2O8 Product group : Raw material 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2. Less advised against Not for human consumption or veterinary purposes. 1.3. Details of the subplier of the safety data sheet Supplier 3. Safetif Crease advised against 1.3. Details of the subplier of the safety data sheet Supplier Safetif Organics Molexula Life advised against 1.3. Details of the subplier of the safety data sheet Supplier Safetif Organics Molexula Life advised against 1.3. Details of the subplier of the safety data sheet Supplier Safetif Organics Supplier Safetif Organics Molexula Life advised against 1.4. Energency Number : :44 (10) 7769276927 SECTION 2: Hazard's Identification 2.1. Classification of the substance or mixture 2.1. Classification for the substance or mixture 2.1. Classification according to Regulation (EC) No. 12722008 [CLP] Skin correson/mixture and health and environmental effects No addisonal information available 2.2. Label elements 2.2. Label elements		,	
Product code : 14243311 Formula : C101H12CaN2Na2O8 Product group : Faw matrial 12. Relevant identified uses of the substance or mixture and uses advised against 12. Relevant identified uses Main use category : Laboratory use.Industrial use.Professional use Industrial/Professional use spec : For professional use only Use of the substance/mixture : For analytical purposes Scientific research and development No additional information available 13. Details of the subplier of the safety data sheet Supplier Scientific research and development No additional information available 13. Details of the supplier of the safety data sheet Supplier Scientific research and development No additional information available 13. Details of the supplier of the safety data sheet Supplier Scientific research and development No additional information available 14. Derefgency totephone number 14.4 (0) 370 6027 (SCIENT) Section 27. Hazards identification 14. Emergency totephone number 14.4 (0) 370 6027 (SCIENT) Section 27. Hazards identification 14. Emergency totephone number 14.4 (0) 370 6027 (SCIENT) Section 27. Hazards identification 14. Emergency totephone number 14.4 (0) 370 6027 (SCIENT) Section 27. Hazards identification 21. Classification of the substance or mixture Classification Category 2 H315 Section 27. Hazards identification 21. Label emerts : see section 15 Adverse physicochemical, human health and environmental effocts No additional information available 22. Label formation in Section 27. Signal word (CLP) : Warning Hazard sitements : (CLP) : Warning Hazard sitements (CLP) : Warning Hazard sitements (CLP) : Warning Hazard sitements (CLP) : Warning Hazard sitements (CLP) : P2.61 - Avaid breating dust/fumejas/mixtupaours/spray. P20. Ware protective of protective of physiprotective colorhing/sep protective of physiprotective colorhing/sep protective.			
Product group : C10H12CaN2Na2O8 Product group : Raw material 12. Relevant identified uses of the substance or mixture and uses advised against 13. Relevant identified uses of the substance or mixture and uses advised against Main use category : Laboratory use, industrial vectors only Use of the substance/mixture : For professional use only Not for human consumption or veterinary purposes. Scientific research and development Not for human consumption or veterinary purposes. 13. Details of the supplier of the safety data sheet Supplier Supplier Scientific research and development Not for human consumption or veterinary purposes. 14. Emergency telephone number : +44 (0) 7769276927 Stortion of the substance or mixture Scientific research and development Not for human consumption or veterinary purposes. Stortion 2: Hazards identification 2: 41. Classification of the substance or mixture Ha15 Stortion 2: Hazards identification 2: 41. Classification of the substance or mixture Ha15 Stortion 2: Garding to Regulation (EC) No. 1272/2008 [CLP] H315 Stortion group and point (Sciency 2 H315 Stortion group and point (Sciency 2) H316 Stortion group and point (Sciency 2) H315 Stortion group anovalable			
Product group : Raw material 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Main use category : Laboratory use, industrial use, Professional use Industrial/Professional use spec : For professional use only Use of the substance/mixture : For analytical purposes Scientific research and development No additional information available 1.3. Details of the subplier of the safety data sheet Supplier Scientific research and development Industrial use, Professional use Industrial US 1.3. Details of the subplier of the safety data sheet Supplier Scientific research and development No additional information available 1.4. Enrogency tolephone number 1.4. Enrogency tolephone number 2.1. Classification of the substance or mixture Classification of the substance or mixture Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Stin corroson/mixture 2.1. Classification Classory 2 2.1. Classification Classory 2 3. H315 Serious eye damage/eye inflation, Category 2 4. H315 Serious eye damage/eye inflation, Category 2 4. H319 Specific target organ toxicity — Single exposure, Category 3, H335 Respiratory fust (Inframion, Category 2 2. Label elements: see section 16 Adverse physicochemical, human healt and environmental effects No additional inframiton, Category 2 2. Label elements 2. Label elements Classification cording to Regulation (EC) No. 1272/2008 [CLP] Signal word (CLP) Signal wor			
1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Main use category : Laboratory use, industrial use, Professional use Industrial/Professional use spec : For professional use only Use of the substance/mixture : For analytical purposes Scientific research and development Not for human consumption or veterinary purposes. 1.2. Uses advised against No additional information available 1.3. Details of the subplier of the safety data sheet Supplier Scafell Organics Molekula Ltd Unglield Way Darington - England T +44 (0) 7769276927 Stoction of the substance or mixture Classification of the substance or mixture Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Strice sey damage/eye initialion, Category 2 H315 Specific target organ toxicity — Single exposure, Category 3, H335 Respiratory track, Category 1 H315 Strice sey damage/eye initialion, Category 2 H315 Su additional information available Classificating according to Regulation (EC) No. 1272/2008 [CLP] Vare polys			
1.2.1. Relevant identified uses Main use category :: Laboratory use,Industrial use,Professional use Main use category :: For professional use only Use of the substance/mixture :: For professional use only No additional information available			
Main use category :: Laboratory use, Industrial use, Professional use Industrial/Professional use spec :: For professional use only Use of the substance/mixture :: For analytical purposes : Scientific research and development : Not for human consumption or veterinary purposes. 1.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet Supplier Scafell Organics Molekula Ltd Lingfield Way Darington - England 1.4. Energency telephone number Emergency number : +44 (0) 7769276927 SECTION 2: Hazards identification 2.1. Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corosion/firitation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H316 Serious eye damage/eye irritation, Category 2 H316 No additional information available 2.1 Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard statements (CLP) : Warning Hazard statements (CLP) : Page i Avvid breasting dust/fume/ega/mistvapours/spray	1.2. Relevant identified uses of the substa	ance or mixture and uses advised against	
Industrial/Professional use spec : For professional use only Use of the substance/mixture : For analytical purposes Scientific research and development Not for human consumption or veterinary purposes. 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet Supplier Scafell Organics Molekula LID Implied Varg Daragency Heynbanes @molekula.com - www.molekula.com 1.4. Emergency telephone number Energency telephone number 2.1. Classification acording to for gaugation (EC) No. 1272/2008 [CLP] Skin corrosion/intiation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H315 Serious eye damage/ey	1.2.1. Relevant identified uses		
Use of the substance/mixture For analytical purposes	0,1		
Scientific research and development Not for human consumption or veterinary purposes. 1.2 Less advised against Not additional information available 1.3 Details of the supplier of the safety data sheet Supplier Scafell Organics Molecula Id Ingfield Way Darington - England 1.4 Emergency telephone number Emergency number : +44 (0) 7769276927 SECTION 2: Hazards Identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corrosion/intation, Category 2 H315 Serious eye damage/eye intation, Category 2 H315 Serious eye damage/eye intation, Category 2 H319 Specific target organ toxicity — Single exposure, Category 3, H335 Respiratory true intation Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Warning Hazard statements (CLP) : Warning Hazard statements (CLP) : H315 - Causes skin irritation. H315 - Causes skin irritation. H316 - Causes skin irritation. H317 - Causes skin irritation. H318 - Causes skin irritation. H319 - Causes skin irritati	Industrial/Professional use spec		
No additional information available 1.3. Details of the supplier of the safety data sheet Supplier Scafell Organics Molekula Ltd Lingfield Way Darlington - England 1.4. Emergency tolephone number Emergency number 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corrosion/irithation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Specific target organ toxicity — Single exposure, Category 3, H335 Respiratory tract irritation Eulerents Val determents Section available 2.2. Label elements Ko additional information available 2.2. Label elements Ko additional information available 2.2. Label elements Ko additional information available 2.2. Label elements Ko addition information available 2.2. Label elements Ko addition information available 2.2. Label elements Ko addition information available Signal word (CLP) : H315 - Causes skin irritation. H335 - May cause respiratory irritation. H335 - May cause respiratory irritation.	Use of the substance/mixture	Scientific research and development	
1.3. Details of the supplier of the safety data sheet Supplier Scafell Organics Molekula Lid Lingfield Way Dearington - England T +44 (0) 3302 000 333 Info@unotekula.com / kevinbanks@molekula.com - www.molekula.com 1.4. Emergency telephone number Emergency number 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corrosion/irritation, Category 2 H315 Seroius eye damage/eye irritation, Category 2 H315 Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation Full export of the statements: see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Experiments Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Hazard pictograms (CLP) :: Warning Hazard statements (CLP) :: R1315 - Causes skin irritation. H335 - May cause serious eye irritation. H335 - May cause serious eye irritation. H335 - May cause serious eye irritation. H335 - May cause respiratory irritation. H335 - Causes skin irritation. H335 - May cause respiratory irritation. <td< td=""><td>1.2.2. Uses advised against</td><td></td></td<>	1.2.2. Uses advised against		
Supplier Scafell Organics Molekula Ld Lingfield Way Darington-England T+44 (0) 3302 000 333 indownolekula.com / kevinbanks@molekula.com - www.molekula.com 1.4. Emergency telephone number Emergency number 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corresion/intiation, Category 2 Findson Physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard sitements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Warning Hazard sitements (CLP) H315 - Causes skin irritation. H315 - Causes serious eye irritation. H335 - May cause respiratory irritation. H335 - May cause respiratory irritation. H315 - Causes skin irritation. H335 - May cause respiratory irritation. H316 - Causes skin printation. H335 - May cause respiratory irritation. H335 - Causes skin printation. H335 - Ma	No additional information available		
Safell Organics Molekula Ltd Lingfield Way Parlington - England 1.4 (Emergency telephone number Emergency number : +44 (0) 7769276927 SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Specific target organ toxicity — Single exposure, Category 3, H335 Respiratory tract irritation Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : GHS07 Signal word (CLP) : Warning Hazard statements (CLP) : H315 - Causes skin irritation. H335 - May cause respiratory irritation. Precautionary statements (CLP) : P261 - Avoid breakting dusl/fume/gas/mist/vapours/spray. P261 - Avoid breakting dusl/fume/gas/mist/vapours/spray. P261 - Avoid breakting dusl/fume/gas/mist/vapours/spray. P261 - Avoid breakting dusl/fume/gas/mist/vapours/spray.	1.3. Details of the supplier of the safety d	ata sheet	
Melekula Id Lingfield Way Darlington - England T +44 (0) 3302 000 333 info@molekula.com / kevinbanks@molekula.com - www.molekula.com 14. Emergency telephone number Emergency number : +44 (0) 7769276927 SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye initation, Category 2 H315 Serious eye damage/eye initation, Category 2 H319 Specific target organ toxicity — Single exposure, Category 3, H335 Respiratory tract irritation Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Warning Hazard statements (CLP) : Warning Hazard statements (CLP) : Patient Single exposure, Category initiation. H335 - May cause respiratory irritation. H335 - May cause respiratory irritation. H335 - May cause respiratory irritation.	Supplier		
1.4. Emergency telephone number Emergency number Emergency number SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 Respiratory trad irritation Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Hazard statements (CLP) H315 - Causes skin irritation. H335 - May cause respiratory irritation. H335 - May cause respiratory irritation. H335 - May cause respiratory irritation. H335 - Way cause respiratory irritation. H335 - Causes skin irritation. H335 - Way cause respiratory irritation. H335 - May cause respiratory irritation. H335 - Causes serious eye irritation. H335 - Way cause respiratory irritation. H335 - Causes serious eye irritation. H335 - Way cause respiratory irritation. H335 - Causes serious eye irritation. H335 - Way cause respiratory irritation. H335 - Way cause respiratory irritation. H335 - Causes	Molekula Ltd Lingfield Way Darlington - England T +44 (0) 3302 000 333		
Emergency number : +44 (0) 7769276927 SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Specific target organ toxicity — Single exposure, Category 3, H335 Respiratory tract irritation Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP) Precautionary statements (CLP) Precautionary statements (CLP) Signal word (CLP) Precautionary statements (CLP) Signal word (CLP) Precautionary statements (CLP) Signal word (CLP) Precautionary statements (CLP) Hazard statements (CLP) Note that the mether is the serious eye irritation. H315 - Causes stain irritation. H325 - May cause respiratory irritation. H335 - May cause respiratory irritation. H345 - Causes Stain irritation. H345 - May cause respiratory irritation. H345 - May cause resp		- <u>www.molekula.com</u>	
2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Specific target organ toxicity — Single exposure, Category 3, H335 H335 Respiratory tract irritation Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : GHS07 : Signal word (CLP) : Hazard statements (CLP) : Hazard statements (CLP) : Precautionary statements (CLP) : Precautionary statements (CLP) : Precautionary statements (CLP) : P260 - Avoid breating dust/fume/gas/mist/vapours/spray. P260 - Wear protective gloves/protective clothing/eye protection/face protection.		: +44 (0) 7769276927	
2.1. Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Specific target organ toxicity — Single exposure, Category 3, H335 H335 Respiratory tract irritation Full text of H statements : see section 16 Adverse physicocchemical, human health and environmental effects No additional information available 2.2. Label elements Eabeling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : GHS07 : Signal word (CLP) : Hazard statements (CLP) : Precautionary statements (CLP) : Precautionary statements (CLP) : Precautionary statements (CLP) : Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mst/vapours/spray. P260 - Wear protective gloves/protective clothing/eye protection/face protection.	SECTION 2: Hazards identification		
Classification according to Regulation (EC) No. 1272/2008 [CLP] Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Specific target organ toxicity — Single exposure, Category 3, H335 Respiratory tract irritation Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : :		xture	
Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation H335 Respiratory tract irritation H335 Full text of H statements : see section 16 H345 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Example for the statements is compared by the statements is compared by the statements is compared by the statements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Hazard pictograms (CLP) : Warning Hazard statements (CLP) : H315 - Causes skin irritation. H319 - Causes serious eye irritation. H319 - Causes serious eye irritation. H335 - May cause respiratory irritation. Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P280 - Wear protective clothing/eye protection/face protection.			
Serious eye damage/eye irritation, Category 2 Specific target organ toxicity — Single exposure, Category 3, H335 Respiratory tract irritation Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Label lements Label lements Label of Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP) Precautionary statements (CLP) Precautionary statements (CLP) Precautionary statements (CLP) Hazard pictograms (CLP) Precautionary statements (CLP) Hazard pictograms (CLP) Hazard pictograms (CLP) Notice the statements (CLP) Notice the statements (CLP) Notice the statements (CLP) Notice the statements (CLP) Hazard pictogram pictory tritation. Hazard pictory tritation. Hazard pictory tritation. Hazard pictory the statements (CLP) Precautionary statements (CLP) Hazard pictory the statements (CLP) Hazard pictory the statements (CLP) Hazard pictory the statements (CLP) Hazard pictory tritation. Hazard pictory the statements (CLP) Hazard pictory the statement pictory the pictory			
Specific target organ toxicity — Single exposure, Category 3, H335 H335 Respiratory tract irritation Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : Hazard pictograms (CLP) : Hazard statements (CLP) : Warning Hazard statements (CLP) : H315 - Causes skin irritation. H319 - Causes serious eye irritation. H335 - May cause respiratory irritation. H336 - May cause respiratory irritation. Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P260 - Wear protective gloves/protective clothing/eye protection/face protection.			
Full text of H statements : see section 16 Adverse physicochemical, human health and environmental effects No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Image: GHS07 Signal word (CLP) Hazard statements (CLP) Image: Hazard statements (CLP) Image: Hazard statements (CLP) Image: Hazard statements (CLP) Hazard statements (CLP) Image: Hazard statements (CLP)	Specific target organ toxicity — Single exposure, Category 3, H335		
No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) Flazard pictograms (CLP) Signal word (CLP) Hazard statements (CLP) Hazard statements (CLP) Precautionary statements (CLP) Hazard Statements			
2.2. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : GHS07 Signal word (CLP) : Hazard statements (CLP) : H315 - Causes skin irritation. H319 - Causes serious eye irritation. H335 - May cause respiratory irritation. Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P280 - Wear protective gloves/protective clothing/eye protection/face protection.		environmental effects	
Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP) : GHS07 Signal word (CLP) : Warning Hazard statements (CLP) : H315 - Causes skin irritation. H319 - Causes serious eye irritation. H335 - May cause respiratory irritation. Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P280 - Wear protective gloves/protective clothing/eye protection/face protection.			
Hazard pictograms (CLP) :	2.2. Label elements		
Signal word (CLP) : Warning Hazard statements (CLP) : H315 - Causes skin irritation. H319 - Causes serious eye irritation. H335 - May cause respiratory irritation. Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P280 - Wear protective gloves/protective clothing/eye protection/face protection.		72/2008 [CLP]	
Hazard statements (CLP) : H315 - Causes skin irritation. H319 - Causes serious eye irritation. H319 - Causes serious eye irritation. H335 - May cause respiratory irritation. H335 - May cause respiratory irritation. Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P280 - Wear protective gloves/protective clothing/eye protection/face protection.		GHS07	
Hazard statements (CLP) : H315 - Causes skin irritation. H319 - Causes serious eye irritation. H335 - May cause respiratory irritation. Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P280 - Wear protective gloves/protective clothing/eye protection/face protection.	Signal word (CLP)	: Warning	
P280 - Wear protective gloves/protective clothing/eye protection/face protection.		: H315 - Causes skin irritation. H319 - Causes serious eye irritation.	
contact lenses, if present and easy to do. Continue rinsing.	Precautionary statements (CLP)	: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove	

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients		
3.1. Substances		
Name	Product identifier	%
Ethylenediaminetetraacetic acid calcium disodium salt (CAS-No.) 62-33-9 (EC-No.) 200-529-9 100		

full text of H-statements: see section 16 3.2. Mixtures

Not applicable

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general	: If possible show this sheet, if not available show packaging or label. Never give anything by mouth to an unconscious person. Do not leave affected person unattended.	
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Give oxygen or artificial respiration if necessary. If breathing difficulties persist : Get medical advice/attention.	
First-aid measures after skin contact	: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Do not remove clothing if it sticks to the skin. If irritation persists, consult a doctor.	
First-aid measures after eye contact	: Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
First-aid measures after ingestion	: Rinse mouth out with water. Do not induce vomiting. Get medical advice/attention.	
4.2. Most important symptoms and effects	, both acute and delayed	
Symptoms/effects after inhalation	: Irritation to throat. Headache. Cough. Burning sensation.	
Symptoms/effects after skin contact	: Causes skin irritation. Itching. Redness, pain.	
Symptoms/effects after eye contact	: Causes serious eye irritation. redness, itching, tears. stinging.	
Symptoms/effects after ingestion	: May cause irritation to the digestive tract. Abdominal pain, nausea.	
4.3. Indication of any immediate medical attention and special treatment needed		

Get immediate medical advice/attention.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the substa	ince or mixture
Hazardous decomposition products in case of fire	: Carbon oxides (CO, CO2). Nitrogen oxides. Sodium Oxides. Calcium oxide.
5.3. Advice for firefighters	
Precautionary measures fire	: Keep container tightly closed and away from heat, sparks and flame. Keep away from combustible materials.
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	: Warn all persons of toxic hazard.

SECTION 6: Accidental release mea	isures
6.1. Personal precautions, protective ec	uipment and emergency procedures
General measures	: Isolate from fire, if possible, without unnecessary risk. Avoid dust formation. No flames, no sparks. Eliminate all sources of ignition.
6.1.1. For non-emergency personnel	
Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Evacuate unnecessary personnel. Mark out the contaminated area with signs and prevent access to unauthorized personnel. Do not touch or walk on the spilled product. Avoid contact with skin, eyes and clothing.
Measures in case of dust release	: Keep upwind. Avoid creating or spreading dust. Ventilate the area thoroughly, especially low lying areas (basements, workpits etc).
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection. Use self-contained breathing apparatus and chemically protective clothing.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Provent entry to sewers and public waters. Noti	fy authorities if product optors sowers or public waters

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Shovel or sweep up and put in a closed container for disposal.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Avoid creating or spreading dust. Provide local exhaust or general room ventilation.	
Hygiene measures	: Take off immediately all contaminated clothing and wash it before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product.	
7.2. Conditions for safe storage, including a	ny incompatibilities	
Technical measures	: Ensure adequate ventilation, especially in confined areas.	
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Heat sources, Direct sunlight. Keep container closed when not in use.	
Incompatible products	: Strong oxidizing agents.	
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.	
Heat and ignition sources	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
Storage area	: Store below 20 °C. Store in a dry place. Store in a closed container.	

7.3. Specific end use(s)

For analytical purposes. Scientific research and development. Not for human consumption or veterinary purposes.

SECTION 8: Exposure controls/personal protection 8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls:

Handle in accordance with good industrial hygiene and safety procedures.

Personal protective equipment:

Avoid all unnecessary exposure.

Materials for protective clothing:

Wear suitable protective clothing, gloves and eye/face protection

Hand protection:

The protective gloves to be used must comp	ly with the specifications of the regulation 2016/425 and the resultant standard EN 374
	γ with the specifications of the regulation 2010/425 and the resultant standard $\Box N 5/4$

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0.11		EN 374

Eye protection:

Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure. Use eye protection according to EN 166, designed to protect against powders and dusts.

Туре	Use	Characteristics	Standard
Safety goggles	Fine dust, Dust	tightly fitting safety goggles, With side shields	EN 166

Skin and body protection:

Emergency safety showers should be available in the immediate vicinity of any potential exposure. Keep suitable chemically resistant protective clothing readily available for emergency use

Туре	Standard
Protective clothing (with elasticated cuffs and closed neck)	EN ISO 13982

Respiratory protection:

Keep self contained breathing apparatus readily available for emergency use. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

Device	Filter type	Condition	Standard
Respiratory protective device with a particle filter	Туре РЗ	Dust protection	EN 14387, EN 143

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties	
9.1. Information on basic physical and ch Physical state	: Solid
,	
Appearance	: Crystalline powder.
Molecular mass	: 374.27 g/mol
Colour	: white.
Odour	: odourless.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1.65
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	

No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
The product is non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability
Stable under recommended handling and storage conditions (see section 7).
10.3. Possibility of hazardous reactions
No dangerous reactions known under normal conditions of use.
10.4. Conditions to avoid
Protect from sunlight. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
10.5. Incompatible materials
Strong oxidizers.
10.6. Hazardous decomposition products
No hazardous decomposition products known at room temperature. Thermal decomposition generates : Carbon oxides (CO, CO2). Nitrogen oxides.
Sodium Oxides. Calcium oxide.

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Additional information	: Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Causes serious eye irritation.
Additional information	: Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: May cause respiratory irritation.
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information	
12.1. Toxicity	
Hazardous to the aquatic environment, short-term : (acute)	Not classified
Hazardous to the aquatic environment, long-term : (chronic)	Not classified
12.2. Persistence and degradability	
Ethylenediaminetetraacetic acid calcium diso	dium salt (62-33-9)
Persistence and degradability	No data available.
12.3. Bioaccumulative potential	
Ethylenediaminetetraacetic acid calcium diso	dium salt (62-33-9)
Bioaccumulative potential	No data available.
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
Ethylenediaminetetraacetic acid calcium diso	dium salt (62-33-9)
This substance/mixture does not meet the PBT criteria	of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria	of REACH regulation, annex XIII
12.6. Other adverse effects	
Additional information :	Avoid release to the environment.

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shippin	g name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard o	class(es)			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

No supplementary information available

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Ethylenediaminetetraacetic acid calcium disodium salt is not on the REACH Candidate List Directive 2012/18/EU (SEVESO III)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

SECTION 16: Other in	hformation	
Data sources	ces : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.	
Other information	: None.	
Full text of H- and EUH-s	tatements:	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	

H315Causes skin irritation.H319Causes serious eye irritation.H335May cause respiratory irritation.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.