

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 3/14/2019 Version: 1.0

SECTION 1: Identification of the substant	nce/mixture and of the company/undertaking		
1.1. Product identifier			
Product form	: Substance		
Substance name	: Hydrogen fluoride pyridine complex		
IUPAC name	: Hydrogen fluoride pyridine complex		
EC-No.	: 613-082-3		
CAS-No.	: 62778-11-4		
Product code	: 90028002		
Formula	: C5H6FN		
Product group	: Raw material		
1.2. Relevant identified uses of the substance	e or mixture and uses advised against		
1.2.1. Relevant identified uses			
Main use category	: Laboratory use,Industrial use,Professional use		
Industrial/Professional use spec	: For professional use only		
<ul> <li>1.2.2. Uses advised against</li> <li>No additional information available</li> <li>1.3. Details of the supplier of the safety data</li> <li>Supplier</li> </ul>	sheet		
Scafell Organics Molekula Ltd Lingfield Way Darlington - England T +44 (0) 1949 823777 / +44 (0) 7590 545705 info@molekula.com / kbowen@molekula.com - www.	<u>molekula.com</u>		
1.4. Emergency telephone number			
Emergency number : +	44 (0) 7590 545705		
SECTION 2: Hazards identification 2.1. Classification of the substance or mixtu	re		
Classification according to Regulation (EC) No. 12	272/2008 [C] P]		
Flammable liquids, Category 3	H226		
Acute toxicity (oral), Category 1	H300		
Acute toxicity (dermal), Category 1	H310		
	H330		
Acute toxicity (inhal.), Category 1			
Skin corrosion/irritation, Category 1	H314		
Full text of H statements : see section 16			
Adverse physicochemical, human health and envi No additional information available	ironmental effects		
2.2. Label elements			
Labelling according to Regulation (EC) No. 1272/2 Hazard pictograms (CLP)			
	GHS02 GHS05 GHS06		
Signal word (CLP)	: Danger		
Hazard statements (CLP)	: H226 - Flammable liquid and vapour. H300+H310+H330 - Fatal if swallowed, in contact with skin or if inhaled. H314 - Causes severe skin burns and eye damage.		
Precautionary statements (CLP)	<ul> <li>P260 - Do not breathe mist, spray, vapours.</li> <li>P280 - Wear protective clothing, eye protection, face protection, protective gloves.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P308+P311 - IF exposed or concerned: Call a POISON CENTER or doctor.</li> </ul>		
2.3. Other hazards This substance/mixture does not meet the PBT criteri			

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

# Hydrogen fluoride pyridine complex Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients			
3.1. Substances			
Name         Product identifier         %			
Hydrogen fluoride pyridine complex(CAS-No.) 62778-11-4 (EC-No.) 613-082-3100			
Full text of H-statements: see section 16			

#### Full text of H-statements: see section 16 3.2. Mixtures

Not applicable

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: If possible show this sheet, if not available show packaging or label. Never give anything by mouth to an unconscious person. Do not leave affected person unattended.
First-aid measures after inhalation	<ul> <li>If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Give oxygen or artificial respiration if necessary. If breathing difficulties persist : Get medical advice/attention.</li> </ul>
First-aid measures after skin contact	: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Do not remove clothing if it sticks to the skin. Hydrofluoric acid (HF) burns require immediate and specialised medical attention. Symptoms may be delayed up to 24 hours, and after decontamination with copious water, damage can continue due to penetration/absorption of the fluoride ion. Always seek professional medical attention in cases of exposures to HF via skin contact, HF can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. Transfer to hospital if there are burns or symptoms of poisoning. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth out with water. Do not induce vomiting. Get medical advice/attention.
4.2. Most important symptoms and effects,	both acute and delayed
Symptoms/effects after inhalation	: Fatal if inhaled. Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.
Symptoms/effects after skin contact	<ul> <li>Fatal in contact with skin. May produce skin irritation, blistering, ulcers, and deep scarring.</li> <li>Prolonged skin contact may cause a severe effect, progressing to a delayed burn. Product can damage bones and muscle.</li> </ul>
Symptoms/effects after eye contact	: Causes serious eye damage. Blurred vision. redness, itching, tears. stinging. More severe symptoms are also possible.
Symptoms/effects after ingestion	: Fatal if swallowed. Symptoms of ingestion include drowsiness, weakness, headache, dizziness, nausea, vomiting.
4.3 Indication of any immediate medical at	tention and special treatment peeded

4.3. Indication of any immediate medical attention and special treatment needed Immediately call a POISON CENTER/doctor.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Dry powder. Sand.
Unsuitable extinguishing media	: Do NOT use water jet.
5.2. Special hazards arising from the substa	ance or mixture
Fire hazard	: Flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapour-air mixture.
Hazardous decomposition products in case of fire	: Carbon oxides (CO, CO2). hydrogen fluoride. Nitrogen oxides.
5.3. Advice for firefighters	
Precautionary measures fire	: Keep container tightly closed and away from heat, sparks and flame. Keep away from combustible materials.
Firefighting instructions	: Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Wear recommended personal protective equipment. Use self-contained breathing apparatus and chemically protective clothing.
Other information	: Warn all persons of toxic hazard.

SECTION 6: Accidental release meas 6.1. Personal precautions, protective equ		
General measures	: Do not handle until all safety precautions have been read and understood. Ventilate	the
	area thoroughly, especially low lying areas (basements, workpits etc). Keep away fr	
6.1.1. For non-emergency personnel		
Protective equipment	: Wear recommended personal protective equipment.	
3/14/2019 (Version: 1.0)	EN (English)	2/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Emergency procedures	: Evacuate unnecessary personnel. Mark out the contaminated area with signs and prevent access to unauthorized personnel. Do not touch or walk on the spilled product. Avoid contact with skin, eyes and clothing.	
Measures in case of dust release	: Shelter from vapours by keeping upwind. Ventilate the area thoroughly, especially low lying areas (basements, workpits etc). Special attention should be given to low areas/pits where flammable vapours can accumulate.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. Use self-contained breathing apparatus and chemically protective clothing.	
Emergency procedures	: Ventilate area.	
6.2. Environmental precautions		
Prevent entry to sewers and public waters.	Notify authorities if liquid enters sewers or public waters.	
6.3. Methods and material for contai	inment and cleaning up	
For containment	: Collect spillage. Contain the spilled material by bunding.	
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.	

Try to stop release if without risk.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	. Llandle ampty containers with care because residual yangura are flormable
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable.
Precautions for safe handling	: Avoid formation of vapours. Avoid contact with skin, eyes and clothing. Do not handle until all safety precautions have been read and understood. Ensure that there is a suitable ventilation system. Do not handle in a confined space. Handle under inert gas.
Hygiene measures	: Take off immediately all contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, including a	ny incompatibilities
Technical measures	: Ensure adequate ventilation, especially in confined areas. Proper grounding procedures to avoid static electricity should be followed.
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Heat sources, Direct sunlight. Keep container closed when not in use. Do not allow contact with water. Store contents under inert gas. Do not store in glass.
Incompatible products	: Strong oxidisers. Strong acids. Strong bases. Alkali metals. metals. Glass packaging.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources. open flames. sparks. Moisture. Water, humidity.
Storage temperature	: 2 - 8 °C
Heat and ignition sources	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Storage area	: Keep away from combustible materials. Store in dry protected location to prevent any moisture contact.
7.3. Specific end use(s)	
No additional information available	

No additional information available

SECTION 8: Exposure controls/personal protection
8.1. Control parameters
No additional information available
8.2. Exposure controls
Appropriate engineering controls:
Handle in accordance with good industrial hygiene and safety procedures. Floors should be impervious, resistant to liquids and easy to clean.
Personal protective equipment:
Avoid all unnecessary exposure.

Hand protection:					
The protective gloves to be used must comply with the specifications of the regulation 2016/425 and the resultant standard EN 374					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Butyl rubber	6 (> 480 minutes)	0.3		EN 374

#### Eye protection:

Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure. Use eye protection according to EN 166, designed to protect against liquid splashes.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Туре	Use	Characteristics	Standard
Safety goggles, Face shield	Droplet, vapours	tightly fitting safety goggles, With side shields	EN 166
Skin and body protection:		·	
Emergency safety showers should clothing readily available for emerge	be available in the immediate vicinity gency use	of any potential exposure. Keep suita	able chemically resistant protective
Type Standard			
Total impervious protective suits, gloves, and boots must be worn to prevent any contact with the product         EN 14605		EN 14605	
Respiratory protection:			
Keep self contained breathing apparatus readily available for emergency use. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended			
Device	Filter type	Condition	Standard
Air-Purifying Respirator (APR),	ABEK	Moist condition, Mist formation,	EN 14387

Device	Filter type	Condition	Standard
Air-Purifying Respirator (APR), reusable		Moist condition, Mist formation, Protection for Liquid particles, Vapour protection	EN 14387

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and ch		
Physical state	: Liquid	
Molecular mass	: 99.11 g/mol	
Colour	: Clear, colourless.	
Odour	: No data available.	
Odour threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Flammable	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: 1.1 g/cm3 at 20 °C	
Solubility	: No data available	
Log Pow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
Explosive limits	: No data available	
9.2. Other information		
No additional information available		

SECTION 10: Stability and reactivity
10.1. Reactivity
Flammable liquid and vapour.
10.2. Chemical stability
Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.
10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 10.4. Conditions to avoid

Protect from sunlight. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Glass. Moisture. Water, humidity.

#### **10.5. Incompatible materials**

Strong oxidizers. Strong bases. Strong acids. Alkali metals. metals. Glass.

#### **10.6. Hazardous decomposition products**

No hazardous decomposition products known at room temperature. Thermal decomposition generates : Carbon oxides (CO, CO2). hydrogen fluoride. Nitrogen oxides.

<b>SECTION 11: Toxicological information</b>	
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Oral: Fatal if swallowed.
Acute toxicity (dermal)	: Dermal: Fatal in contact with skin.
Acute toxicity (inhalation)	: Inhalation: Fatal if inhaled.
Hydrogen fluoride pyridine complex (62778-	11-4)
LC50 inhalation rat (ppm)	1300 ppm/1h
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Additional information	: Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Serious eye damage, category 1, implicit
Additional information	: Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information	SECTION 12: Ecological information	
12.1. Toxicity		
Acute aquatic toxicity :	Not classified	
Chronic aquatic toxicity :	Not classified	
12.2. Persistence and degradability		
Hydrogen fluoride pyridine complex (62778-17	1-4)	
Persistence and degradability	No data available.	
12.3. Bioaccumulative potential		
Hydrogen fluoride pyridine complex (62778-11-4)		
Bioaccumulative potential	No data available.	
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
Hydrogen fluoride pyridine complex (62778-11-4)		
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII		
This substance/mixture does not meet the vPvB criteria	of REACH regulation, annex XIII	
12.6. Other adverse effects		
Additional information :	Avoid release to the environment.	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Additional information	: Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials

- прту
- : Avoid release to the environment.

ADR	IMDG	ΙΑΤΑ	ADN	RID	
ADK	IWIDG	IATA	ADN	עוא	
14.1. UN number					
2920	2920	2920	2920	2920	
14.2. UN proper shippin	g name		1	I	
CORROSIVE LIQUID,	CORROSIVE LIQUID,	Corrosive liquid, flammable,	CORROSIVE LIQUID,	CORROSIVE LIQUID,	
FLAMMABLE, N.O.S.	FLAMMABLE, N.O.S.	n.o.s.	FLAMMABLE, N.O.S.	FLAMMABLE, N.O.S.	
Transport document descr	iption		1		
UN 2920 CORROSIVE	UN 2920 CORROSIVE	UN 2920 Corrosive liquid,	UN 2920 CORROSIVE	UN 2920 CORROSIVE	
LIQUID, FLAMMABLE,	LIQUID, FLAMMABLE,	flammable, n.o.s.	LIQUID, FLAMMABLE,	LIQUID, FLAMMABLE,	
N.O.S. (Hydrogen fluoride pyridine complex), 8 (3), I,	N.O.S. (Hydrogen fluoride pyridine complex), 8 (3), I		N.O.S. (Hydrogen fluoride pyridine complex), 8 (3), I	N.O.S. (Hydrogen fluorid pyridine complex), 8 (3),	
(D/E)	pyridine complex), o (3), i	complex), o (o), i	pyridine complex), 6 (3), 1	pyridine complex), o (3),	
. ,					
14.3. Transport hazard o	lass(es)		1		
8 (3)	8 (3)	8 (3)	8 (3)	8 (3)	
14.4. Packing group					
Ι	I	I	I	I	
14.5. Environmental haz	ards				
Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	
environment : No	environment : No	environment : No	environment : No	environment : No	
	Marine pollutant : No				
No supplementary informatio					
4.6. Special precautions Overland transport	s for user				
Classification code (ADR)	. (	CF1			
Special provisions (ADR)		74			
imited quantities (ADR)	: 0				
Excepted quantities (ADR)	: E				
Packing instructions (ADR)		2001			
lixed packing provisions (AD		1P8, MP17			
Portable tank and bulk contain	,	14			
ADR) Portable tank and bulk contair	ner special provisions :T	P2, TP27			
ADR)					
ank code (ADR)		10BH			
Vehicle for tank carriage : F					
ransport category (ADR)	: 1				
		: S2, S14			
lazard identification number	(Kemler No.) : 8	83			
Drange plates	1	883			
		2920			
unnel restriction code (ADR)		)/E			

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EAC code	: •3W
APP code	: A(fl)
Transport by sea	
Special provisions (IMDG)	: 274
Packing instructions (IMDG)	: P001
Tank instructions (IMDG)	: T14
Tank special provisions (IMDG)	: TP2, TP27
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-C
Stowage category (IMDG)	: C
Stowage and handling (IMDG)	: SW1, SW2
Properties and observations (IMDG)	: Causes burns to skin, eyes and mucous membranes.
Air transport	
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Forbidden
PCA limited quantity max net quantity (IATA)	: Forbidden
PCA packing instructions (IATA)	: 850
PCA max net quantity (IATA)	: 0.5L
CAO packing instructions (IATA)	: 854
CAO max net quantity (IATA)	: 2.5L
ERG code (IATA)	: 8F
Inland waterway transport	
Classification code (ADN)	: CF1
Special provisions (ADN)	: 274
Limited quantities (ADN)	: 0
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 1
Rail transport	
Classification code (RID)	: CF1
Special provisions (RID)	: 274
Limited quantities (RID)	: 0
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P001
Mixed packing provisions (RID)	: MP8, MP17
Portable tank and bulk container instructions (RID)	: T14
Portable tank and bulk container special provisions (RID)	: TP2, TP27
Tank codes for RID tanks (RID)	: L10BH
Special provisions for RID tanks (RID)	: TU38, TE22
Transport category (RID)	: 1
Hazard identification number (RID)	: 883
14.7. Transport in bulk according to Annex	I of Marpol and the IBC Code

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable

### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions Hydrogen fluoride pyridine complex is not on the REACH Candidate List Directive 2012/18/EU (SEVESO III)

#### 15.1.2. National regulations

#### Germany

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Netherlands	
SZW-lijst van kankerverwekkende stoffen	: The substance is not listed
SZW-lijst van mutagene stoffen	: The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: The substance is not listed
Denmark	
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product
	Pregnant/breastfeeding women working with the product must not be in direct contact with the product
15.2. Chemical safety assessment	

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

SECTION 16: Other information		
Data sources	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.	
Other information	None.	
Full text of H- and EUH-statements		
Acute Tox. 1 (Dermal)	Acute toxicity (dermal), Category 1	
Acute Tox. 1 (Inhalation)	Acute toxicity (inhal.), Category 1	
Acute Tox. 1 (Oral)	Acute toxicity (oral), Category 1	
Flam. Liq. 3	Flammable liquids, Category 3	
Skin Corr. 1	Skin corrosion/irritation, Category 1	
H226	Flammable liquid and vapour.	
H300	Fatal if swallowed.	
H310	Fatal in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H330	Fatal if inhaled.	

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.