

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 11/17/2020 Version: 1.1

	tance/mixture and of the company/undertaking			
1.1. Product identifier				
Product form	: Mixture			
Product name	: Pentylmagnesium bromide 2m in diethyl ether			
CAS-No.	: 693-25-4			
Product code	: 90026953			
Formula	: C5H11BrMg			
Product group	: Blend			
1.2. Relevant identified uses of the substa	nce or mixture and uses advised against			
1.2.1. Relevant identified uses				
Main use category	: Laboratory use,Industrial use,Professional use			
Industrial/Professional use spec	: For professional use only			
Use of the substance/mixture	: For analytical purposes Scientific research and development			
	Not for human consumption or veterinary purposes.			
1.2.2. Uses advised against				
No additional information available				
1.3. Details of the supplier of the safety da	ata sheet			
Supplier				
Scafell Organics				
Molekula Ltd				
Lingfield Way P.O. Box DL1 4XX				
Darlington - England				
T +44 (0) 3302 000 333				
info@molekula.com / kevinbanks@molekula.com - www.molekula.com				
1.4. Emergency telephone number				
Emergency number	: +44 (0) 7769276927			
SECTION 2: Hazards identification				
2.1. Classification of the substance or mix	(ture			
Classification according to Regulation (EC) No	. 1272/2008 [CLP]			
Flammable liquids, Category 1	H224			
Pyrophoric Liquids, Category 1	H250			
Substances and Mixtures which, in contact with wa	ater, emit flammable H260			
gases, Category 1				
Acute toxicity (oral), Category 4	H302			
Skin corrosion/irritation, Category 1	H314			
Full text of H statements : see section 16				
Adverse physicochemical, human health and e	nvironmental effects			
No additional information available				
2.2. Label elements				
Labelling according to Regulation (EC) No. 127	2/2008 [CLP]			
Hazard pictograms (CLP)				
	$\nabla$ $\vee$ $\dot{\vee}$			
	GHS02 GHS05 GHS07			
Signal word (CLP)				
Signal word (CLP)	: Danger : Bontylmagnasium bramida : Diathyl Ethor			
Hazardous ingredients	: Pentylmagnesium bromide ; Diethyl Ether			
Hazard statements (CLP)	: H224 - Extremely flammable liquid and vapour.			

- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)	<ul> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P222 - Do not allow contact with air.</li> <li>P233 - Do not allow contact with water.</li> <li>P231+P232 - Handle and store contents under inert gas. Protect from moisture.</li> <li>P233 - Keep container tightly closed.</li> <li>P240 - Ground and bond container and receiving equipment.</li> <li>P260 - Do not breathe dust/fume/gas/mist/vapours/spray.</li> <li>P264 - Wash hands, forearms and face thoroughly after handling.</li> <li>P270 - Do not eat, drink or smoke when using this product.</li> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.</li> <li>P301+P334 - IF ON SKIN: Immerse in cool water or wrap in wet bandages.</li> <li>P302+P335+P334 - IF ON SKIN: Brush off loose particles from skin. Immerse in cool water.</li> <li>P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.</li> <li>P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P310 - Immediately call a POISON CENTRE or doctor.</li> <li>P321 - Specific treatment (see supplemental first aid instruction on this label).</li> <li>P330 - Rinse mouth.</li> <li>P370+P378 - In case of fire: Use media other than water to extinguish.</li> <li>P402+P404 - Store in a dy place. Store in a closed container.</li> <li>P403+P235 - Store in a well-ventilated place. Keep cool.</li> <li>P405 - Store locked up.</li> <li>P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.</li> </ul>
EUH-statements	: EUH014 - Reacts violently with water. EUH019 - May form explosive peroxides.

#### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## SECTION 3: Composition/information on ingredients 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Diethyl Ether	(CAS-No.) 60-29-7 (EC-No.) 200-467-2 (EC Index-No.) 603-022-00-4	60 - 70	Flam. Liq. 1, H224 Acute Tox. 4 (Oral), H302 STOT SE 3, H336	
Pentylmagnesium bromide	(CAS-No.) 693-25-4 (EC-No.) 211-747-9	30 - 40	Flam. Liq. 2, H225 Pyr. Liq. 1, H250 Water-react. 1, H260 Skin Corr. 1, H314	

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures First-aid measures general	: If possible show this sheet, if not available show packaging or label. Never give anything by mouth to an unconscious person. Do not leave affected person unattended.
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Give oxygen or artificial respiration if necessary. If breathing difficulties persist : Get medical advice/attention.
First-aid measures after skin contact	: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Do not remove clothing if it sticks to the skin. If irritation persists, consult a doctor.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth out with water. Do not induce vomiting. Get medical advice/attention.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

4.2. Most important symptoms and effects, both acute and delayed				
Symptoms/effects after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.			
Symptoms/effects after skin contact	: Causes severe burns. May produce skin irritation, blistering, ulcers, and deep scarring.			
Symptoms/effects after eye contact	: Causes serious eye damage. May cause severe chemical burns to skin and cornea.			
Symptoms/effects after ingestion	: Swallowing this material may result in health hazard. Symptoms of ingestion include drowsiness, weakness, headache, dizziness, nausea, vomiting. burns of the upper digestive and respiratory tracts, abdominal pain, bloody vomiting, severe damage to the delicate tissue and danger of perforation.			

4.3. Indication of any immediate medical attention and special treatment needed

Get immediate medical advice/attention.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Dry powder. Sand.
Unsuitable extinguishing media	: Do NOT use water jet.
5.2. Special hazards arising from the substa	ince or mixture
Fire hazard	: Flammable liquid and vapour. Reacts violently with water. Catches fire spontaneously if exposed to air. In contact with water releases flammable gases which may ignite spontaneously.
Explosion hazard	: May form flammable/explosive vapour-air mixture. May form explosive peroxides.
Hazardous decomposition products in case of fire	: Carbon oxides (CO, CO2). hydrogen bromide. Magnesium oxide fumes.
5.3. Advice for firefighters	
Precautionary measures fire	: Keep container tightly closed and away from heat, sparks and flame. Keep away from combustible materials.
Firefighting instructions	: Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Wear recommended personal protective equipment. Use self-contained breathing apparatus and chemically protective clothing.
Other information	: Warn all persons of toxic hazard.

SECTION 6: Accidental release measures				
6.1. Personal precautions, protective equipment and emergency procedures				
General measures	: Do not handle until all safety precautions have been read and understood. Ventilate the area thoroughly, especially low lying areas (basements, workpits etc). Keep away from combustible materials.			
6.1.1. For non-emergency personnel				
Protective equipment	: Wear recommended personal protective equipment.			
Emergency procedures	: Evacuate unnecessary personnel. Mark out the contaminated area with signs and prevent access to unauthorized personnel. Do not touch or walk on the spilled product. Avoid contact with skin, eyes and clothing.			
Measures in case of dust release	: Shelter from vapours by keeping upwind. Ventilate the area thoroughly, especially low lying areas (basements, workpits etc). Special attention should be given to low areas/pits where flammable vapours can accumulate.			
6.1.2. For emergency responders				
Protective equipment	: Do not attempt to take action without suitable protective equipment. Use self-contained breathing apparatus and chemically protective clothing.			
Emergency procedures	: Ventilate area.			
6.2. Environmental precautions				
Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.				
6.3. Methods and material for containment and cleaning up				
For containment	: Collect spillage. Contain the spilled material by bunding.			
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Try to stop release if without risk.			

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable. Reac violently with water. May form explosive peroxides. Catches fire spontaneously if e to air. In contact with water releases flammable gas.	
Precautions for safe handling	: Avoid formation of vapours. Avoid contact with skin, eyes and clothing. Do not han all safety precautions have been read and understood. Ensure that there is a suita ventilation system. Do not handle in a confined space. Handle under inert gas.	
11/17/2020 (V/orsion: 1.0)	EN (English)	3/10

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hygiene measures	: Take off immediately all contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product.
7.2. Conditions for safe storage, including a	any incompatibilities
Technical measures	: Ensure adequate ventilation, especially in confined areas. Proper grounding procedures to avoid static electricity should be followed.
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Heat sources, Direct sunlight. Keep container closed when not in use. Store contents under inert gas.
Incompatible products	: Strong oxidizing agents. Water. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources. open flames. sparks. Do not allow contact with water. Do not allow contact with air.
Heat and ignition sources	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Storage area	: Keep away from combustible materials. Store below 20 °C. Store in dry protected location to prevent any moisture contact.
Special rules on packaging	: Never allow product to get in contact with water during storage. Liquid.lgnites spontaneously in air. Reacts with water or steam to produce heat or hydrogen, which may form explosive mixtures with air.

#### 7.3. Specific end use(s)

For analytical purposes. Scientific research and development. Not for human consumption or veterinary purposes.

8.1. Control parameter					
Pentylmagnesium b	romide 2m in diethyl ether (693-25-4)				
United Kingdom	Local name	Diethyl ether			
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	310 mg/m <sup>3</sup>			
United Kingdom	WEL TWA (ppm)	100 ppm			
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	620 mg/m³			
United Kingdom	WEL STEL (ppm)	200 ppm			
United Kingdom Regulatory reference EH40/2005 (Third edition, 2018). HSE					
Diethyl Ether (60-29-7)					
United Kingdom	Local name	Diethyl ether			
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	310 mg/m <sup>3</sup>			
United Kingdom WEL TWA (ppm) 100 ppm					
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	620 mg/m <sup>3</sup>			
United Kingdom	WEL STEL (ppm)	200 ppm			
United Kingdom Regulatory reference EH40/2005 (Third edition, 2018). HSE					
8.2. Exposure controls					
Appropriate engineerin	g controls:				

#### Personal protective equipment:

Avoid all unnecessary exposure.

ive clotning:					
ve clothing, gloves and	eye/face protection				
The protective gloves to be used must comply with the specifications of the regulation 2016/425 and the resultant standard EN 374					
Material Permeation Thickness (mm) Penetration Standard					
Fluoroelastomer (FKM)	6 (> 480 minutes)	0.7		EN 374	
	to be used must comply Material Fluoroelastomer	to be used must comply with the specifications of <b>Material Permeation</b> Fluoroelastomer 6 (> 480 minutes)	ve clothing, gloves and eye/face protection to be used must comply with the specifications of the regulation 2016/425 Material Permeation Thickness (mm) Fluoroelastomer 6 (> 480 minutes) 0.7	to be used must comply with the specifications of the regulation 2016/425 and the resultant stan          Material       Permeation       Thickness (mm)       Penetration         Fluoroelastomer       6 (> 480 minutes)       0.7	

Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure. Use eye protection according to EN 166, designed to protect against liquid splashes.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Туре	Use	Characteristics	Standard		
Safety goggles, Face shield	Droplet, vapours	tightly fitting safety goggles, With side shields	EN 166		
Skin and body protection:					
Emergency safety showers should clothing readily available for emer	l be available in the immediate vicinity gency use	of any potential exposure. Keep suit	able chemically resistant protective		
Type Standard					
Total impervious protective suits, gloves, and boots must be worn to prevent any contact with the product, Flame retardant antistatic protective clothing		EN 14605			
Respiratory protection:					
Keep self contained breathing app protection equipment is recommen	paratus readily available for emergency	y use. Where exposure through inhal	ation may occur from use, respirator		
Device	Filter type	Condition Standard			
Air-Purifying Respirator (APR), reusable	ABEK	Moist condition, Mist formation, Protection for Liquid particles,	EN 14387		

Vapour protection

#### Other information:

Do not eat, drink or smoke during use.

SECTION & Physical and chemical pr	opertion	
SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Molecular mass	: 175.35 g/mol	
Colour	: No data available	
Odour	: No data available.	
Odour threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: -40 °C closed cup.	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Flammable	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: 0.947 g/cm3	
Solubility	: No data available	
Log Pow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
Explosive limits	: No data available	
9.2. Other information		
No additional information available		

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Flammable liquid and vapour. Reacts violently with water. May form explosive peroxides. Catches fire spontaneously if exposed to air. In contact with water releases flammable gases.

#### **10.2. Chemical stability**

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 10.4. Conditions to avoid

Protect from sunlight. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not allow contact with water. Do not allow contact with air.

#### 10.5. Incompatible materials

#### Strong oxidizers. Strong acids. water.

#### 10.6. Hazardous decomposition products

No hazardous decomposition products known at room temperature. Thermal decomposition generates : Carbon oxides (CO, CO2). hydrogen bromide. Magnesium oxide fumes.

<b>SECTION 11: Toxicological inf</b>	ormation
11.1. Information on toxicological	effects
Acute toxicity (oral)	: Oral: Harmful if swallowed.
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
ATE CLP (oral)	1714.286 mg/kg bodyweight

#### Diethyl Ether (60-29-7)

LD50 oral rat	1200 - 3560 mg/kg bodyweight
LC50 inhalation rat (ppm)	32000 ppm/4h
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Additional information	: Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Serious eye damage, category 1, implicit
Additional information	: Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information	
<b>12.1. Toxicity</b> Hazardous to the aquatic environment, short-term :	Not classified
(acute)	
Hazardous to the aquatic environment, long-term : (chronic)	Not classified
Diethyl Ether (60-29-7)	
LC50 fish 1	2560 mg/l 96hr Pimephales promelas (fathead minnow)
EC50 Daphnia 1	165 mg/l 24h
EC50 72h algae (1)	100 mg/l 72h
NOEC (chronic)	100 mg/l 21days
12.2. Persistence and degradability	
Pentylmagnesium bromide 2m in diethyl ether	r (693-25-4)
Persistence and degradability	No data available.

# PentyImagnesium bromide 2m in diethyl ether Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Diethyl Ether (60-29-7)		
Persistence and degradability	ce and degradability Not biodegradable.	
12.3. Bioaccumulative potential		
Pentylmagnesium bromide 2m in diethyl ether (693-25-4)		
Bioaccumulative potential	No data available.	
Diethyl Ether (60-29-7)		
Log Pow	1.05 @20.C	
Bioaccumulative potential	Not potentially bioaccumulable.	
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
Pentylmagnesium bromide 2m in diethyl ether (693-25-4)		
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII		
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		
12.6. Other adverse effects		
Additional information :	Avoid release to the environment.	

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Additional information	: Handle empty containers with care because residual vapours are flammable.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transpo				
-				
ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number				
3399	3399	3399	3399	3399
14.2. UN proper shippin	g name			
ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE	ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE	Organometallic substance, liquid, water-reactive, flammable	ORGANOMETALLIC SUBSTANCE, LIQUID, WATER REACTIVE, FLAMMABLE	ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE
Transport document descr	iption			
UN 3399 ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE (Pentylmagnesium bromide 2m in diethyl ether), 4.3 (3), I, (B/E)	UN 3399 ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE (PentyImagnesium bromide 2m in diethyl ether), 4.3 (3), I	UN 3399 Organometallic substance, liquid, water- reactive, flammable (Pentylmagnesium bromide 2m in diethyl ether), 4.3, I	UN 3399 ORGANOMETALLIC SUBSTANCE, LIQUID, WATER REACTIVE, FLAMMABLE (Pentylmagnesium bromide 2m in diethyl ether), 4.3 (3), I	UN 3399 ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE (Pentylmagnesium bromide 2m in diethyl ether), 4.3 (3), I
14.3. Transport hazard o	class(es)			
4.3 (3)	4.3 (3)	4.3 (3)	4.3 (3)	4.3 (3)
14.4. Packing group			·	
I	I	I	I	I

# PentyImagnesium bromide 2m in diethyl ether Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
environment : No	environment : No Marine pollutant : No	environment : No	environment : No	environment : No
No supplementary information a				
4.6. Special precautions for	or user			
overland transport	. ) // [	- 4		
Classification code (ADR)	: WF			
imited quantities (ADR)	: 274 : 0	ŧ		
Excepted quantities (ADR)	: E0			
acking instructions (ADR)	: E0 : P4			
lixed packing provisions (ADR)	: MP			
ortable tank and bulk container				
ortable tank and bulk container ADR)	special provisions : TP	2, TP7, TP36, TP41		
ank code (ADR)	: L10			
ank special provisions (ADR)		4, TU14, TU22, TE21, TM2		
ehicle for tank carriage	: FL			
ransport category (ADR)	: 0			
pecial provisions for carriage - l pecial provisions for carriage - l		23		
nloading and handling (ADR)	-			
pecial provisions for carriage -	1 ( )	, S20		
lazard identification number (Ke prange plates	emler No.) : X3	23		
		X323 3399		
unnel restriction code (ADR)	: B/E			
AC code	: 4W			
VPP code	: A(f	1)		
ransport by sea	. 07	4		
Special provisions (IMDG) Packing instructions (IMDG)	: 274 : P4			
pecial packing provisions (IMDC)				
ank instructions (IMDG)	: T1;			
ank special provisions (IMDG)		2, TP7, TP36, TP41		
mS-No. (Fire)	: F-0			
EmS-No. (Spillage)	: S-N	١		
Stowage category (IMDG)	: D			
Stowage and handling (IMDG)	: SW	/2, H1		
egregation (IMDG)	: SG	35, SG26		
roperties and observations (IMI	DG) : Fla	mmable liquid. Reacts violent	ly with moisture, water and ac	ids evolving flammable g
ir transport				
PCA Excepted quantities (IATA)	: E0			
CA Limited quantities (IATA)		bidden		
CA limited quantity max net qua		bidden		
CA packing instructions (IATA)		bidden		
CA max net quantity (IATA)		bidden		
CAO packing instructions (IATA)		ŧ		
CAO max net quantity (IATA)	: 1L : ^3	V803		
pecial provisions (IATA) RG code (IATA)	: 43 : 4F	, A803 N		
nland waterway transport	. 41			
Classification code (ADN)	: WF	-1		
special provisions (ADN)	: 274			

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Limited quantities (ADN)	: 0
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Provisions for handling and stowage of the cargo (ADN)	: HA08
Number of blue cones/lights (ADN)	: 1
Rail transport	
Classification code (RID)	: WF1
Special provisions (RID)	: 274
Limited quantities (RID)	: 0
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P402
Mixed packing provisions (RID)	: MP2
Portable tank and bulk container instructions (RID)	: T13
Portable tank and bulk container special provisions (RID)	: TP2, TP7, TP36, TP41
Tank codes for RID tanks (RID)	: L10DH
Special provisions for RID tanks (RID)	: TU4, TU14, TU22, TU38, TE21, TE22, TM2
Transport category (RID)	: 0
Special provisions for carriage – Packages (RID)	: W1
Special provisions for carriage - Loading, unloading and handling (RID)	: CW23
Hazard identification number (RID)	: X323
14.7. Transport in bulk according to Annex I	I of Marpol and the IBC Code

Not applicable

#### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances Directive 2012/18/EU (SEVESO III)

#### 15.1.2. National regulations

No additional information available

**15.2. Chemical safety assessment** 

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

## SECTION 16: Other information Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. Other information : None. Full text of H- and EUH-statements:

Acute toxicity (oral), Category 4
Flammable liquids, Category 1
Flammable liquids, Category 2
Pyrophoric Liquids, Category 1
Skin corrosion/irritation, Category 1
Specific target organ toxicity — Single exposure, Category 3, Narcosis
Substances and Mixtures which, in contact with water, emit flammable gases, Category 1
Extremely flammable liquid and vapour.
Highly flammable liquid and vapour.
Catches fire spontaneously if exposed to air.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H260	In contact with water releases flammable gases which may ignite spontaneously.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H336	May cause drowsiness or dizziness.
EUH014	Reacts violently with water.
EUH019	May form explosive peroxides.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.