

# SAFETY DATA SHEET

Acetaldehyde

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name Acetaldehyde

**CAS number** 75-07-0

**EC number** 200-836-8

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	For research purposes only.
-----------------	-----------------------------

Uses advised against No specific uses advised against are identified.

## 1.3. Details of the supplier of the safety data sheet

Supplier

Molekula Ltd. Lingfield Way, Darlington, DL1 4XX, United Kingdom +44 (0) 3302000333 info@molekula.com

## 1.4. Emergency telephone number

+44 (0) 7769276927

**SECTION 2: Hazards identification** 

2.1. Classification of the subst	ance or mixture
Classification (EC 1272/2008)	
Physical hazards	Not Classified
Health hazards	Acute Tox. 4 - H302 Eye Irrit. 2 - H319 Muta. 2 - H341 Carc. 2 - H351 STOT SE 3 - H335
Environmental hazards	Not Classified
2.2. Label elements	
EC number	200-836-8
Hazard pictograms	

Signal word

Danger

Hazard statements	<ul> <li>H224 Extremely flammable liquid and vapour.</li> <li>H302 Harmful if swallowed.</li> <li>H319 Causes serious eye irritation.</li> <li>H335 May cause respiratory irritation.</li> <li>H341 Suspected of causing genetic defects.</li> <li>H351 Suspected of causing cancer.</li> </ul>
Precautionary statements	<ul> <li>P201 Obtain special instructions before use.</li> <li>P202 Do not handle until all safety precautions have been read and understood.</li> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P261 Avoid breathing vapour/ spray.</li> <li>P264 Wash contaminated skin thoroughly after handling.</li> <li>P270 Do not eat, drink or smoke when using this product.</li> <li>P271 Use only outdoors or in a well-ventilated area.</li> <li>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</li> <li>P301+P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell.</li> <li>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</li> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P308+P313 IF exposed or concerned: Get medical advice/ attention.</li> <li>P337+P313 If eye irritation persists: Get medical advice/ attention.</li> <li>P403+P233 Store in a well-ventilated place. Keep container tightly closed.</li> <li>P405 Store locked up.</li> <li>P501 Dispose of contents/ container in accordance with national regulations.</li> </ul>

## 2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

SECTION 3: Composition/information on ingredients	
3.1. Substances	
Product name	Acetaldehyde
CAS number	75-07-0
EC number	200-836-8
Chemical formula	СНЗСНО
SECTION 4: First aid me	easures

## 4.1. Description of first aid measures

General information	Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention. Place unconscious person on their side in the recovery position and ensure breathing can take place.
Ingestion	Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Never give anything by mouth to an unconscious person. Place unconscious person on their side in the recovery position and ensure breathing can take place. Keep affected person under observation. Get medical attention if symptoms are severe or persist.

Skin contact     Rinse with water.       Eye contact     Rinse with water. Do not rub eye. Remove any contact lenses and open eyelids wide apart. Get medical attention if any disconfact continues.       Protection of first aiders     First aid personnel should wear appropriate protective equipment during any rescue.       4.2. Most important symptoms     affects, both acute and delayed       General information     The severity of the symptoms described will vary dependent on the concentration and the length of exposure.       Inhalation     A single exposure may cause the following adverse effects: Irritation of nose, throat and length of exposure may cause the following adverse effects: Suspected of causing cancer.       Skin contact     Prolonged or repeated exposure may cause the following adverse effects: Suspected of causing cancer.       Skin contact     Prolonged or repeated exposure may cause the following adverse effects: Suspected of causing cancer.       Skin contact     Prolonged or repeated exposure may cause the following adverse effects: Suspected of causing cancer.       Skin contact     Prolonged or repeated exposure may cause the following adverse effects: Suspected of causing cancer.       Skin contact     Prolonged or repeated exposure may cause the following adverse effects: Suspected of causing cancer.       Skin contact     Prolonged or repeated exposure may cause the following adverse effects: Suspected of causing cancer.       Skin contact     Prolonged or repeated exposure may cause the following adverse effects: Suspected of causing cancer.       Skin contact <td< th=""><th></th><th></th></td<>		
Get medical attention if any discomfort continues.       Protection of first aiders     First aid personnel should wear appropriate protective equipment during any rescue.       4.2. Most important symptoms and effects, both acute and delayed     The severity of the symptoms described will vary dependent on the concentration and the length of exposure may cause the following adverse effects: Irritation of nose, throat and airway. Difficulty in breathing. Coughing. Prolonged or repeated exposure may cause the following adverse effects: Suspected of causing cancer.       Indestion     A single exposure may cause the following adverse effects: Suspected of causing cancer.       Skin contact     Prolonged or repeated exposure may cause the following adverse effects: Suspected of causing cancer.       Eye contact     Irritating to eyes.       4.3. Indication of any immediate medical attention and special treatment needed       Notes for the doctor     Treat symptomatically.       5.1. Extinguishing media     Extinguishing media suitable for the surrounding fire.       Unsuitable extinguishing media     Containers can burst violently or explode when heated, due to excessive pressure build-up. This product is toxic.       Flazardous combustion     Them aleconoposition or combustion products may include the following substances: Toxic       5.3. Advice for finefighters     Avoid breathing fing gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, furties and moke (CO).       5.3. Advice for finefighters     Avoid breathing fing gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, furtie	Skin contact	Rinse with water.
4.2. Most important symptoms and effects, both acute and delayed         General information       The severity of the symptoms described will vary dependent on the concentration and the length of exposure.         Inhelation       A single exposure may cause the following adverse effects: Irritation of nose, throat and airway. Difficulty in breathing. Coughing. Prolonged or repeated exposure may cause the following adverse effects: Suspected of causing cancer.         Ingestion       May cause discomfort if swallowed. Stomach pain. Nausea, vomiting. Prolonged or repeated exposure may cause the following adverse effects: Suspected of causing cancer.         Eye contact       Prolonged or repeated exposure may cause the following adverse effects: Suspected of causing cancer.         Eye contact       Irritating to eyes.         4.3. Indication of any immediate medical attention and special treatment needed         Notes for the doctor       Treat symptomatically.         SECTION 5: Firefighting measures         5.1. Extinguishing media       Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media         Subble extinguishing       Do not use water jet as an extinguisher, as this will spread the fire.         Special hazards arising from the substance or mixture       Special treatments include the following substances: Toxic gases or vapours. Carbon dioxide (CO2). Carbon monoxide (CO).         5.3. Advice for finfighters       Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases or vapours. St	Eye contact	
General information         The severity of the symptoms described will vary dependent on the concentration and the length of exposure.           Inhalation         A single exposure may cause the following adverse effects: Irritation of nose, throat and airway. Difficulty in breathing. Coughing. Prolonged or repeated exposure may cause the following adverse effects: Suspected of causing cancer.           Ingestion         May cause discomfort if swallowed. Stomach pain. Nausea, vomiting. Prolonged or repeated exposure may cause the following adverse effects: Suspected of causing cancer.           Skin contact         Prolonged or repeated exposure may cause the following adverse effects: Suspected of causing cancer.           Eye contact         Irritating to eyes.           4.3. Indication of any immediate medical attention and special treatment needed           Notes for the doctor         Treat symptomatically.           SECTION 5: Firefighting measures         5.1. Extinguishing media           5.1. Extinguishing media         Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.           Unsultable extinguishing media         Do not use water jet as an extinguisher, as this will spread the fire.           Specific hazards         Containers can burst violently or explode when heated, due to excessive pressure build-up. This product is toxic.           Hazardous combustion products         Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventil	Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.
Inhalation       A single exposure may cause the following adverse effects: Irritation of nose, throat and airway. Difficulty in breathing, Coughing. Prolonged or repeated exposure may cause the following adverse effects: Suspected of causing cancer.         Ingestion       May cause disconfort if swallowed. Stomach pain. Nausea, vomiting, Prolonged or repeated exposure may cause the following adverse effects: Suspected of causing cancer.         Skin contact       Prolonged or repeated exposure may cause the following adverse effects: Suspected of causing cancer.         Eye contact       Irritating to eyes.         4.3. Indication of any immediate medical attention and special treatment needed         Notes for the doctor       Treat symptomatically.         SECTION 5: Firefighting measures         5.1. Extinguishing media         Suitable extinguishing from the substance or mixture         Special hazards arising from the substance or mixture         Special hazards arising from the substance or combustion products may include the following substances: Toxic gases or vapours. Carbon dioxide (CO2). Carbon monoxide (CO).         5.3. Advice for finefighters         Protective actions during firefighting gases or vapours. Tures and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done	4.2. Most important symptoms	and effects, both acute and delayed
airway. Difficulty in breathing. Coughing. Prolonged or repeated exposure may cause the following adverse effects: Suspected of causing cancer.IngestionWay cause discomfort if swallowed. Stomach pain. Nausea, vomiting. Prolonged or repeated exposure may cause the following adverse effects: Suspected of causing cancer.Skin contactProlonged or repeated exposure may cause the following adverse effects: Suspected of causing cancer.Eye contactIrritating to eyes.4.3. Indication of any immediate it attention and special treatment needed Notes for the doctorTreat symptomatically.SECTION 5: Firefighting mediaExtinguishing mediaSuitable extinguishing mediaExtinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire- extinguishing media5.1. Extinguishing mediaDo not use water jet as an extinguisher, as this will spread the fire.Special hazards arising trom the substance or mixtureSpecial chazards combustionContainers can burst violently or explode when heated, due to excessive pressure build-up. This product is toxic.Hazardous combustionAvoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to theat with water spray and emove them from the fire is out. if a leak or spill has not igniled, use water spray to disperse vapours and protect me nstopping the leak. Control run-off water by containing and keeping it out of severs and watercourses. If ris ki water oppilution occurs, notify appropriate authorities.	General information	
exposure may cause the following adverse effects: Suspected of causing cancer.Skin contactProlonged or repeated exposure may cause the following adverse effects: Suspected of causing cancer.Eye contactIrritating to eyes.4.3. Indication of any immediate medical attention and special treatment neededNotes for the doctorTreat symptomatically.SECTION 5: Firefighting measures5.1. Extinguishing mediaSuitable extinguishing mediaSuitable extinguishing mediaSuitable extinguishing mediaSuitable extinguishing mediaC.S. Special hazards arising from the substance or mixtureSpecific hazardsContainers can burst violently or explode when heated, due to excessive pressure build-up. This product is toxic.Hazardous combustion productsThermal decomposition or combustion products may include the following substances: Toxic gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool ocntainers exposed to heat with water spray and remove them from the fire area if it can be done with water spray and remove them from the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.Special protective equipment for firefightersWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective octining. Firefighter's clotining of firefighter's clotining of firefighter's clotining to firefighter's cloting conforming to European standard EN469 (including helmets,	Inhalation	airway. Difficulty in breathing. Coughing. Prolonged or repeated exposure may cause the
causing cancer.Eye contactIrritating to eyes.4.3. Indication of any immediate medical attention and special treatment neededNotes for the doctorTreat symptomatically.SECTION 5: Firefighting mediaSectinguishing mediaSuitable extinguishing mediaExtinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media a suitable for the surrounding fire.Unsuitable extinguishing mediaDo not use water jet as an extinguisher, as this will spread the fire.5.2. Special hazards arising from the substance or mixtureSpecific hazardsContainers can burst violently or explode when heated, due to excessive pressure build-up. This product is toxic.Hazardous combustion productsThermal decomposition or combustion products may include the following substances: Toxic gases or vapours. Carbon dioxide (CO2). Carbon monoxide (CO).5.3. Advice for firefightersAvoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protectme extorping the leak. Control run-off water by containing and keeping it out of severs and watercourses. If risk of water polituoin occurs, notify appropriate authorities.Special protective equipmentWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, clothing perimetia so clothing conformi	Ingestion	
4.3. Indication of any immediate medical attention and special treatment needed         Notes for the doctor       Treat symptomatically.         SECTION 5: Firefighting measures       5.1. Extinguishing media         Suitable extinguishing media       Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.         Unsuitable extinguishing media       Do not use water jet as an extinguisher, as this will spread the fire.         5.2. Special hazards arising from the substance or mixture       Specific hazards         Specific hazards       Containers can burst violently or explode when heated, due to excessive pressure build-up. This product is toxic.         Hazardous combustion products       Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours. Carbon dioxide (CO2). Carbon monoxide (CO).         5.3. Advice for firefighters       Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect me stopping the leak. Control run-off water by containing and keeping it out of severs and watercourses. If risk of water pollution occurs, notify appropriate authorities.         Special protective equipment       Wear positive-pressure self-contained breathing app	Skin contact	
Notes for the doctor         Treat symptomatically.           SECTION 5: Firefighting measures         5.1. Extinguishing media           Suitable extinguishing media         Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire- extinguishing media suitable for the surrounding fire.           Unsuitable extinguishing media         Do not use water jet as an extinguisher, as this will spread the fire.           5.2. Special hazards arising from the substance or mixture         Specific hazards           Specific hazards         Containers can burst violently or explode when heated, due to excessive pressure build-up. This product is toxic.           Hazardous combustion products         Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours. Carbon dioxide (CO2). Carbon monoxide (CO).           5.3. Advice for firefighters         Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect me stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.           Special protective equipment for firefighters         Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's cloth	Eye contact	Irritating to eyes.
SECTION 5: Firefighting measures         5.1. Extinguishing media         Suitable extinguishing media         Suitable extinguishing media         Extinguishing media         Do not use water jet as an extinguisher, as this will spread the fire.         Special hazards arising from the substance or mixture         Specific hazards       Containers can burst violently or explode when heated, due to excessive pressure build-up. This product is toxic.         Hazardous combustion products       Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours. Carbon dioxide (CO2). Carbon monoxide (CO).         5.3. Advice for firefighters       Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.         Special protective equipment for firefighters       Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets,	4.3. Indication of any immedia	te medical attention and special treatment needed
5.1. Extinguishing media         Suitable extinguishing media         Suitable extinguishing media         Do not use water jet as an extinguisher, as this will spread the fire.         5.2. Special hazards arising from the substance or mixture         Specific hazards       Containers can burst violently or explode when heated, due to excessive pressure build-up. This product is toxic.         Hazardous combustion products       Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours. Carbon dioxide (CO2). Carbon monoxide (CO).         5.3. Advice for firefighters       Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, furnes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.         Special protective equipment for firefighters       Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets,	Notes for the doctor	Treat symptomatically.
Suitable extinguishing mediaExtinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire- extinguishing media suitable for the surrounding fire.Unsuitable extinguishing mediaDo not use water jet as an extinguisher, as this will spread the fire. <i>5.2. Special hazards arising from the substance or mixture</i> Specific hazardsContainers can burst violently or explode when heated, due to excessive pressure build-up. This product is toxic.Hazardous combustion productsThermal decomposition or combustion products may include the following substances: Toxic gases or vapours. Carbon dioxide (CO2). Carbon monoxide (CO). <i>5.3. Advice for firefighters</i> Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.Special protective equipment for firefightersWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets,	SECTION 5: Firefighting meas	sures
extinguishing media suitable for the surrounding fire.Unsuitable extinguishing mediaDo not use water jet as an extinguisher, as this will spread the fire.5.2. Special hazards arising from the substance or mixtureSpecific hazardsContainers can burst violently or explode when heated, due to excessive pressure build-up. This product is toxic.Hazardous combustion productsThermal decomposition or combustion products may include the following substances: Toxic 	5.1. Extinguishing media	
media5.2. Special hazards arising from the substance or mixtureSpecific hazardsContainers can burst violently or explode when heated, due to excessive pressure build-up. This product is toxic.Hazardous combustion productsThermal decomposition or combustion products may include the following substances: Toxic gases or vapours. Carbon dioxide (CO2). Carbon monoxide (CO).5.3. Advice for firefightersProtective actions during firefightingfirefightingAvoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.Special protective equipment for firefightersWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets,	Suitable extinguishing media	
Specific hazardsContainers can burst violently or explode when heated, due to excessive pressure build-up. This product is toxic.Hazardous combustion productsThermal decomposition or combustion products may include the following substances: Toxic gases or vapours. Carbon dioxide (CO2). Carbon monoxide (CO).5.3. Advice for firefightersAvoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets,		Do not use water jet as an extinguisher, as this will spread the fire.
Hazardous combustion productsThis product is toxic.Hazardous combustion productsThermal decomposition or combustion products may include the following substances: Toxic gases or vapours. Carbon dioxide (CO2). Carbon monoxide (CO).5.3. Advice for firefightersAvoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.Special protective equipment for firefightersWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets,	5.2. Special hazards arising fr	om the substance or mixture
productsgases or vapours. Carbon dioxide (CO2). Carbon monoxide (CO).5.3. Advice for firefightersAvoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.Special protective equipment for firefightersWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets,	Specific hazards	
Protective actions during firefightingAvoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.Special protective equipment for firefightersWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets,		
firefightinggases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.Special protective equipment for firefightersWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets,	5.3. Advice for firefighters	
for firefighters clothing. Firefighter's clothing conforming to European standard EN469 (including helmets,		gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If
		clothing. Firefighter's clothing conforming to European standard EN469 (including helmets,

## SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Avoid inhalation of vapours and spray/mists. Use suitable respiratory protection if ventilation is inadequate.
6.2. Environmental precaution	<u>s</u>
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Provide adequate ventilation. Small Spillages: Collect spillage. Large Spillages: Absorb spillage with non-combustible, absorbent material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.
6.4. Reference to other section	<u>ns</u>
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.
SECTION 7: Handling and sto	rage
7.1. Precautions for safe hand	ling
Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. Suspected of causing cancer. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.
7.2. Conditions for safe storag	e, including any incompatibilities
Storage precautions	Store away from incompatible materials (see Section 10). Store locked up. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Keep away from oxidising materials, heat and flames.
	Store at temperatures between 2°C/35.6°F and 8°C/46.4°F. Air sensitive. Store under inert gas.
Storage class	Chemical storage.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure control	s/Personal protection
8.1. Control parameters	
TWA	20ppm (37mg/m3) UK. EH40 WEL
STEL	50ppm (92mg/m3) UK. EH40 WEL

## Remarks

## 8.2. Exposure controls

## Protective equipment



Appropriate engineering controls	Provide adequate general and local exhaust ventilation. Ensure the ventilation system is regularly maintained and tested. Good general ventilation should be adequate to control worker exposure to airborne contaminants. Observe any occupational exposure limits for the product or ingredients.
Eye/face protection	Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full- face respirator may be required instead.
Hand protection	No specific hand protection recommended.
Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact.
Hygiene measures	Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.
Respiratory protection	Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with European Standard EN14387. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140.
Environmental exposure controls	Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.
Colour	Colourless.
Odour	Pungent.
Odour threshold	No information available.
рН	pH (concentrated solution): 5 (20°C/68°F)
Melting point	-123.5°C/-190.3°F
Initial boiling point and range	20.5°C/68.9°F
Flash point	-38.89°C/-38.00°F Closed cup.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapour pressure	1202 hPa @ 25°C/77°F

mg/kg)

# Acetaldehyde

Vapour density	No information available.
Relative density	0.785
Solubility(ies)	Miscible with water.
Partition coefficient	log Pow: 0.63
Auto-ignition temperature	No information available.
Decomposition Temperature	No information available.
Viscosity	0.24 mPa s @ 20°C/68°F
9.2. Other information	
Molecular weight	44.05
SECTION 10: Stability and read	activity
10.1. Reactivity	
Reactivity	See the other subsections of this section for further details.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	No potentially hazardous reactions known.
10.4. Conditions to avoid	
Conditions to avoid	Heat, sparks, flames.
10.5. Incompatible materials	
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
10.6. Hazardous decompositi	on products
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours. Carbon dioxide (CO2). Carbon monoxide (CO).
SECTION 11: Toxicological in	Iformation
11.1. Information on toxicolog	lical effects
Acute toxicity - oral	
Summary	Harmful if swallowed.
Acute toxicity oral (LD₅₀ mg/kg)	2,800.0
Species	Rat
ATE oral (mg/kg)	500.0
Acute toxicity - dermal	
Summary	Based on available data the classification criteria are not met.
Acute toxicity dermal (LD <sub>50</sub>	4,720.0

Species	Rabbit
Acute toxicity - inhalation	
Summary	Based on available data the classification criteria are not met.
Acute toxicity inhalation (LC₅₀ dust/mist mg/l)	1,948.0
Species	Rat
Skin corrosion/irritation Summary	Based on available data the classification criteria are not met.
Serious eye damage/irritation Summary	Causes serious eye irritation.
Respiratory sensitisation Summary	Based on available data the classification criteria are not met.
Skin sensitisation Summary	Based on available data the classification criteria are not met.
Germ cell mutagenicity Summary	Based on available data the classification criteria are not met.
<u>Carcinogenicity</u> Summary	Suspected of causing cancer.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity Summary	Based on available data the classification criteria are not met.
Specific target organ toxicity -	single exposure
Summary	May cause respiratory irritation.
Target organs	Respiratory system, lungs
Specific target organ toxicity -	repeated exposure
Summary	Based on available data the classification criteria are not met.
Aspiration hazard Summary	Based on available data the classification criteria are not met.
General information	May cause cancer after repeated exposure. Risk of cancer depends on duration and level of exposure. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	A single exposure may cause the following adverse effects: Irritation of nose, throat and airway. Difficulty in breathing. Coughing.
Ingestion	May cause discomfort if swallowed. Stomach pain. Nausea, vomiting.
Skin contact	May cause discomfort.
Eye contact	Irritating to eyes.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target organs	Respiratory system, lungs

## **SECTION 12: Ecological information**

Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.
12.1. Toxicity	
Acute aquatic toxicity	
Summary	Based on available data the classification criteria are not met.
Chronic aquatic toxicity	
Summary	Based on available data the classification criteria are not met.
12.2. Persistence and degrada	ability
Persistence and degradability	The degradability of the product is not known.
12.3. Bioaccumulative potentia	<u>a/</u>
Bioaccumulative potential	No data available on bioaccumulation.
Partition coefficient	log Pow: 0.63
12.4. Mobility in soil	
Mobility	No data available.
12.5. Results of PBT and vPvI	3 assessment
12.6. Other adverse effects	
Other adverse effects	None known.
SECTION 13: Disposal consid	erations
13.1. Waste treatment method	
General information	The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.
Disposal methods	Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Incineration or landfill should only be considered when recycling is not feasible.
SECTION 14: Transport inform	nation
14.1. UN number	

14.1. UN NUMDEr	
UN No. (ADR/RID)	1089
UN No. (IMDG)	1089
UN No. (ICAO)	1089
UN No. (ADN)	1089

# 14.2. UN proper shipping name

Proper shipping name ACETALDEHYDE (ADR/RID)

Proper shipping name (IMDG)	ACETALDEHYDE	
Proper shipping name (ICAO)	ACETALDEHYDE	
Proper shipping name (ADN)	ACETALDEHYDE	
14.3. Transport hazard class(es)		
ADR/RID class	3	
ADR/RID classification code	F1	
ADR/RID label	3	
IMDG class	3	
ICAO class/division	3	
ADN class	3	

**Transport labels** 



## 14.4. Packing group

ADR/RID packing group	I
IMDG packing group	I
ICAO packing group	I
ADN packing group	I

## 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

## 14.6. Special precautions for user

EmS	F-E, S-D
ADR transport category	1
Emergency Action Code	•2YE
Hazard Identification Number (ADR/RID)	33
Tunnel restriction code	(D/E)

## 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

## SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Health and Safety at Work etc. Act 1974 (as amended).
The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment
Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].
EH40/2005 Workplace exposure limits.

# EU legislationRegulation (EC) No 1907/2006 of the European Parliament and of the Council of 18<br/>December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of<br/>Chemicals (REACH) (as amended).<br/>Commission Regulation (EU) No 2015/830 of 28 May 2015.<br/>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16<br/>December 2008 on classification, labelling and packaging of substances and mixtures (as<br/>amended).

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### Inventories

#### EU - EINECS/ELINCS

**SECTION 16: Other information** 

None of the ingredients are listed or exempt.

SECTION TO: Other Informatio	ווע
Abbreviations and acronyms used in the safety data sheet	ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN: European Agreement concerning the International Carriage of Dangerous Goods by
	Inland Waterways.
	RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
	IATA: International Air Transport Association.
	ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air. IMDG: International Maritime Dangerous Goods.
	CAS: Chemical Abstracts Service.
	ATE: Acute Toxicity Estimate.
	LC₅₀: Lethal Concentration to 50 % of a test population.
	LD <sub>50</sub> : Lethal Dose to 50% of a test population (Median Lethal Dose).
	EC <sub>50</sub> : 50% of maximal Effective Concentration.
	PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative.
Classification abbreviations and acronyms	Acute Tox. = Acute toxicity Carc. = Carcinogenicity Eye Irrit. = Eye irritation
	STOT SE = Specific target organ toxicity-single exposure
Classification procedures according to Regulation (EC) 1272/2008	Acute Tox. 4 - H302: STOT SE 3 - H335: Eye Irrit. 2 - H319: Carc. 2 - H351: : Expert judgement.
Training advice	Only trained personnel should use this material.
Revision date	30/04/2021
Revision	1
SDS number	81
Hazard statements in full	<ul> <li>H224 Extremely flammable liquid and vapour.</li> <li>H302 Harmful if swallowed.</li> <li>H319 Causes serious eye irritation.</li> <li>H335 May cause respiratory irritation.</li> <li>H341 Suspected of causing genetic defects.</li> <li>H351 Suspected of causing cancer.</li> </ul>

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.