

Trimethylamine 40% w/w aqueous solution

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
Date of issue: 1/28/2020 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: Trimethylamine 40% w/w aqueous solution
EC-No.	: 200-875-0
CAS-No.	: 75-50-3
Product code	: 90029853
Formula	: C ₃ H ₉ N
Product group	: Blend

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	: Laboratory use, Industrial use, Professional use
Industrial/Professional use spec	: For professional use only
Use of the substance/mixture	: For analytical purposes Scientific research and development Not for human consumption or veterinary purposes.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Scafell Organics
Molekula Ltd
Lingfield Way
Darlington - England
T +44 (0) 3302 000 333
info@molekula.com / kevinbanks@molekula.com - www.molekula.com

1.4. Emergency telephone number

Emergency number : +44 (0) 7590 545705

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 1	H224
Acute toxicity (oral), Category 4	H302
Acute toxicity (inhal.), Category 4	H332
Skin corrosion/irritation, Category 1	H314
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	H335
Full text of H statements : see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP)

: Danger

Hazard statements (CLP)

: H224 - Extremely flammable liquid and vapour.
H302+H332 - Harmful if swallowed or if inhaled.
H314 - Causes severe skin burns and eye damage.
H335 - May cause respiratory irritation.

Trimethylamine 40% w/w aqueous solution

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)

- : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P280 - Wear protective gloves/protective clothing/eye protection/face protection.
- P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water /shower.
- P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P308+P313 - IF exposed or concerned: Get medical advice/attention.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Water	(CAS-No.) 7732-18-5 (EC-No.) 231-791-2	58 - 62	Not classified
Trimethylamine	(CAS-No.) 75-50-3 (EC-No.) 200-875-0 (EC Index-No.) 612-001-00-9	38 - 42	Flam. Gas 1, H220 Press. Gas Acute Tox. 4 (Inhalation), H332 STOT SE 3, H335 Skin Irrit. 2, H315 Eye Dam. 1, H318

Specific concentration limits:

Name	Product identifier	Specific concentration limits
Trimethylamine	(CAS-No.) 75-50-3 (EC-No.) 200-875-0 (EC Index-No.) 612-001-00-9	(0.5 =<C < 5) Eye Irrit. 2, H319 (C >= 5) Skin Irrit. 2, H315 (C >= 5) Eye Dam. 1, H318 (C >= 5) STOT SE 3, H335

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If possible show this sheet, if not available show packaging or label. Never give anything by mouth to an unconscious person. Do not leave affected person unattended.

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Give oxygen or artificial respiration if necessary. If breathing difficulties persist : Get medical advice/attention.

First-aid measures after skin contact : After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Do not remove clothing if it sticks to the skin. If irritation persists, consult a doctor.

First-aid measures after eye contact : Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth out with water. Do not induce vomiting. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Harmful if inhaled. Burns or irritation of the linings of the mouth, throat, and gastrointestinal tract. Inhalation may cause irritation (cough, short breathing, difficulty in breathing).

Symptoms/effects after skin contact : Causes severe burns.

Symptoms/effects after eye contact : Causes serious eye burns. Blurred vision.

Symptoms/effects after ingestion : Harmful if swallowed. Severe irritation or burns to the mouth, throat, oesophagus, and stomach.

4.3. Indication of any immediate medical attention and special treatment needed

Get immediate medical advice/attention.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry powder. Sand. Water spray. Carbon dioxide. Foam.

Unsuitable extinguishing media : Do not use a heavy water stream.

Trimethylamine 40% w/w aqueous solution

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

5.2. Special hazards arising from the substance or mixture

- | | |
|--|--|
| Fire hazard | : Flammable liquid and vapour. |
| Explosion hazard | : May form flammable/explosive vapour-air mixture. |
| Hazardous decomposition products in case of fire | : Nitrogen oxides. Carbon oxides (CO, CO ₂). |

5.3. Advice for firefighters

- | | |
|--------------------------------|---|
| Precautionary measures fire | : Keep container tightly closed and away from heat, sparks and flame. Keep away from combustible materials. |
| Firefighting instructions | : Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Prevent fire fighting water from entering the environment. |
| Protection during firefighting | : Wear recommended personal protective equipment. Use self-contained breathing apparatus and chemically protective clothing. |
| Other information | : Warn all persons of toxic hazard. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- | | |
|------------------|--|
| General measures | : Do not handle until all safety precautions have been read and understood. Ventilate the area thoroughly, especially low lying areas (basements, workpits etc). Keep away from combustible materials. |
|------------------|--|

6.1.1. For non-emergency personnel

- | | |
|----------------------------------|--|
| Protective equipment | : Wear recommended personal protective equipment. |
| Emergency procedures | : Evacuate unnecessary personnel. Mark out the contaminated area with signs and prevent access to unauthorized personnel. Do not touch or walk on the spilled product. Avoid contact with skin, eyes and clothing. |
| Measures in case of dust release | : Shelter from vapours by keeping upwind. Ventilate the area thoroughly, especially low lying areas (basements, workpits etc). Special attention should be given to low areas/pits where flammable vapours can accumulate. |

6.1.2. For emergency responders

- | | |
|----------------------|---|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. Use self-contained breathing apparatus and chemically protective clothing. |
| Emergency procedures | : Ventilate area. |

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- | | |
|-------------------------|--|
| For containment | : Collect spillage. Contain the spilled material by bunding. |
| Methods for cleaning up | : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Try to stop release if without risk. |

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- | | |
|-----------------------------------|---|
| Additional hazards when processed | : Handle empty containers with care because residual vapours are flammable. |
| Precautions for safe handling | : Avoid formation of vapours. Avoid contact with skin, eyes and clothing. Do not handle until all safety precautions have been read and understood. Ensure that there is a suitable ventilation system. Do not handle in a confined space. |
| Hygiene measures | : Take off immediately all contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. |

7.2. Conditions for safe storage, including any incompatibilities

- | | |
|---------------------------|--|
| Technical measures | : Ensure adequate ventilation, especially in confined areas. Proper grounding procedures to avoid static electricity should be followed. |
| Storage conditions | : Keep only in the original container in a cool, well ventilated place away from : Heat sources, Direct sunlight. Keep container closed when not in use. |
| Incompatible products | : Strong oxidizing agents. Acids. Halogens. Peroxides. Acid chlorides. Acid anhydrides. metals. copper. |
| Incompatible materials | : Sources of ignition. Direct sunlight. Heat sources. open flames. sparks. |
| Heat and ignition sources | : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| Storage area | : Keep away from combustible materials. Store below 20 °C. Store in a dry place. Store in a closed container. |

7.3. Specific end use(s)

For analytical purposes. Scientific research and development. Not for human consumption or veterinary purposes.

Trimethylamine 40% w/w aqueous solution

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Trimethylamine (75-50-3)		
United Kingdom	WEL TWA (ppm)	5
United Kingdom	WEL STEL (ppm)	15 ppm

8.2. Exposure controls

Appropriate engineering controls:

Handle in accordance with good industrial hygiene and safety procedures. Floors should be impervious, resistant to liquids and easy to clean.

Personal protective equipment:

Avoid all unnecessary exposure.

Materials for protective clothing:
Wear suitable protective clothing, gloves and eye/face protection

Hand protection:					
The protective gloves to be used must comply with the specifications of the regulation 2016/425 and the resultant standard EN 374					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Fluoroelastomer (FKM)	6 (> 480 minutes)	0.7		EN 374

Eye protection:			
Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure. Use eye protection according to EN 166, designed to protect against liquid splashes.			
Type	Use	Characteristics	Standard
Safety goggles, Face shield	Droplet, vapours	tightly fitting safety goggles, With side shields	EN 166

Skin and body protection:	
Emergency safety showers should be available in the immediate vicinity of any potential exposure. Keep suitable chemically resistant protective clothing readily available for emergency use	
Type	Standard
Total impervious protective suits, gloves, and boots must be worn to prevent any contact with the product, Flame retardant antistatic protective clothing	EN 14605

Respiratory protection:			
Keep self contained breathing apparatus readily available for emergency use. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended			
Device	Filter type	Condition	Standard
Air-Purifying Respirator (APR), reusable	ABEK	Moist condition, Mist formation, Protection for Liquid particles, Vapour protection	EN 14387

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Molecular mass	: 59.11 g/mol
Colour	: Colourless.
Odour	: Rotten eggs.
Odour threshold	: No data available
pH	: 13
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: -2 °C
Freezing point	: No data available
Boiling point	: 30 - 100 °C

Trimethylamine 40% w/w aqueous solution

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Flash point	: -45 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Flammable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0.88
Solubility	: No data available
Log Pow	: 0.245
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Lower explosive limit (LEL)	: 2
Upper explosive limit (UEL)	: 11.6

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Protect from sunlight. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Strong oxidizers. Acids. Halogens. Peroxides. Acid chlorides. Acid anhydrides. metals. copper.

10.6. Hazardous decomposition products

No hazardous decomposition products known at room temperature. Thermal decomposition generates : Nitrogen oxides. Carbon oxides (CO, CO2).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Oral: Harmful if swallowed.
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Inhalation: Harmful if inhaled.

Trimethylamine 40% w/w aqueous solution (75-50-3)	
LD50 oral rat	1200 mg/kg
LD50 dermal rat	5000 mg/kg
LC50 inhalation rat (mg/l)	5.9 mg/l/4h - 4 h
ATE CLP (oral)	1200 mg/kg bodyweight
ATE CLP (dermal)	5000 mg/kg bodyweight
ATE CLP (gases)	4500 ppmv/4h
ATE CLP (vapours)	5.9 mg/l/4h
ATE CLP (dust,mist)	1.5 mg/l/4h

Trimethylamine (75-50-3)	
LD50 dermal rat	2000 - 5000 mg/kg bodyweight
LD50 dermal rabbit	3000 - 5390 mg/kg bodyweight
LC50 inhalation rat (ppm)	3500 - 7910 ppm/4h
LC50 inhalation rat (Vapours - mg/l/4h)	5.9 mg/l/4h

Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: 13
---------------------------	--

Additional information	: Based on available data, the classification criteria are not met
------------------------	--

Trimethylamine 40% w/w aqueous solution

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Serious eye damage/irritation	: Serious eye damage, category 1, implicit pH: 13
Additional information	: Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: May cause respiratory irritation.
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

Trimethylamine 40% w/w aqueous solution (75-50-3)

LC50 fish 1	1000 mg/l - <i>Oryzias latipes</i> (Japanese rice fish) - 48 h
EC50 Daphnia 1	139 mg/l Daphnia magna (Water flea) - 48 h

Trimethylamine (75-50-3)

LC50 fish 1	1000 mg/l <i>Oryzias latipes</i> (japanese rice fish) 48hr
-------------	--

12.2. Persistence and degradability

Trimethylamine 40% w/w aqueous solution (75-50-3)

Persistence and degradability	No data available.
-------------------------------	--------------------

Trimethylamine (75-50-3)

Persistence and degradability	No data available.
-------------------------------	--------------------

Water (7732-18-5)

Persistence and degradability	No data available.
-------------------------------	--------------------

12.3. Bioaccumulative potential

Trimethylamine 40% w/w aqueous solution (75-50-3)

Log Pow	0.245
Bioaccumulative potential	No data available.

Trimethylamine (75-50-3)

Bioaccumulative potential	No bioaccumulation data available.
---------------------------	------------------------------------

Water (7732-18-5)

Bioaccumulative potential	No bioaccumulation data available.
---------------------------	------------------------------------

12.4. Mobility in soil

No additional information available

Trimethylamine 40% w/w aqueous solution

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.5. Results of PBT and vPvB assessment

Trimethylamine 40% w/w aqueous solution (75-50-3)

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Component

Trimethylamine (75-50-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
--------------------------	---

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods






Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Additional information : Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
1297	1297	1297	1297	1297
14.2. UN proper shipping name				
TRIMETHYLAMINE, AQUEOUS SOLUTION	TRIMETHYLAMINE, AQUEOUS SOLUTION	Trimethylamine, aqueous solution	TRIMETHYLAMINE, AQUEOUS SOLUTION	TRIMETHYLAMINE, AQUEOUS SOLUTION
Transport document description				
UN 1297 TRIMETHYLAMINE, AQUEOUS SOLUTION (Trimethylamine 40% w/w aqueous solution), 3 (8), I, (C/E)	UN 1297 TRIMETHYLAMINE, AQUEOUS SOLUTION (Trimethylamine 40% w/w aqueous solution), 3 (8), I	UN 1297 Trimethylamine, aqueous solution (Trimethylamine 40% w/w aqueous solution), 3 (8), I	UN 1297 TRIMETHYLAMINE, AQUEOUS SOLUTION (Trimethylamine 40% w/w aqueous solution), 3 (8), I	UN 1297 TRIMETHYLAMINE, AQUEOUS SOLUTION (Trimethylamine 40% w/w aqueous solution), 3 (8), I
14.3. Transport hazard class(es)				
3 (8)	3 (8)	3 (8)	3 (8)	3 (8)
				
14.4. Packing group				
I	I	I	I	I
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: FC
Limited quantities (ADR)	: 0
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P001
Mixed packing provisions (ADR)	: MP7, MP17
Portable tank and bulk container instructions (ADR)	: T11

Trimethylamine 40% w/w aqueous solution

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Portable tank and bulk container special provisions (ADR) : TP1

Tank code (ADR) : L10CH

Tank special provisions (ADR) : TU14, TE21

Vehicle for tank carriage : FL

Transport category (ADR) : 1

Special provisions for carriage - Operation (ADR) : S2, S20

Hazard identification number (Kemler No.) : 338

Orange plates : 

Tunnel restriction code (ADR) : C/E

EAC code : •2WE

APP code : A(fl)

Transport by sea

Limited quantities (IMDG) : 0

Excepted quantities (IMDG) : E0

Packing instructions (IMDG) : P001

Tank instructions (IMDG) : T11

Tank special provisions (IMDG) : TP1

EmS-No. (Fire) : F-E

EmS-No. (Spillage) : S-C

Stowage category (IMDG) : D

Stowage and handling (IMDG) : SW2

Segregation (IMDG) : SG54

Properties and observations (IMDG) : Aqueous solution of a flammable gas with an ammonia-like odour. Flashpoint depending on percentage of dissolved gas. May react explosively with mercury. Miscible with water. An aqueous solution of 45% TRIMETHYLAMINE, by mass, has a flashpoint of -45°C c.c. and a boiling point of 30°C (applicable to PG I only). Harmful by inhalation. Causes burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA) : E0

PCA Limited quantities (IATA) : Forbidden

PCA limited quantity max net quantity (IATA) : Forbidden

PCA packing instructions (IATA) : 350

PCA max net quantity (IATA) : 0.5L

CAO packing instructions (IATA) : 360

CAO max net quantity (IATA) : 2.5L

Special provisions (IATA) : A3, A803

ERG code (IATA) : 3CH

Inland waterway transport

Classification code (ADN) : FC

Limited quantities (ADN) : 0

Excepted quantities (ADN) : E0

Equipment required (ADN) : PP, EP, EX, A

Ventilation (ADN) : VE01

Number of blue cones/lights (ADN) : 1

Rail transport

Classification code (RID) : FC

Limited quantities (RID) : 0

Excepted quantities (RID) : E0

Packing instructions (RID) : P001

Mixed packing provisions (RID) : MP7, MP17

Portable tank and bulk container instructions (RID) : T11

Portable tank and bulk container special provisions (RID) : TP1

Tank codes for RID tanks (RID) : L10CH

Special provisions for RID tanks (RID) : TU14, TU38, TE21, TE22

Trimethylamine 40% w/w aqueous solution

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Transport category (RID) : 1

Hazard identification number (RID) : 338

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Directive 2012/18/EU (SEVESO III)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Gas 1	Flammable gases, Category 1
Press. Gas	Gases under pressure
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H220	Extremely flammable gas.
H224	Extremely flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.