

According to Regulation (EC) No 1907/2006

According to Regulation (EC) No 2020/878

Hydrogen Chloride 18% (5M) in Ethanol



Version number: 1
Issued: 2024-01-24

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Hydrogen Chloride 18% (5M) in Ethanol

CAS number

7647-01-0

EC number

231-595-7

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Research and development.

Not suitable for use in

Not suitable for human consumption or veterinary purposes.

1.3. Details of the supplier of the safety data sheet

Supplier

Molekula Group

Address

Molekula Ltd, Lingfield Way, Darlington,
DL1 4XX Darlington
United Kingdom

Telephone

+44 (0) 3302 000 333

Email

info@molekula.com

Web site

www.molekula.com

Contact person

Kevin Banks

Email

+44 (0) 7769276927

1.4. Emergency telephone number

Poison center/Additional emergency number

0344 892 0111 - National Poisons Information Service (Newcastle Centre)

According to Regulation (EC) No 1907/2006

According to Regulation (EC) No 2020/878

Hydrogen Chloride 18% (5M) in Ethanol



Version number: 1
Issued: 2024-01-24

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Classification

Flammable aerosols, hazard category 1
Corrosive to metals, hazard category 1
Skin corrosion, hazard category 1B
Serious eye damage, hazard category 1
Specific Target Organ Toxicity — Single exposure, hazard category 3

Hazard statements

H224, H290, H314, H335

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Danger

Hazard statements

H224 Extremely flammable liquid and vapour.
H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.

Precautionary statements

P260 Do not breathe dust/fumes/gas/mist/vapours/spray.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P310 Immediately call a POISON CENTER/doctor.
P363 Wash contaminated clothing before reuse.
P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.
P501 Dispose of contents/container to approved waste disposal facility.

According to Regulation (EC) No 1907/2006

According to Regulation (EC) No 2020/878

Hydrogen Chloride 18% (5M) in Ethanol

Version number: 1
Issued: 2024-01-24



2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS No. EC No. REACH No. Index No.	Concentration	Classification	H-phrase M factor acute M factor chronic	Note
ethanol; ethyl alcohol	64-17-5 200-578-6 01-2120063206-63 603-002-00-5	82%	Flam. Liq. 2	H225 - -	-
hydrochloric acid ... %	7647-01-0 231-595-7 01-2119484862-27 017-002-01-X	18%	Skin Corr. 1B, STOT SE 3 - resp. tract irrit.	H314, H335 - -	Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % STOT SE 3; H335: C ≥ 10 %; B

Molecular weight

36.46

Substance additional information

For the complete text of H- / EUH-statements mentioned in this section, see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Get medical attention if any discomfort continues. Show this Safety Data Sheet (SDS) to medical personnel.

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing. In case of persistent throat irritation or coughing: Seek medical attention and bring these instructions.

Skin contact

IF ON SKIN: Wash with plenty of soap and water. Continue to rinse for at least 15 minutes. Get medical advice/attention if you feel unwell.

According to Regulation (EC) No 1907/2006

According to Regulation (EC) No 2020/878

Hydrogen Chloride 18% (5M) in Ethanol



Version number: 1
Issued: 2024-01-24

Eye contact

Remove contact lenses if present. Rinse eyes with water. Continue to rinse for at least 15 minutes and seek medical attention.

Ingestion

Rinse mouth. Do NOT induce vomiting. Get medical advice/attention if you feel unwell.

Information for doctors

No data available.

4.2. Most important symptoms and effects, both acute and delayed

The severity of the symptoms described will vary dependant of the concentration and the length of exposure.

Inhalation

Single exposure may cause the following adverse effects: Upper respiratory irritation. Difficulty in breathing.

Skin contact

Single exposure may cause the following adverse effects: Severe skin irritation.

Eye contact

May cause temporary eye irritation.

Ingestion

Single exposure may cause the following adverse effects: Severe abdominal pain. Nausea, vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. No special treatment requirement.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use alcohol resistant foam, carbon dioxide or dry powder to extinguish.

Unsuitable extinguishing media

No specific fire fighting procedure given.

According to Regulation (EC) No 1907/2006

According to Regulation (EC) No 2020/878

Hydrogen Chloride 18% (5M) in Ethanol



Version number: 1
Issued: 2024-01-24

5.2. Special hazards arising from the substance or mixture

Specific hazards: FLAMMABLE.

Containers can burst violently when heated, due to excess pressure build-up.

Vapours may form explosive mixture with air at room temperature.

Carbon monoxide (CO). Carbon dioxide (CO₂).

Combustible.

Vapours are heavier than air and may travel along the floor and in the bottom of containers.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Evacuate area. Avoid breathing gas, fume, vapours or spray. Prevent skin contact by maintaining a safe distance and by wearing suitable protective equipment/ clothing. Cool containers exposed to heat with water spray and remove container, if no risk is involved.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid inhalation of vapours and spray mist and contact with skin and eyes. For personal protection, see section 8. Provide adequate ventilation. Remove sources of ignition. Beware of the explosion danger. Take action to prevent static discharges.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground. Risk of explosion.

6.3. Methods and material for containment and cleaning up

Collect with absorbent, non-combustible material into suitable containers. Remove sources of ignition. Beware of the explosion danger. Use spark-proof tools and explosion-proof equipment.

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Preventive handling precautions

For precautions see section 2.2. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take action to prevent static discharges. Use spark-proof tools and explosion-proof equipment. Wear protective clothing, gloves, eye and face protection. Avoid contact with skin and eyes. Avoid ingestion and inhalation.

According to Regulation (EC) No 1907/2006

According to Regulation (EC) No 2020/878

Hydrogen Chloride 18% (5M) in Ethanol



Version number: 1
Issued: 2024-01-24

General hygiene

Observe good chemical hygiene practices. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove contaminated clothing and launder thoroughly before re-use. Wash skin thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Store at room temperature. Store in a dry place. Store in a closed container. Handle and store contents under inert gas. Moisture Sensitive.

7.3. Specific end use(s)

No specific usage precautions noted.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits

No occupational exposure limit assigned.

8.2. Exposure controls

Eye / face protection

Wear eye protection.

Hand protection

Wear protective gloves. No specific hygiene procedures noted, but good personal hygiene practices are always advisable, especially when working with chemicals. Wash contaminated skin thoroughly after handling.

Other skin protection

Wash skin thoroughly after handling.

Respiratory protection

Provide adequate ventilation. If ventilation is insufficient, suitable respiratory protection must be provided.

Environmental exposure controls

Avoid discharge into drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

No data available

According to Regulation (EC) No 1907/2006

According to Regulation (EC) No 2020/878

Hydrogen Chloride 18% (5M) in Ethanol

Version number: 1
Issued: 2024-01-24



Odour

No data available

Melting point / freezing point

-114°C / -173.2°F

Boiling point or initial boiling point and boiling range

78°C / 172.4°F 1.013 hPa

Flammability

No data available

Lower and upper explosion limit

2.5% (vol) - 13.5% (vol)

Flash point

12 °C

Auto-ignition temperature

No data available

Decomposition temperature

No data available

pH

<2

Kinematic viscosity

No data available

Solubility

No data available

Partition coefficient n-octanol/water

No data available

Vapour pressure

59 hPa 20°C / 68°F

Density and/or relative density

0.904cm³

Relative vapour density

No data available

Particle characteristics

No data available

According to Regulation (EC) No 1907/2006

According to Regulation (EC) No 2020/878

Hydrogen Chloride 18% (5M) in Ethanol



Version number: 1
Issued: 2024-01-24

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal temperature conditions. Stable under the prescribed storage conditions.

10.3. Possibility of hazardous reactions

There are no known conditions that are likely to result in a hazardous situation.

10.4. Conditions to avoid

Heat, sparks, flames.

10.5. Incompatible materials

oxidising agents Bases.

10.6. Hazardous decomposition products

See section 5.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

No data available

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

According to Regulation (EC) No 1907/2006

According to Regulation (EC) No 2020/878

Hydrogen Chloride 18% (5M) in Ethanol



Version number: 1
Issued: 2024-01-24

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors.

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal considerations

Dispose of contents/container in accordance with local regulations.

SECTION 14: Transport information

14.1. UN number

2924

14.2. UN proper shipping name

ADR / RID / ADN proper shipping name

FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Hydrochloric acid 17% in Ethanol)

IMDG proper shipping name

FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Hydrochloric acid 17% in Ethanol)

IATA proper shipping name

Flammable liquid, corrosive, n.o.s. (Hydrochloric acid 17% in Ethanol)

According to Regulation (EC) No 1907/2006

According to Regulation (EC) No 2020/878

Hydrogen Chloride 18% (5M) in Ethanol



Version number: 1
Issued: 2024-01-24

14.3. Transport hazard class(es)

Label


ADR/RID/ADN



IMDG



IATA



ADR / RID Class

3

ADR / RID Classification code

FC

ADR / RID hazard identification number

338

IMDG Class

3 (8)

IATA Class

3 (8)

ADN Class

3

ADN Class Code

FC

According to Regulation (EC) No 1907/2006

According to Regulation (EC) No 2020/878

Hydrogen Chloride 18% (5M) in Ethanol



Version number: 1
Issued: 2024-01-24

14.4. Packing group

ADR / RID / ADN: II
IMDG: II
IATA: II

14.5. Environmental hazards

IMDG EmS
F-E, S-C

14.6. Special precautions for user

Tunnel restriction code: D/E
Transport category: 2

14.7. Maritime transport in bulk according to IMO instruments

IBC Instruction: IBC02

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.
This material safety data sheet complies with the requirements of Regulation (EU) 2020/878.

National regulations

No data available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Phrase meaning

Flam. Aer. 1 - Flammable aerosols, hazard category 1
Met. Corr. 1 - Corrosive to metals, hazard category 1
Skin Corr. 1B - Skin corrosion, hazard category 1B
Eye Dam. 1 - Serious eye damage, hazard category 1
STOT SE 3 - Specific Target Organ Toxicity — Single exposure, hazard category 3
STOT SE 3 - resp. tract irrit. - Specific Target Organ Toxicity — Single exposure, hazard category 3 - respiratory tract irritation
Flam. Liq. 2 - Flammable liquids, hazard category 2
H224 Extremely flammable liquid and vapour.
H225 Highly flammable liquid and vapour.
H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.