

Ammonia 8% (4.7M) in Ethanol Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 17/01/2019 Version: 1.0

	nce/mixture and of the company/undertaking		
1.1. Product identifier Product form	: Mixture		
Product name	: Ammonia 8% (4.7M) in Ethanol		
CAS-No.	: 7664-41-7		
Product code	: 90027387		
Formula	: H3N		
1.2. Relevant identified uses of the substance			
	se of mixture and uses advised against		
1.2.1. Relevant identified uses			
Industrial/Professional use spec	: For professional use only Industrial Laboratory chemicals		
1.2.2. Uses advised against			
No additional information available			
1.3. Details of the supplier of the safety data Scafell Organics Molekula Ltd Lingfield Way Darlington - England T +44 (0) 1949 823777 / +44 (0) 7590 545705 info@molekula.com / kbowen@molekula.com - www			
1.4. Emergency telephone number			
Emergency number : +	+44 (0) 7590 545705		
SECTION 2: Hazards identification 2.1. Classification of the substance or mixtu			
	ue		
Classification according to Regulation (EC) No. 12 Flammable liquids, Category 2 Acute toxicity (inhalation:dust,mist) Category 4 Skin corrosion/irritation, Category 1B Full text of H statements : see section 16	272/2008 [CLP] H225 H332 H314		
	· · · · · · · · · · · · · · · · · · ·		
Adverse physicochemical, human health and env No additional information available 2.2. Label elements	ironmental effects		
Labelling according to Regulation (EC) No. 1272/2 Hazard pictograms (CLP)			
	GHS02 GHS05 GHS07		
Signal word (CLP)	: Danger		
Hazardous ingredients	: Ammonia		
Hazard statements (CLP)	: H225 - Highly flammable liquid and vapour. H314 - Causes severe skin burns and eye damage. H332 - Harmful if inhaled.		
Precautionary statements (CLP)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P240 - Ground and bond container and receiving equipment. P241 - Use explosion-proof equipment. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P311 - IF exposed or concerned: Call a POISON CENTER or doctor. 		
2.3. Other hazards This substance/mixture does not meet the PBT criter	ia of REACH regulation, annex XIII		

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 3: Composition/informat	ion on ingredients			
3.1. Substances				
Not applicable				
3.2. Mixtures				
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
ETHANOL	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5	90 - 95	Flam. Liq. 2, H225	
Ammonia	(CAS-No.) 7664-41-7 (EC-No.) 231-635-3 (EC Index-No.) 007-001-00-5	5 - 10	Flam. Gas 2, H221 Press. Gas Acute Tox. 3 (Inhalation), H331 Skin Corr. 1B, H314 Aquatic Acute 1, H400	

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: If possible show this sheet, if not available show packaging or label. Do not leave affected person unattended. Never give anything by mouth to an unconscious person.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. Get immediate medical advice/attention.
First-aid measures after skin contact	: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Do not remove clothing if it sticks to the skin. Seek medical attention if burns develop.
First-aid measures after eye contact	: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: Rinse mouth out with water. Get immediate medical advice/attention. Do not induce vomiting. Do not give an unconscious person anything to drink.
4.2. Most important symptoms and effects, I	both acute and delayed
Symptoms/effects	: Causes severe skin burns and eye damage.
Symptoms/effects after inhalation	: Inhalation may cause irritation (cough, short breathing, difficulty in breathing).
Symptoms/effects after skin contact	: May produce skin irritation, blistering, ulcers, and deep scarring. Causes severe burns.
Symptoms/effects after eye contact	: Causes eye irritation. redness, itching, tears. Direct contact may result in corneal injury.
Symptoms/effects after ingestion	: Symptoms of ingestion include drowsiness, weakness, headache, dizziness, nausea, vomiting. Burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

4.3. Indication of any immediate medical attention and special treatment needed Get immediate medical advice/attention.

SECTION 5: Firefighting measures 5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the substa	nce or mixture
Fire hazard	: Highly flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapour-air mixture.
Hazardous decomposition products in case of fire	: Carbon oxides (CO, CO2). Nitrogen oxides.
5.3. Advice for firefighters	
Precautionary measures fire	: Exposure to fire/heat: seal off low-lying areas. Keep container tightly closed and away from heat, sparks and flame. Keep away from combustible materials.
Firefighting instructions	: Eliminate all ignition sources if safe to do so. Evacuate area. Warn all persons of corrosive and toxic hazard. Keep upwind.
Protection during firefighting	: Use self-contained breathing apparatus and chemically protective clothing.

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
General measures	: Do not handle until all safety precautions have been read and understood. Ventilate the area thoroughly, especially low lying areas (basements, workpits etc). Proper grounding procedures to avoid static electricity should be followed.		
6.1.1. For non-emergency personnel Protective equipment	: Wear recommended personal protective equipment.		

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Emergency procedures	: Do not touch or walk on the spilled product. Evacuate area. Mark out the contaminated area with signs and prevent access to unauthorized personnel. Do not breathe vapours. Do not get in eyes, on skin, or on clothing. Turn leaking containers leak-side up to prevent the escape of liquid.
Measures in case of dust release	: Shelter from vapours by keeping upwind. Special attention should be given to low areas/pits where flammable vapours can accumulate.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. Use self-contained breathing apparatus and chemically protective clothing.
Emergency procedures	: All equipment used when handling the product must be grounded. Cover spill with non combustible material, e.g.: sand/earth. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Stop leak if safe to do so.
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Notify aut	norities if liquid enters sewers or public waters.
	and the second

6.3. Methods and material for containment and cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Methods for cleaning up

Collect spillage. Store away from other materials.

6.4. Reference to other sections See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable.		
Precautions for safe handling	: Avoid contact with skin, eyes and clothing. Avoid formation of vapours. Do not handle until all safety precautions have been read and understood. Ensure that there is a suitable ventilation system. Do not handle in a confined space.		
Hygiene measures	: Take off immediately all contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Always wash hands after handling the product.		
7.2. Conditions for safe storage, including any incompatibilities			
Technical measures	: Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment.		
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources. Keep container tightly closed.		
Incompatible products	: Aldehydes. Alkali metals. Acids. Cadmium. copper. Halogens. Iron. Oxidising agents. Peroxides. silver. zinc.		
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.		
Storage area	: Keep in fireproof place. Store at ambient temperature.		
7.3. Specific end use(s)			
No additional information available			

SECTION 8: Exposure controls/personal protection						
8.1. Control parameters						
Ammonia (7664-41-7)						
United Kingdom	Local name	Ammonia, anhydrous				
United Kingdom	WEL TWA (mg/m ³)	18 mg/m³				
United Kingdom WEL TWA (ppm) 25 ppm						
United Kingdom WEL STEL (mg/m ³) 25 mg/m ³						
United Kingdom WEL STEL (ppm) 35 ppm						
United Kingdom	United Kingdom Regulatory reference EH40. HSE					

ETHANOL (64-17-5)			
United Kingdom Local name Ethanol			
United Kingdom	WEL TWA (mg/m³)	1920 mg/m ³	
United Kingdom	WEL TWA (ppm)	1000 ppm	
United Kingdom	Regulatory reference	EH40. HSE	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2. Exposure controls

Appropriate engineering controls:

Both local exhaust and good general room ventilation must be provided not only to control exposure but also to prevent formation of flammable mixtures. Floors should be impervious, resistant to liquids and easy to clean. Use spark-/explosionproof appliances and lighting system.

Personal protective equipment:

Avoid contact with skin and eyes. Avoid inhalation of vapours. Wear recommended personal protective equipment. Avoid all unnecessary exposure.

Materials for protective clothing:

Wear fire/flame resistant/retardant clothing. Use chemically protective clothing

Hand protection:

Always wash hands after handling the product. The protective gloves to be used must comply with the specifications of the regulation 2016/425 and the resultant standard EN 374. Wear protective gloves.

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
	Butyl rubber	6 (> 480 minutes)	0.3		EN 374

Eye protection:

Chemical goggles or face shield. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure. Use eye protection according to EN 166, designed to protect against liquid splashes.

Туре	Use	Characteristics	Standard
Face shield, Safety goggles	Droplet, vapours	tightly fitting safety goggles, With side shields	EN 166

Skin and body protection:

Keep suitable chemically resistant protective clothing readily available for emergency use. Emergency safety showers should be available in the immediate vicinity of any potential exposure. Wear suitable protective clothing

Туре	Standard
Total impervious protective suits, gloves, and boots must be worn to prevent any contact with the product	EN 14605

Respiratory protection:

Keep self contained breathing apparatus readily available for emergency use. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. Wear appropriate mask

Device	Filter type	Condition	Standard
Respiratory protective device with a particle filter		Protection for Liquid particles, Vapour protection	EN 14387

Environmental exposure controls:

Avoid formation of vapours. Prevent entry to sewers and public waters.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical p 9.1. Information on basic physical and ch	
Physical state	: Liquid
Molecular mass	: 17.03 g/mol
Colour	: Colourless.
Odour	: No data available
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 60 °C
Flash point	: 3 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0.785 g/cm3 at 25.C
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	

No additional information available

10.1. Reactivity The product is non-reactive under normal conditions of use, storage and transport.
The product is non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability
Stable under recommended handling and storage conditions (see section 7).
10.3. Possibility of hazardous reactions
Stable under normal conditions of use.
10.4. Conditions to avoid
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
10.5. Incompatible materials
Acids. Aldehydes. Alkali metals. copper. Cadmium. Halogens. Iron. Oxidising agents. Peroxides. Silver. zinc.
10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition generates : Carbon oxides (CO, CO2). Nitrogen oxides.

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Inhalation:dust,mist: Harmful if inhaled.
ATE CLP (dust,mist)	5 mg/l/4h

Ammonia (7664-41-7)	
LD50 oral rat	350 mg/kg bodyweight
LC50 inhalation rat (mg/l)	9.85 - 13.77 mg/l 60min

ETHANOL (64-17-5)	
LD50 oral rat	10470 mg/kg
LD50 dermal rabbit	15800 mg/kg
LC50 inhalation rat (Vapours - mg/l/4h)	30000 mg/l/4h
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Serious eye damage, category 1, implicit
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met

Ammonia 8% (4.7M) in Ethanol Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Potential adverse human health effects and	: Harmful if inhaled.
symptoms	

SECTION 12: Ecological information	
12.1. Toxicity	
Acute aquatic toxicity :	Not classified
Chronic aquatic toxicity :	Not classified
Ammonia (7664-41-7)	
LC50 fish 1	0.89 mg/l
EC50 Daphnia 1	101 mg/l

ETHANOL (64-17-5)	
LC50 fish 1	14200 mg/l Fathead minnow
LC50 other aquatic organisms 1	5012 mg/l 48h
EC50 72h algae (1)	275 mg/l Chlorella vulgaris (Fresh water algae)
NOEC (chronic)	9.6 mg/l 9 day Daphnia magna (Water flea)
12.2. Persistence and degradability	
Ammonia 8% (4.7M) in Ethanol (7664-41-7)	
Persistence and degradability	No data available.

Ammonia (7664-41-7)	
Persistence and degradability	Biodegradable.

ETHANOL (64-17-5)			
Persistence and degradability	Biodegradable.		
Biochemical oxygen demand (BOD)	1.067 - 1.236 g O ₂ /g substance		
Chemical oxygen demand (COD)	1.99 g O ₂ /g substance		
12.3. Bioaccumulative potential			
Ammonia 8% (4.7M) in Ethanol (7664-41-7)			
Bioaccumulative potential No bioaccumulation data available.			

Ammonia (7664-41-7)	
Bioaccumulative potential	No bioaccumulation data available.

ETHANOL (64-17-5)				
Log Pow	-0.35 @20.C			
Bioaccumulative potential	No bioaccumulation data available.			
12.4. Mobility in soil				
No additional information available				
12.5. Results of PBT and vPvB assessment				
Ammonia 8% (4.7M) in Ethanol (7664-41-7)				
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII				
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII				
12.6. Other adverse effects				
dditional information : Avoid release to the environment.				

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Additional information

Ecology - waste materials

: Handle empty containers with care because residual vapours are flammable.

: Avoid release to the environment.

ADR	IMDG		ΙΑΤΑ	ADN	RID	
14.1. UN number						
2924	2924		2924	2924	2924	
14.2. UN proper shipping			2021	2021	2021	
	•	_				
FLAMMABLE LIQUID, CORROSIVE, N.O.S.	FLAMMABLE LIQUID, CORROSIVE, N.O.S.		Flammable liquid, corrosive, n.o.s.	FLAMMABLE LIQUID, CORROSIVE, N.O.S.	FLAMMABLE LIQUID, CORROSIVE, N.O.S.	
Transport document descri	ption					
UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Ammonia 8% (4.7M) in Ethanol), 3 (8), II, (D/E) UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Ammonia 8% (4.7M) in Ethanol), 3 (8), II,		E, corro 6 8%	924 Flammable liquid, sive, n.o.s. (Ammonia (4.7M) in Ethanol), 3 (8), II	UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Ammonia 8% (4.7M) in Ethanol), 3 (8), II	UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Ammonia 8% (4.7M) in Ethanol), 3 (8),	
14.3. Transport hazard cl	lass(es)					
3 (8)	3 (8)		3 (8)	3 (8)	3 (8)	
					3	
14.4. Packing group						
II	II		II	Ш	II	
14.5. Environmental haza	ards	· · · ·				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No		Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No	
No supplementary information	n available					
4.6. Special precautions	for user					
Overland transport						
Classification code (ADR)		: FC				
Special provisions (ADR)	: 274					
imited quantities (ADR)	: 11					
Excepted quantities (ADR)	: E2					
Packing instructions (ADR) :		: P001, IBC02				
Mixed packing provisions (ADR)		: MP19				
Portable tank and bulk contain ADR)	er instructions	: T11				
Portable tank and bulk contain ADR)	er special provisions	: TP2, TP2	7			
ank code (ADR)		: L4BH				
ehicle for tank carriage : FL		: FL				
ransport category (ADR) : 2		: 2				
Special provisions for carriage - Operation (ADR) : S		: S2, S20				
		: 338				
Drange plates		33 292				
unnel restriction code (ADR)		: D/E				
EAC code		: •3WE				

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Transport by sea	
Special provisions (IMDG)	: 274
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T11
Tank special provisions (IMDG)	: TP2, TP27
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-C
Stowage category (IMDG)	: B
Stowage and handling (IMDG)	: SW2
Properties and observations (IMDG)	: Causes burns to skin, eyes and mucous membranes.
Air transport	
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y340
PCA limited quantity max net quantity (IATA)	: 0.5L
PCA packing instructions (IATA)	: 352
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 363
CAO max net quantity (IATA)	: 5L
Special provisions (IATA)	: A3, A803
ERG code (IATA)	: 3CH
Inland waterway transport	
Classification code (ADN)	: FC
Special provisions (ADN)	: 274
Limited quantities (ADN)	:1L
Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: Т
Equipment required (ADN)	: PP, EP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 1
Rail transport	
Classification code (RID)	: FC
Special provisions (RID)	: 274
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T11
Portable tank and bulk container special provisions (RID)	: TP2, TP27
Tank codes for RID tanks (RID)	: L4BH
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE7
Hazard identification number (RID)	: 338

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances Directive 2012/18/EU (SEVESO III)

15.1.2. National regulations

No additional information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

SECTION 16: Other information			
Data sources :	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.		
Other information :	None.		
Full text of H- and EUH-statements:			
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3		
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1		
Flam. Gas 2	Flammable gases, Category 2		
Flam. Liq. 2	Flammable liquids, Category 2		
Press. Gas	Gases under pressure		
Skin Corr. 1B	Skin corrosion/irritation, Category 1B		
H221	Flammable gas.		
H225	Highly flammable liquid and vapour.		
H314	Causes severe skin burns and eye damage.		
H331	Toxic if inhaled.		
H332	Harmful if inhaled.		
H400	Very toxic to aquatic life.		

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product