

# SAFETY DATA SHEET

## Copper(II) sulfate pentahydrate

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

.

SECTION 1: Identification of the substance/mixture and of the company/undert	aking
1.1. Product identifier	

.....

*/*...\

1.1.	FIGUUC	liueniinei	

Product name	Copper(II) sulfate pentahydrate
Product number	54865587
Synonyms; trade names	copper sulphate pentahydrate
CAS number	7758-99-8
EU index number	029-023-00-4
EC number	231-847-6

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Uses advised against For research and development purposes. Not suitable for human consumption or veterinary purposes.

## 1.3. Details of the supplier of the safety data sheet

Molekula Ltd. Lingfield Way, Darlington, DL1 4XX, United Kingdom +44 (0) 3302000333 info@molekula.com

## 1.4. Emergency telephone number

+44 (0) 7769276927

Supplier

## SECTION 2: Hazards identification

2.1.	Classification	of the substance	or mixture
------	----------------	------------------	------------

Classification (EC 1272/2008)	
Physical hazards	Not Classified
Health hazards	Acute Tox. 3 - H301 Skin Irrit. 2 - H315 Eye Dam. 1 - H318
Environmental hazards	Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410
2.2. Label elements	
EC number	231-847-6
Hazard pictograms	
	¥2

Signal word	Danger
Hazard statements	H301 Toxic if swallowed. H315 Causes skin irritation. H318 Causes serious eye damage. H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements	<ul> <li>P273 Avoid release to the environment.</li> <li>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</li> <li>P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</li> <li>P302+P352 IF ON SKIN: Wash with plenty of water.</li> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P308+P313 IF exposed or concerned: Get medical advice/ attention.</li> <li>P332+P313 If skin irritation occurs: Get medical advice/ attention.</li> <li>P362+P364 Take off contaminated clothing and wash it before reuse.</li> <li>P405 Store locked up.</li> <li>P501 Dispose of contents/ container in accordance with national regulations.</li> </ul>

## 2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

SECTION 3: Composition/information on ingredients	
3.1. Substances	
Product name	Copper(II) sulfate pentahydrate
EU index number	029-023-00-4
CAS number	7758-99-8
EC number	231-847-6
Chemical formula	CuO4S · 5H2O
SECTION 4: First aid measures	
4.1. Description of first aid measures	

General information	Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms are severe or persist.
Ingestion	Get medical attention immediately. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Never give anything by mouth to an unconscious person. Place unconscious person on their side in the recovery position and ensure breathing can take place. Keep affected person under observation.
Skin contact	Rinse with water.
Eye contact	Rinse immediately with plenty of water. Do not rub eye. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.
Protection of first aiders	It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.
4.2. Most important sympto	ms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	A single exposure may cause the following adverse effects: Temporary irritation.
Ingestion	May cause stomach pain or vomiting. May cause severe internal injury.
Skin contact	Redness. Irritating to skin.
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically. Keep affected person under observation.	
SECTION 5: Firefighting meas	sures	
5.1. Extinguishing media		
Suitable extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
5.2. Special hazards arising from the substance or mixture		
Specific hazards	This product is toxic.	
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Very toxic or corrosive gases or vapours.	
5.3. Advice for firefighters		
Protective actions during firefighting	Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.	
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	
SECTION 6: Accidental releas	e measures	

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material.

### 6.2. Environmental precautions

**Environmental precautions** Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Provide adequate ventilation. Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into drains. For waste disposal, see Section 13.

#### 6.4. Reference to other sections

For personal protection, see Section 8. See Section 11 for additional information on health Reference to other sections hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

	<u> </u>
Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Keep container tightly sealed when not in use. This product is toxic. Immediate first aid is imperative. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.
7.2. Conditions for safe storag	re, including any incompatibilities
Storage precautions	Store away from incompatible materials (see Section 10). Store locked up. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Air sensitive. Store under inert gas.
Storage class	Toxic storage.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.

#### **SECTION 8: Exposure controls/Personal protection**

#### 8.1. Control parameters

STEL


2mg/I, UK. EH40 WEL - Workplace Exposure Limits

TWA

controls

1mg/l, UK. EH40 WEL - Workplace Exposure Limits

## 8.2. Exposure controls



Eye/face protection

Hand protection



Appropriate engineering Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients.

> Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a fullface respirator may be required instead.

Wear protective gloves. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.

Other skin and body protection

Wear appropriate clothing to prevent repeated or prolonged skin contact.

Hygiene measures	Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.
Respiratory protection	Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with European Standard EN14387. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140.
Environmental exposure controls	Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Appearance	Crystalline solid.	
Colour	Blue.	
Odour	Not known.	
Odour threshold	No information available.	
рН	pH (diluted solution): 3.7 - 4.5 50g/l (25°C/ 77°F)	
Melting point	110°C/230°F dec.	
Initial boiling point and range	No information available.	
Flash point	No information available.	
Evaporation rate	No information available.	
Flammability (solid, gas)	No information available.	
Upper/lower flammability or explosive limits	No information available.	
Vapour pressure	9.7 hPa @ 25°C/77°F	
Vapour density	No information available.	
Relative density	2.284	
Solubility(ies)	Soluble in water.	
Partition coefficient	No information available.	
Auto-ignition temperature	No information available.	
Decomposition Temperature	No information available.	
9.2. Other information		
Molecular weight	249.68	
SECTION 10: Stability and rea	activity	
10.1. Reactivity		

Reactivity

See the other subsections of this section for further details.

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions. Hygroscopic.	
10.3. Possibility of hazardous	reactions	
Possibility of hazardous reactions	No potentially hazardous reactions known.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid excessive heat for prolonged periods of time. Protect from moisture.	
10.5. Incompatible materials		
Materials to avoid	Oxides of the following substances: Copper. Sulphur.	
10.6. Hazardous decompositi	on products	
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours.	
SECTION 11: Toxicological in	formation	
11.1. Information on toxicolog		
Acute toxicity - oral		
Summary	Toxic if swallowed.	
ATE oral (mg/kg)	500.0	
Acute toxicity - dermal		
Summary	Based on available data the classification criteria are not met.	
Acute toxicity - inhalation Summary	Based on available data the classification criteria are not met.	
Skin corrosion/irritation Summary	Causes skin irritation.	
Serious eye damage/irritation Summary	Causes serious eye damage.	
Respiratory sensitisation		
Summary	Based on available data the classification criteria are not met.	
Skin sensitisation Summary	Based on available data the classification criteria are not met.	
Germ cell mutagenicity Summary	Based on available data the classification criteria are not met.	
Carcinogenicity		
Summary	Based on available data the classification criteria are not met.	
IARC carcinogenicity	None of the ingredients are listed or exempt.	
Reproductive toxicity		
Summary	Based on available data the classification criteria are not met.	
Specific target organ toxicity -		
Summary	Based on available data the classification criteria are not met.	
Specific target organ toxicity - repeated exposure		

Summary	Based on available data the classification criteria are not met.
Aspiration hazard Summary	Not relevant. Solid.
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	A single exposure may cause the following adverse effects: Temporary irritation.
Ingestion	May cause stomach pain or vomiting. May cause severe internal injury.
Skin contact	Redness. Irritating to skin.
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target organs	No specific target organs known.
SECTION 12: Ecological infor	mation
<u>12.1. Toxicity</u> Acute aquatic toxicity	
Summary	Very toxic to aquatic life.
LE(C)50	0.1 < L(E)C50 ≤ 1
M factor (Acute)	10
Chronic aquatic toxicity Summary	Very toxic to aquatic life with long lasting effects.
12.2. Persistence and degrad	ability

Persistence and degradability The degradability of the product is not known.

r ensistence and degradability	The degradability of the product is not known.	
12.3. Bioaccumulative potentia	<u>a/</u>	
Bioaccumulative potential	No data available on bioaccumulation.	
Partition coefficient	No information available.	
12.4. Mobility in soil		
Mobility	No data available.	
12.5. Results of PBT and vPvB assessment		
12.6. Other adverse effects		
Other adverse effects	None known.	
SECTION 13: Disposal considerations		
13.1. Waste treatment methods		

General information

The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.

Disposal methods Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Incineration or landfill should only be considered when recycling is not feasible.

## SECTION 14: Transport information

For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.

14 1	I IN	number
17.1.	011	nunibei

General

UN No. (ADR/RID)	3077
UN No. (IMDG)	3077
UN No. (ICAO)	3077
UN No. (ADN)	3077

#### 14.2. UN proper shipping name

Proper shipping name (ADR/RID)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Proper shipping name (IMDG)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Proper shipping name (ICAO)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Proper shipping name (ADN)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

14.3. Transport hazard class(es)

ADR/RID class	9
ADR/RID classification code	M7
ADR/RID label	9
IMDG class	9
ICAO class/division	9
ADN class	9

Transport labels



14.4. Packing group

ADR/RID packing group	III
IMDG packing group	III
ICAO packing group	III
ADN packing group	III
14.5. Environmental hazards	

#### Environmentally hazardous substance/marine pollutant



### 14.6. Special precautions for user

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

EmS	F-A, S-F
ADR transport category	3
Emergency Action Code	2Z
Hazard Identification Number (ADR/RID)	90
Tunnel restriction code	(-)

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

<b>SECTION 15: Regula</b>	atory information
---------------------------	-------------------

National regulations	Health and Safety at Work etc. Act 1974 (as amended). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits.
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Regulation (EU) No 2015/830 of 28 May 2015. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### Inventories

## **EU - EINECS/ELINCS**

None of the ingredients are listed or exempt.

**SECTION 16: Other information** 

Abbreviations and acronyms used in the safety data sheet	<ul> <li>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.</li> <li>ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.</li> <li>RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.</li> <li>IATA: International Air Transport Association.</li> <li>ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.</li> <li>IMDG: International Maritime Dangerous Goods.</li> </ul>
	<ul> <li>CAS: Chemical Abstracts Service.</li> <li>ATE: Acute Toxicity Estimate.</li> <li>LC<sub>50</sub>: Lethal Concentration to 50 % of a test population.</li> <li>LD<sub>50</sub>: Lethal Dose to 50% of a test population (Median Lethal Dose).</li> <li>EC<sub>50</sub>: 50% of maximal Effective Concentration.</li> <li>PBT: Persistent, Bioaccumulative and Toxic substance.</li> <li>vPvB: Very Persistent and Very Bioaccumulative.</li> </ul>
Classification abbreviations and acronyms	Acute Tox. = Acute toxicity Eye Dam. = Serious eye damage Skin Irrit. = Skin irritation Aquatic Acute = Hazardous to the aquatic environment (acute) Aquatic Chronic = Hazardous to the aquatic environment (chronic)
Classification procedures according to Regulation (EC) 1272/2008	Acute Tox. 3 - H301: Eye Dam. 1 - H318: Skin Irrit. 2 - H315: : Expert judgement. Aquatic Acute 1 - H400: Aquatic Chronic 1 - H410: : Expert judgement.
Training advice	Only trained personnel should use this material.
Revision date	01/06/2021
Revision	1
SDS number	173
Hazard statements in full	H301 Toxic if swallowed. H315 Causes skin irritation. H318 Causes serious eye damage. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.