

According to Regulation (EC) No 1907/2006

1-Amino-2-propanol

Version number: 2
Issued: 2023-11-16
Replaces SDS: 2020-05-14



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

1-Amino-2-propanol

CAS number

78-96-6

EC number

201-162-7

Synonyms

1-aminopropan-2-ol isopropanolamine

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Research and development.

Not suitable for use in

Not suitable for human consumption or veterinary purposes.

1.3. Details of the supplier of the safety data sheet

Supplier

Molekula Group

Address

Molekula Ltd, Lingfield Way, Darlington,
DL1 4XX Darlington
United Kingdom

Telephone

+44 (0) 3302 000 333

Email

info@molekula.com

Web site

www.molekula.com

Contact person

Kevin Banks

Email

+44 (0) 7769276927

1.4. Emergency telephone number

Poison center/Additional emergency number

0344 892 0111 - National Poisons Information Service (Newcastle Centre)

According to Regulation (EC) No 1907/2006

1-Amino-2-propanol

Version number: 2
Issued: 2023-11-16
Replaces SDS: 2020-05-14



SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Classification

Serious eye damage, hazard category 1

Skin corrosion, hazard category 1B

Acute toxicity, dermal, hazard category 4

Hazard statements

H312, H314, H318

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Danger

Hazard statements

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

According to Regulation (EC) No 1907/2006

1-Amino-2-propanol

Version number: 2
 Issued: 2023-11-16
 Replaces SDS: 2020-05-14



Precautionary statements

P202 Do not handle until all safety precautions have been read and understood.
 P233 Keep container tightly closed.
 P260 Do not breathe dust/fumes/gas/mist/vapours/spray.
 P262 Do not get in eyes, on skin, or on clothing.
 P264 Wash skin thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P271 Use only outdoors or in a well-ventilated area.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
 P302 + P352 IF ON SKIN: Wash with plenty of water/.
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P314 Get medical advice/attention if you feel unwell.
 P332 + P313 If skin irritation occurs: Get medical advice/attention.
 P337 + P313 If eye irritation persists: Get medical advice/attention.
 P362 + P364 Take off contaminated clothing and wash it before reuse.
 P403 Store in a well-ventilated place.
 P405 Store locked up.
 P501 Dispose of contents/container to local regulations.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	CAS No. EC No. REACH No. Index No.	Concentration	Classification	H-phrase M factor acute M factor chronic	Note
1-Amino-2-propanol	78-96-6 201-162-7 - -	100%	Acute Tox. 4 - dermal, Skin Corr. 1B, Eye Dam. 1	H312, H314, H318 - -	-

Molecular weight

75.11

Substance additional information

For the complete text of H- / EUH-statements mentioned in this section, see section 16.

According to Regulation (EC) No 1907/2006

1-Amino-2-propanol

Version number: 2
 Issued: 2023-11-16
 Replaces SDS: 2020-05-14



SECTION 4: First aid measures

4.1. Description of first aid measures

IF exposed or concerned: Get medical advice/attention. First aiders/ medical personnel need to protect themselves. Show this Safety Data Sheet (SDS) to medical personnel.

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. If breathing stops, provide artificial respiration. For breathing difficulties oxygen may be necessary.

Skin contact

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Immediately call a POISON CENTER/doctor.

Eye contact

Remove contact lenses if present. Rinse eyes with water. Continue to rinse for at least 15 minutes and seek medical attention.

Ingestion

IF SWALLOWED: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only if the persons are fully conscious and awake). Administer activated charcoal (20 - 40g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

Information for doctors

No data available.

4.2. Most important symptoms and effects, both acute and delayed

The severity of the symptoms described will vary dependant of the concentration and the length of exposure. Causes burns by all exposure routes.

See section 11 for more detailed information on health effects and symptoms.

Inhalation

Single exposure may cause the following adverse effects: Causes severe burns. Difficulty in breathing.

Skin contact

Single exposure may cause the following adverse effects: Causes severe burns. Blistering may occur. May be absorbed in the body and cause dizziness, nausea and vomiting. Unconsciousness.

Eye contact

Single exposure may cause the following adverse effects: Causes serious eye damage.

Ingestion

Single exposure may cause the following adverse effects: Severe abdominal pain. May cause severe internal injury.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Immediately call a POISON CENTER/doctor.

According to Regulation (EC) No 1907/2006

1-Amino-2-propanol

Version number: 2
 Issued: 2023-11-16
 Replaces SDS: 2020-05-14



SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

Unsuitable extinguishing media

No specific fire fighting procedure given.

5.2. Special hazards arising from the substance or mixture

Specific hazards: Corrosive. Combustible.

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

Carbon monoxide (CO). Carbon dioxide (CO₂).

Nitrous gases (NO_x).

Vapours are heavier than air and may travel along the floor and in the bottom of containers.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Evacuate area. Avoid breathing gas, fume, vapours or spray. Prevent skin contact by maintaining a safe distance and by wearing suitable protective equipment/ clothing. Cool containers exposed to heat with water spray and remove container, if no risk is involved.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Avoid contact with skin and eyes. For personal protection, see section 8.

In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Collect with absorbent, non-combustible material into suitable containers.

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

According to Regulation (EC) No 1907/2006

1-Amino-2-propanol

Version number: 2
 Issued: 2023-11-16
 Replaces SDS: 2020-05-14



SECTION 7: Handling and storage

7.1. Precautions for safe handling

Preventive handling precautions

For precautions see section 2.2. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Work under hood. Take action to prevent static discharges. Wear protective clothing, gloves, eye and face protection. Avoid contact with skin and eyes. Avoid ingestion and inhalation.

General hygiene

Observe good chemical hygiene practices. Keep away from food, drink and animal feeding stuffs. Wash contaminated skin thoroughly after handling. Do not eat, drink or smoke when using this product. Remove contaminated clothing and launder thoroughly before re-use.

7.2. Conditions for safe storage, including any incompatibilities

Store in a dry place. Store in a closed container.
 Recommended storage temperature: 2 to 8°C (35.6 to 46.4°F) Store contents under inert gas.

7.3. Specific end use(s)

No specific usage precautions noted.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No data available

8.2. Exposure controls

Personal Protective Equipment Symbols



Eye / face protection

Wear eye protection.

Hand protection

Wear protective gloves. Recommended gloves: Butyl rubber.
 Glove Thickness: 0.7mm
 Breakthrough time: 8 hours

Always inspect gloves before use. If signs of wear and tear are noticed then the gloves should be replaced.

No specific hygiene procedures noted, but good personal hygiene practices are always advisable, especially when working with chemicals. Wash contaminated skin thoroughly after handling.

Other skin protection

Wash skin thoroughly after handling.

According to Regulation (EC) No 1907/2006

1-Amino-2-propanol

Version number: 2
 Issued: 2023-11-16
 Replaces SDS: 2020-05-14



Respiratory protection

Provide adequate ventilation. If ventilation is insufficient, suitable respiratory protection must be provided.

Environmental exposure controls

Avoid discharge into drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Colourless.

Odour

Ammonia.

Melting point / freezing point

1 °C

Boiling point or initial boiling point and boiling range

159 °C

Flammability

No data available

Lower and upper explosion limit

1.9 - 10.4 %

Flash point

71 °C

Method

CC (Closed cup).

Auto-ignition temperature

No data available

Decomposition temperature

No data available

pH

No data available

Kinematic viscosity

11.2 mm²/s

Viscosity, dynamic

30.43 mPa · s

According to Regulation (EC) No 1907/2006

1-Amino-2-propanol

Version number: 2
 Issued: 2023-11-16
 Replaces SDS: 2020-05-14



Solubility

soluble

Partition coefficient n-octanol/water

-0.93

Vapour pressure

0.63 hPa

Density and/or relative density

0.962 g/cm³

Relative vapour density

2.59

Particle characteristics

No data available

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Forms explosive mixtures with air on intense heating.

15 (approx) Kelvin below the flash point is to be rated as critical.

10.2. Chemical stability

Stable under the prescribed storage conditions.

10.3. Possibility of hazardous reactions

Caution! In contact with nitrites, nitrates, nitrous acid possible liberation of nitrosamines!

Violent reactions possible with:

Strong oxidising agents.

Exothermic reaction with:

Acids.

10.4. Conditions to avoid

strong heating

10.5. Incompatible materials

Strong oxidising agents.

10.6. Hazardous decomposition products

See section 5.

According to Regulation (EC) No 1907/2006

1-Amino-2-propanol

Version number: 2
 Issued: 2023-11-16
 Replaces SDS: 2020-05-14



SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product / Substance name CAS / EC no.	Dose descriptor	Value / Dose	Exposure route	Test animals
1-Amino-2-propanol 78-96-6 / 201-162-7	LD50	2813 mg/kg	Oral	Rat
1-Amino-2-propanol 78-96-6 / 201-162-7	LC50	>3960.71 mg/l	Inhalation.	Rat
1-Amino-2-propanol 78-96-6 / 201-162-7	LD50	1600 mg/kg	Dermal	Rabbit

Skin corrosion/irritation

Product / Substance name CAS / EC no.	Result	Species
1-Amino-2-propanol 78-96-6 / 201-162-7	CAUSES BURNS.	Rabbit

Serious eye damage/irritation

Product / Substance name CAS / EC no.	Result	Species
1-Amino-2-propanol 78-96-6 / 201-162-7	Causes serious eye damage.	Rabbit

Germ cell mutagenicity

Product / Substance name CAS / EC no.	Result	Metabolic activation / Exposure	Species	Method / Guideline
1-Amino-2-propanol 78-96-6 / 201-162-7	Negative.	with and without metabolic activation	-	In vitro mammalian cell gene mutation test.
1-Amino-2-propanol 78-96-6 / 201-162-7	Negative.	with and without metabolic activation	-	Mutagenicity (mammal cell test): Chromosome aberration:
1-Amino-2-propanol 78-96-6 / 201-162-7	Negative.	with and without metabolic activation	Escherichia coli	Ames test

According to Regulation (EC) No 1907/2006

1-Amino-2-propanol

Version number: 2
 Issued: 2023-11-16
 Replaces SDS: 2020-05-14



Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

No data available

SECTION 12: Ecological information

12.1. Toxicity

Acute fish toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species
1-Amino-2-propanol 78-96-6 / 201-162-7	LC50	220-460 mg/l	96 hours	Leuciscus idus (Golden orfe)

Acute algae toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species
1-Amino-2-propanol 78-96-6 / 201-162-7	ErC50	32.7 mg/l	72 hours	Desmodesmus subspicatus (green algae)

Acute crustacean toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species
1-Amino-2-propanol 78-96-6 / 201-162-7	EC50	108.82 mg/l	48 hours	Daphnia magna

Micro-/macro organism toxicity

Product / Substance name CAS / EC no.	Measurement type	Value / Result	Duration of exposure	Species
1-Amino-2-propanol 78-96-6 / 201-162-7	EC50	>261 mg/l	30 minutes	Activated sludge.

12.2. Persistence and degradability

No data available

According to Regulation (EC) No 1907/2006

1-Amino-2-propanol

Version number: 2
 Issued: 2023-11-16
 Replaces SDS: 2020-05-14



12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors.

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal considerations

Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14: Transport information

14.1. UN number

2735

14.2. UN proper shipping name

ADR / RID / ADN proper shipping name

AMINES, LIQUID, CORROSIVE, N.O.S. (1-Amino-2-propanol)

IMDG proper shipping name

AMINES, LIQUID, CORROSIVE, N.O.S. (1-Amino-2-propanol)

IATA proper shipping name

Amines, liquid, corrosive, n.o.s. (1-Amino-2-propanol)

According to Regulation (EC) No 1907/2006

1-Amino-2-propanol

Version number: 2
 Issued: 2023-11-16
 Replaces SDS: 2020-05-14



14.3. Transport hazard class(es)

Label

ADR/RID/ADN



8

IMDG



8

IATA



8

ADR / RID Class

8

ADR / RID Classification code

C7

ADR / RID hazard identification number

80

IMDG Class

8

IATA Class

8

ADN Class

8

ADN Class Code

C7

14.4. Packing group

ADR / RID / ADN: II

IMDG: II

IATA: II

According to Regulation (EC) No 1907/2006

1-Amino-2-propanol

Version number: 2
 Issued: 2023-11-16
 Replaces SDS: 2020-05-14



14.5. Environmental hazards

IMDG EmS

F-A, S-B

14.6. Special precautions for user

Tunnel restriction code: E

Transport category: 2

14.7. Maritime transport in bulk according to IMO instruments

IBC Instruction: IBC02

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

National regulations

No data available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Phrase meaning

Eye Dam. 1 - Serious eye damage, hazard category 1

Skin Corr. 1B - Skin corrosion, hazard category 1B

Acute Tox. 4 - dermal - Acute toxicity, dermal, hazard category 4

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.