Triethyl phosphonoacetate

Version number: 1.0 **Issued:** 2024-04-11



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Triethyl phosphonoacetate

CAS number

867-13-0

EC number

212-757-6

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Research and development. Laboratory Chemicals. Manufacture of substances.

Not suitable for use in

Not suitable for human consumption or veterinary purposes.

1.3. Details of the supplier of the safety data sheet

Supplier

Molekula Group

Address

Molekula Ltd, Lingfield Way, Darlington, DL1 4XX Darlington

United Kingdom

Telephone

+44 (0) 3302 000 333

Email

info@molekula.com

Web site

www.molekula.com

Contact person

Kevin Banks

Email

+44 (0) 7769276927

1.4. Emergency telephone number

Poison center/Additional emergency number

0344 892 0111 - National Poisons Information Service (Newcastle Centre)

Triethyl phosphonoacetate

Version number: 1.0 **Issued:** 2024-04-11



SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Classification

Skin irritation, hazard category 2

Serious eye damage, hazard category 1

Specific Target Organ Toxicity — Single exposure, hazard category 3 - respiratory tract irritation Hazardous to the aquatic environment — Chronic hazard category 3

Hazard statements

H315, H318, H335, H412

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms





Signal word

Danger

Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing vapour.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302 + P352 IF ON SKIN: Wash with plenty of water/.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P332 + P313 If skin irritation occurs: Get medical advice/attention.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P403 Store in a well-ventilated place.

2.3. Other hazards

Triethyl phosphonoacetate

Version number: 1.0 **Issued:** 2024-04-11



SECTION 3: Composition/information on ingredients

3.1. Substances

Chemical name	CAS No. EC No. REACH No. Index No.	Concentration	Classification	H-phrase M factor acute M factor chronic	Note
Ethyl (diethoxyphosphoryl)acetate	867-13-0 212-757-6 -	100%	Skin Irrit. 2, Eye Dam. 1, STOT SE 3 - resp. tract irrit., Aquatic Chronic 3		-

Molecular weight

224.19

Substance additional information

For the complete text of H- / EUH-statements mentioned in this section, see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Get medical attention if any discomfort continues. Show this Safety Data Sheet (SDS) to medical personnel.

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing. In case of persistent throat irritation or coughing: Seek medical attention and bring these instructions.

Skin contact

IF ON SKIN: Wash with plenty of water. Continue to rinse for at least 15 minutes and seek medical attention. Get medical advice/attention if you feel unwell.

Eye contact

Remove contact lenses if present. Rinse eyes with water. Continue to rinse for at least 15 minutes and seek medical attention.

Ingestion

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get medical advice/attention if you feel unwell.

Information for doctors

First aiders/ medical personnel need to protect themselves.

4.2. Most important symptoms and effects, both acute and delayed

The severity of the symptoms described will vary dependant of the concentration and the length of exposure.

Triethyl phosphonoacetate

Version number: 1.0 **Issued:** 2024-04-11



Inhalation

Single exposure may cause the following adverse effects: Upper respiratory irritation.

Skin contact

Single exposure may cause the following adverse effects: Causes mild skin irritation.

Eye contact

Single exposure may cause the following adverse effects: May cause blurred vision and serious eye damage.

Ingestion

Single exposure may cause the following adverse effects: Nausea, vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. No special treatment requirement.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

Unsuitable extinguishing media

No specific fire fighting procedure given.

5.2. Special hazards arising from the substance or mixture

Specific hazards: None.

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Carbon dioxide (CO2). Carbon monoxide (CO). Oxides of phosphorus

Forms explosive mixtures with air on intense heating.

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Evacuate area. Avoid breathing gas, fume, vapours or spray. Cool containers exposed to heat with water spray and remove container, if no risk is involved.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid breathing dust/fume/gas/mist/vapours/spray. Provide adequate ventilation. Avoid contact with skin and eyes. For personal protection, see section 8.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

Triethyl phosphonoacetate

Version number: 1.0 **Issued:** 2024-04-11



6.3. Methods and material for containment and cleaning up

Collect spillage with shovel, broom or the like and reuse, if possible. Dispose of large amounts of spillage/waste according to agreement with local authorities.

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Preventive handling precautions

For precautions see section 2.2. Wear protective clothing, gloves, eye and face protection. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid ingestion and inhalation.

General hygiene

Observe good chemical hygiene practices. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove contaminated clothing and launder thoroughly before re-use. Wash skin thoroughly after handling.


7.2. Conditions for safe storage, including any incompatibilities

Store at ambient temperature. Store in a dry place. Store in a closed container.

7.3. Specific end use(s)

No specific usage precautions noted.

Triethyl phosphonoacetate





SECTION 8: Exposure controls/personal protection

8.1. Control parameters

PNEC/PEC

Product/Substance name (CAS No./EC No.)	Туре	Environmental compartment	Value
Ethyl (diethoxyphosphoryl)acetate (867-13-0/212-757-6)	PNEC	Freshwater	72 µg/l
Ethyl (diethoxyphosphoryl)acetate (867-13-0/212-757-6)	PNEC	Marine water	7.2 µg/l
Ethyl (diethoxyphosphoryl)acetate (867-13-0/212-757-6)	PNEC	Sediment (freshwater)	356.3 µg/kg sediment dw
Ethyl (diethoxyphosphoryl)acetate (867-13-0/212-757-6)	PNEC	Sediment (marine water)	35.6 µg/kg sediment dw
Ethyl (diethoxyphosphoryl)acetate (867-13-0/212-757-6)	PNEC	Intermittent releases	720 µg/l
Ethyl (diethoxyphosphoryl)acetate (867-13-0/212-757-6)	PNEC	Sewage Treatment Plant	100 mg/l
Ethyl (diethoxyphosphoryl)acetate (867-13-0/212-757-6)	PNEC	Soil	29.5 µg/kg soil dry weight

8.2. Exposure controls

Personal Protective Equipment Symbols







Eye / face protection

Wear eye protection. Eye glasses with side protection

Hand protection

Wear protective gloves.

Recommended gloves: Butyl rubber.

Glove Thickness: 0.7mm Breakthrough time: 8 hours

Always inspect gloves before use. If signs of wear and tear are noticed then the gloves should be replaced.

No specific hygiene procedures noted, but good personal hygiene practices are always advisable, especially when working with chemicals. Wash contaminated skin thoroughly after handling.

Triethyl phosphonoacetate

Version number: 1.0 **Issued:** 2024-04-11



Other skin protection

Wash skin thoroughly after handling.

Respiratory protection

Provide adequate ventilation. If ventilation is insufficient, suitable respiratory protection must be provided.

Environmental exposure controls

Avoid discharge into drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Colourless.

Odour

No data available

Melting point / freezing point

-24 °C

Boiling point or initial boiling point and boiling range

260 - 262 °C

Method

(760 mmHg)

Flammability

No data available

Lower and upper explosion limit

No data available

Flash point

105 °C

Method

CC (Closed cup).

Auto-ignition temperature

No data available

Decomposition temperature

No data available

<u>pH</u>

Triethyl phosphonoacetate

Version number: 1.0 **Issued:** 2024-04-11



Kinematic viscosity

5.2 mm²/s

Method

(20°C)

Solubility

Miscible with water.

Partition coefficient n-octanol/water

No data available

Vapour pressure

< 0.01 hPa

Method

(25°C)

Density and/or relative density

1.13 g/cm³

Method

(25°C)

Relative vapour density

7.73

Particle characteristics

No data available

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Forms explosive mixtures with air on intense heating.

10.2. Chemical stability

Stable under the prescribed storage conditions.

10.3. Possibility of hazardous reactions

Violent reactions possible with:

Strong oxidising agents.

10.4. Conditions to avoid

strong heating

10.5. Incompatible materials

Strong oxidising agents.

Triethyl phosphonoacetate

Version number: 1.0 **Issued:** 2024-04-11



10.6. Hazardous decomposition products

See section 5.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity

Product / Substance name CAS / EC no.	Dose descriptor	Value / Dose	Test animals	Remarks
Ethyl (diethoxyphos- phoryl)acetate 867-13-0 / 212-757-6	Acute Toxicity (Oral LD50):	> 2,000mg/kg	Rat	(External MSDS)
Ethyl (diethoxyphos- phoryl)acetate 867-13-0 / 212-757-6	Acute Toxicity (Dermal LD50):	> 2,000mg/kg	Rabbit	(External MSDS)

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

No data available

SECTION 12: Ecological information

12.1. Toxicity

Acute fish toxicity

Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of expos- ure	Species	Remark
Ethyl (diethoxyphos- phoryl)acetate 867-13-0 / 212-757- 6	LC50	> 100mg/l	96 hours	Onchorhynchus mykiss (Rainbow trout)	(External MSDS)

Acute algae toxicity

stand	ct / Sub- ce name / EC no.	Measurement type	Value / Result	Duration of expos- ure	Species	Remark
Ethyl (die	ethoxyphos-	ErC50	> 100mg/l	72 hours	Pseudokirchneriella	(External MSDS)

Triethyl phosphonoacetate

Version number: 1.0 **Issued:** 2024-04-11



Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of expos- ure	Species	Remark
phoryl)acetate 867-13-0 / 212-757- 6				subcapitata	

Acute crustacean toxicity

Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of expos- ure	Species	Remark
Ethyl (diethoxyphos- phoryl)acetate 867-13-0 / 212-757- 6	EC50	3.9mg/l	48 hours	Daphnia magna	(External MSDS)

Micro-/macro organism toxicity

Product / Sub- stance name CAS / EC no.	Measurement type	Value / Result	Duration of expos- ure	Species	Remark
Ethyl (diethoxyphos- phoryl)acetate 867-13-0 / 212-757- 6		> 1,000mg/l	3 hours	Activated sludge.	(External MSDS)

12.2. Persistence and degradability <u>Persistence and degradability</u>

Product / Substance name CAS / EC no.	Type of test	Duration	Result	Degradation
Ethyl (diethoxyphos- phoryl)acetate 867-13-0 / 212-757-6	aerobic	28 days	The product is not readily biodegradable.	27%

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

Triethyl phosphonoacetate

Version number: 1.0 **Issued:** 2024-04-11



12.5. Results of PBT and vPvB assessment

No data available

12.6. Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors.

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal considerations

Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14: Transport information

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture *EU regulations*

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. This material safety data sheet complies with the requirements of Regulation (EU) 2020/878.

National regulations

Triethyl phosphonoacetate

Version number: 1.0 **Issued:** 2024-04-11



15.2. Chemical safety assessment

No data available

SECTION 16: Other information

Phrase meaning

Skin Irrit. 2 - Skin irritation, hazard category 2

Eye Dam. 1 - Serious eye damage, hazard category 1

STOT SE 3 - resp. tract irrit. - Specific Target Organ Toxicity — Single exposure, hazard category

3 - respiratory tract irritation

Aquatic Chronic 3 - Hazardous to the aquatic environment — Chronic hazard category 3

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.