



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 7/23/2019 Version: 1.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

: Blend

1.1. Product identifier

Product form : Mixture

Product name : Isopropylmagnesium bromide, 3M in 2-MeTHF

CAS-No. : 920-39-8 Product code : 90029013 Formula : (CH3)2CHMgBr

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Laboratory use, Industrial use, Professional use

Industrial/Professional use spec : For professional use only Use of the substance/mixture : For analytical purposes

Scientific research and development

Not for human consumption or veterinary purposes.

#### 1.2.2. Uses advised against

No additional information available

# 1.3. Details of the supplier of the safety data sheet

#### Supplier

Product group

Scafell Organics Molekula Ltd Lingfield Way Darlington - England

T +44 (0) 1949 823777 / +44 (0) 7590 545705

info@molekula.com / kbowen@molekula.com - www.molekula.com

## 1.4. Emergency telephone number

**Emergency number** : +44 (0) 7590 545705

## **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2 H225 Substances and Mixtures which, in contact with water, emit flammable H260 gases, Category 1

H302 Acute toxicity (oral), Category 4 Skin corrosion/irritation, Category 1B H314 Specific target organ toxicity — Single exposure, Category 3, H335

Respiratory tract irritation

Full text of H statements : see section 16

## Adverse physicochemical, human health and environmental effects

No additional information available

# 2.2. Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS07

GHS02

GHS05

Signal word (CLP) : Danger

Hazardous ingredients : Tetrahydro-2-methylfuran; Isopropylmagnesium bromide

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour.

H260 - In contact with water releases flammable gases which may ignite spontaneously.

H302 - Harmful if swallowed.

H314 - Causes severe skin burns and eye damage.

H335 - May cause respiratory irritation.

EN (English) 1/9

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

EUH-statements : EUH014 - Reacts violently with water.

EUH019 - May form explosive peroxides.

#### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

# **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

Not applicable

#### 3.2. Mixtures

| Name                       | Product identifier                       | %       | Classification according to<br>Regulation (EC) No.<br>1272/2008 [CLP]                      |
|----------------------------|--|---------|--|
| Tetrahydro-2-methylfuran   | (CAS-No.) 96-47-9<br>(EC-No.) 202-507-4  | 60 - 70 | Flam. Liq. 2, H225<br>Acute Tox. 4 (Oral), H302<br>Skin Irrit. 2, H315<br>Eye Dam. 1, H318 |
| Isopropylmagnesium bromide | (CAS-No.) 920-39-8<br>(EC-No.) 213-056-8 | 30 - 40 | Flam. Liq. 2, H225<br>Water-react. 1, H260<br>Skin Corr. 1B, H314                          |

Full text of H-statements: see section 16

## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

First-aid measures general : If possible show this sheet, if not available show packaging or label. Never give anything by mouth to an unconscious person. Do not leave affected person unattended.

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable

for breathing. Give oxygen or artificial respiration if necessary. If breathing difficulties

persist : Get medical advice/attention.

First-aid measures after skin contact : After contact with skin, take off immediately all contaminated clothing, and wash

immediately with plenty of water. Do not remove clothing if it sticks to the skin. If irritation

persists, consult a doctor.

First-aid measures after eye contact : Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do.

Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth out with water. Do not induce vomiting. Get medical advice/attention.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Material is dest

: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea. Burns or irritation of the linings of the mouth, throat, and gastrointestinal tract. Symptoms may include dizziness, headache,

nausea and loss of coordination.

Symptoms/effects after skin contact : Causes severe burns. May produce skin irritation, blistering, ulcers, and deep scarring.

Symptoms/effects after eye contact : Causes serious eye damage. May cause severe chemical burns to skin and cornea.

Symptoms/effects after ingestion : Swallowing this material may result in health hazard. Symptoms of ingestion include drowsiness, weakness, headache, dizziness, nausea, vomiting. burns of the upper digestive and respiratory tracts, abdominal pain, bloody vomiting, severe damage to the

delicate tissue and danger of perforation.

# 4.3. Indication of any immediate medical attention and special treatment needed

Get immediate medical advice/attention.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Dry powder. Sand.
Unsuitable extinguishing media : Do NOT use water jet.

## 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour. Reacts violently with water.

Explosion hazard : May form flammable/explosive vapour-air mixture. May form explosive peroxides.

Hazardous decomposition products in case of fire : Carbon oxides (CO, CO2). Magnesium oxide fumes. hydrogen bromide.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 5.3. Advice for firefighters

Precautionary measures fire : Keep container tightly closed and away from heat, sparks and flame. Keep away from

combustible materials.

Firefighting instructions : Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering

the environment.

Protection during firefighting : Wear recommended personal protective equipment. Use self-contained breathing

apparatus and chemically protective clothing.

Other information : Warn all persons of toxic hazard.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Do not handle until all safety precautions have been read and understood. Ventilate the area thoroughly, especially low lying areas (basements, workpits etc). Keep away from combustible materials.

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Evacuate unnecessary personnel. Mark out the contaminated area with signs and prevent

access to unauthorized personnel. Do not touch or walk on the spilled product. Avoid

contact with skin, eyes and clothing.

Measures in case of dust release : Shelter from vapours by keeping upwind. Ventilate the area thoroughly, especially low lying

areas (basements, workpits etc). Special attention should be given to low areas/pits where

flammable vapours can accumulate.

## 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Use self-contained

breathing apparatus and chemically protective clothing.

Emergency procedures : Ventilate area

# 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

# 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage. Contain the spilled material by bunding.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Try to stop release if without risk.

# 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Hygiene measures

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable. Should

crystals form in a peroxidizable liquid, peroxidation may have occurred and the product

should be considered extremely dangerous.

Precautions for safe handling : Avoid formation of vapours. Avoid contact with skin, eyes and clothing. Do not handle until

all safety precautions have been read and understood. Ensure that there is a suitable

ventilation system. Do not handle in a confined space. Handle under inert gas.

: Take off immediately all contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Do not eat, drink or smoke when using this product.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ensure adequate ventilation, especially in confined areas. Proper grounding procedures to

avoid static electricity should be followed.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Heat

sources, Direct sunlight. Keep container closed when not in use. Reacts violently with water. Never allow product to get in contact with water during storage. Store contents

under inert gas.

Incompatible products : Strong oxidizing agents. Acids. Water.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources. open flames. sparks. Moisture. Water,

humidity.

Heat and ignition sources : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

Storage area : Keep away from combustible materials. Store below 20 °C. Store in dry protected location

to prevent any moisture contact.

Special rules on packaging : Never allow product to get in contact with water during storage.

## 7.3. Specific end use(s)

For analytical purposes. Scientific research and development. Not for human consumption or veterinary purposes.

7/23/2019 (Version: 1.0) EN (English) 3/9

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

## Appropriate engineering controls:

Handle in accordance with good industrial hygiene and safety procedures. Floors should be impervious, resistant to liquids and easy to clean.

## Personal protective equipment:

Avoid all unnecessary exposure.

#### Materials for protective clothing:

Wear suitable protective clothing, gloves and eye/face protection

#### Hand protection:

The protective gloves to be used must comply with the specifications of the regulation 2016/425 and the resultant standard EN 374

| Туре              | Material                 | Permeation        | Thickness (mm) | Penetration | Standard |
|-------------------|--------------------------|-------------------|----------------|-------------|----------|
| Disposable gloves | Fluoroelastomer<br>(FKM) | 6 (> 480 minutes) | 0.7            |             | EN 374   |

## Eye protection:

Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure. Use eye protection according to EN 166, designed to protect against liquid splashes.

| Туре                        | Use              | Characteristics                                   | Standard |
|-----------------------------|------------------|---|----------|
| Safety goggles, Face shield | Droplet, vapours | tightly fitting safety goggles, With side shields | EN 166   |

## Skin and body protection:

Emergency safety showers should be available in the immediate vicinity of any potential exposure. Keep suitable chemically resistant protective clothing readily available for emergency use

| Туре  | Standard |
|---|----------|
| Total impervious protective suits, gloves, and boots must be worn to prevent any contact with the product, Flame retardant antistatic protective clothing | EN 14605 |

# Respiratory protection:

Keep self contained breathing apparatus readily available for emergency use. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

| Device                                   | Filter type | Condition   | Standard |
|--|-------------|---|----------|
| Air-Purifying Respirator (APR), reusable | ABEK        | Moist condition, Mist formation,<br>Protection for Liquid particles,<br>Vapour protection | EN 14387 |

## Other information:

Flash point

Do not eat, drink or smoke during use.

## **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Clear.
Molecular mass : 147.31 g/mol

Colour : dark grey. dark brown. : No data available. Odour Odour threshold : No data available pН : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : No data available · 80 °C Boiling point

Auto-ignition temperature : No data available
Decomposition temperature : No data available

: -11 °C

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Flammability (solid, gas) · Flammable Vapour pressure : No data available Relative vapour density at 20 °C : No data available

Relative density · 1 08

Solubility : No data available Log Pow : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available : No data available Explosive properties Oxidising properties · No data available **Explosive limits** : No data available

#### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

Flammable liquid and vapour. Reacts violently with water.

#### 10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture. May form explosive peroxides.

# 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Protect from sunlight. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not allow water (or moist air) contact with this material.

## 10.5. Incompatible materials

Strong oxidizers. Acids. water.

#### 10.6. Hazardous decomposition products

No hazardous decomposition products known at room temperature. Thermal decomposition generates: Carbon oxides (CO, CO2). hydrogen bromide. Magnesium oxide fumes.

# **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity (oral) : Oral: Harmful if swallowed.

Acute toxicity (dermal) Not classified Acute toxicity (inhalation) Not classified

ATE CLP (oral) 714.286 mg/kg bodyweight

| Tetrahydro-2-methylfuran (96-47-9) |  |  |
|------------------------------------|--|--|
| LD50 oral rat                      | > 300 mg/kg                              |  |
| LD50 dermal rat                    | > 2000                                   |  |
| LC50 inhalation rat (ppm)          | 6000 ppm/4h                              |  |
| Skin corrosion/irritation :        | Causes severe skin burns and eye damage. |  |

Additional information : Based on available data, the classification criteria are not met

Serious eye damage/irritation : Serious eye damage, category 1, implicit

Additional information : Based on available data, the classification criteria are not met

Respiratory or skin sensitisation Not classified

Additional information : Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : May cause respiratory irritation.

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure Not classified

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard Not classified

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

: Based on available data, the classification criteria are not met Additional information Potential adverse human health effects and : Based on available data, the classification criteria are not met.

symptoms

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

Acute aquatic toxicity : Not classified Chronic aquatic toxicity : Not classified

# Tetrahydro-2-methylfuran (96-47-9)

LC50 fish 1 > 100 mg/l Oncorhynchus mykiss (rainbow trout) 96hr

EC50 Daphnia 1 > 139 mg/l Daphnia magna (Water flea) 48hr

# 12.2. Persistence and degradability

# Isopropylmagnesium bromide, 3M in 2-MeTHF (920-39-8)

Persistence and degradability No data available.

# Tetrahydro-2-methylfuran (96-47-9)

Persistence and degradability No data available.

# 12.3. Bioaccumulative potential

# Isopropylmagnesium bromide, 3M in 2-MeTHF (920-39-8)

Bioaccumulative potential No data available.

# Tetrahydro-2-methylfuran (96-47-9)

Bioaccumulative potential No data available.

# 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

# Isopropylmagnesium bromide, 3M in 2-MeTHF (920-39-8)

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## Component

Tetrahydro-2-methylfuran (96-47-9) This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

# 12.6. Other adverse effects

Additional information : Avoid release to the environment.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Additional information : Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials : Avoid release to the environment.

# **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

| ADR  | IMDG   | IATA  | ADN  | RID  |
|--|--|---|--|--|
| 14.1. UN number  |  |   |  |  |
| 3399   | 3399   | 3399  | 3399   | 3399   |
| 14.2. UN proper shippin  | g name   |   |  |  |
| ORGANOMETALLIC<br>SUBSTANCE, LIQUID,<br>WATER-REACTIVE,<br>FLAMMABLE | ORGANOMETALLIC<br>SUBSTANCE, LIQUID,<br>WATER-REACTIVE,<br>FLAMMABLE | Organometallic substance,<br>liquid, water-reactive,<br>flammable | ORGANOMETALLIC<br>SUBSTANCE, LIQUID,<br>WATER REACTIVE,<br>FLAMMABLE | ORGANOMETALLIC<br>SUBSTANCE, LIQUID,<br>WATER-REACTIVE,<br>FLAMMABLE |

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# **Transport document description** UN 3399 **ORGANOMETALLIC** SUBSTANCE, LIQUID, WATER-REACTIVE,

**FLAMMABLE** (Isopropylmagnesium bromide, 3M solution in 2-MeTHF), 4.3 (3), I, (B/E)

UN 3399 **ORGANOMETALLIC** SUBSTANCE, LIQUID, WATER-REACTIVE, **FLAMMABLE** (Isopropylmagnesium bromide, 3M solution in 2-


MeTHF), 4.3 (3), I

UN 3399 Organometallic substance, liquid, waterreactive. flammable (Isopropylmagnesium bromide, 3M solution in 2-MeTHF), 4.3, I

UN 3399 **ORGANOMETALLIC** SUBSTANCE, LIQUID, WATER REACTIVE, **FLAMMABLE** (Isopropylmagnesium bromide, 3M solution in 2-MeTHF), 4.3 (3), I

UN 3399 **ORGANOMETALLIC** SUBSTANCE, LIQUID, WATER-REACTIVE, **FLAMMABLE** (Isopropylmagnesium bromide, 3M solution in 2-MeTHF), 4.3 (3), I

## 14.3. Transport hazard class(es)



1

## 14.5. Environmental hazards

Dangerous for the Dangerous for the environment: No environment: No Marine pollutant : No Dangerous for the environment: No Dangerous for the environment: No Dangerous for the environment: No

No supplementary information available

## 14.6. Special precautions for user

#### Overland transport

: WF1 Classification code (ADR) Special provisions (ADR) : 274 Limited quantities (ADR) : 0 Excepted quantities (ADR) : E0 Packing instructions (ADR) : P402 Mixed packing provisions (ADR) : MP2 Portable tank and bulk container instructions : T13 (ADR)

Portable tank and bulk container special provisions

(ADR)

Tank code (ADR) · I 10DH

Tank special provisions (ADR) : TU4, TU14, TU22, TE21, TM2

Vehicle for tank carriage : FL Transport category (ADR) : 0 Special provisions for carriage - Packages (ADR) : V1 Special provisions for carriage - Loading, : CV23

unloading and handling (ADR)

Special provisions for carriage - Operation (ADR) : S2, S20 Hazard identification number (Kemler No.) · X323

Orange plates

3399

: TP2, TP7, TP36, TP41

Tunnel restriction code (ADR) : B/E

Transport by sea

Special provisions (IMDG) : 274 Packing instructions (IMDG) : P402 Special packing provisions (IMDG) : PP31 Tank instructions (IMDG) : T13

Tank special provisions (IMDG) : TP2, TP7, TP36, TP41

EmS-No. (Fire) : F-G EmS-No. (Spillage) : S-N Stowage category (IMDG) : D

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Stowage and handling (IMDG) : SW2, H1
Segregation (IMDG) : SG35, SG26

Properties and observations (IMDG) : Flammable liquid. Reacts violently with moisture, water and acids evolving flammable gas.

Air transport

PCA Excepted quantities (IATA) : E0 PCA Limited quantities (IATA) : Forbidder PCA limited quantity max net quantity (IATA) : Forbidden PCA packing instructions (IATA) : Forbidden PCA max net quantity (IATA) · Forbidden CAO packing instructions (IATA) · 494 : 1L CAO max net quantity (IATA) Special provisions (IATA) : A3, A803 ERG code (IATA) : 4FW

Inland waterway transport

Classification code (ADN) : WF1
Special provisions (ADN) : 274
Limited quantities (ADN) : 0
Excepted quantities (ADN) : E0
Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01
Provisions for handling and stowage of the cargo : HA08

(ADN)

Number of blue cones/lights (ADN) : 1

Rail transport

Classification code (RID) : WF1
Special provisions (RID) : 274
Limited quantities (RID) : 0
Excepted quantities (RID) : E0
Packing instructions (RID) : P402
Mixed packing provisions (RID) : MP2
Portable tank and bulk container instructions (RID) : T13

Portable tank and bulk container special provisions

(RID)

Tank codes for RID tanks (RID) : L10DH

Special provisions for RID tanks (RID) : TU4, TU14, TU22, TU38, TE21, TE22, TM2

Transport category (RID) : 0

Special provisions for carriage – Packages (RID) : W1

Special provisions for carriage - Loading, : CW23

unloading and handling (RID)

Hazard identification number (RID) : X323

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

: TP2, TP7, TP36, TP41

# 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances Directive 2012/18/EU (SEVESO III)

## 15.1.2. National regulations

## Germany

Reference to AwSV : Water hazard class (WGK) 2, Significantly hazardous to water (Classification according to

AwSV, Annex 1)

12th Ordinance Implementing the Federal : Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Immission Control Act - 12.BlmSchV

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

7/23/2019 (Version: 1.0) EN (English) 8/9

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# **SECTION 16: Other information**

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16

December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

| Full text of H- and EUH-statements: |  |  |
|-------------------------------------|--|--|
| Acute Tox. 4 (Oral)                 | Acute toxicity (oral), Category 4  |  |
| Eye Dam. 1                          | Serious eye damage/eye irritation, Category 1  |  |
| Flam. Liq. 2                        | Flammable liquids, Category 2  |  |
| Skin Corr. 1B                       | Skin corrosion/irritation, Category 1B   |  |
| Skin Irrit. 2                       | Skin corrosion/irritation, Category 2  |  |
| Water-react. 1                      | Substances and Mixtures which, in contact with water, emit flammable gases, Category 1 |  |
| H225                                | Highly flammable liquid and vapour.  |  |
| H260                                | In contact with water releases flammable gases which may ignite spontaneously.         |  |
| H302                                | Harmful if swallowed.  |  |
| H314                                | Causes severe skin burns and eye damage.   |  |
| H315                                | Causes skin irritation.  |  |
| H318                                | Causes serious eye damage.   |  |
| H335                                | May cause respiratory irritation.  |  |
| EUH014                              | Reacts violently with water.   |  |
| EUH019                              | May form explosive peroxides.  |  |

# SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.